1971–Volume 118

Author and Subject Index

Journal of The Electrochemical Society

XUM

The Computer-Derived 1971 *Journal* Index

The Publication Committee of the Society recommended the use of a computer-derived index in 1968, and this practice is planned to be continued. This index is published two months earlier than the usual index and makes possible indexing more information than before. These indices refer only to *Journal* articles and reviews and do not include information on meeting paper authors, titles, or subjects. These indices were prepared for the *Journal* by the Institute for Scientific Information, Philadelphia, Pennsylvania.

Using the Index

1. Given any author, go directly to his name in the author and title index to find the full paper title with a page citation or to find a cross-reference to a primary author.
2. Given any topic, go to the subject index and search for the key word itself.
3. For a detailed explanation of symbols and abbreviations, see the sample pages before the individual author and title index and the subject index.
4. Chemical formulae cannot be reproduced directly because the conventional computer printout appears in capital letters only. For example, BI3 could be three atoms of bismuth or boron triiodide. To avoid this ambiguity, to a large extent an attempt has been made to write out chemical formulae.
5. In the author index, an author is always listed with all available initials, which for lack of space sometimes can mean omission of one or two letters from the end of his last name.

The Publication Committee will appreciate comments on the usefulness and accuracy of this index.

NEWTON SCHWARTZ
Chairman
Publication Committee

JOURNAL ARTICLE AUTHOR AND TITLE INDEX

To locate a full description of a source item, look up the primary author. Under a given name, journal articles of primary authorship are described first. Items of secondary authorship follow. These are cross-referenced to the primary author whose name follows the word SEE.


Author
Number of References Cited
Issue, Part or Supplement Number
Source Volume
Source Page
Codes indicating type of source item
Article Title
C = corrections, errata, etc.
D = discussions, conference items
E = editorials, editorial-like items
I = items about individuals (tributes, obituaries, etc.)
L = letters, communications, etc.
M = proceedings from meetings
N = technical notes
Q = bibliography supplied after primary publication by source author
R = reviews & bibliographies
Blank = articles, reports, technical papers, etc.
Cross Referenced Secondary Author
Primary Author
Secondary Author
Source Volume
Source Page
Cross Reference
BAILEY LG ROGERS GG
N 4R N5 118 834
METHOD FOR PRODUCING GRADED COMPOSITION EPITAXIAL LAYERS BY VAPOR DEPOSITION
BAIZER MM CHRUMA JL
20R N3 118 450
ELECTROLYTIC REDUCTIVE COUPLING .20. MIXED REDUCTIVE COUPLINGS WITH ACRYLONITRILE REDUCTIONS AT CATHODE VOLTAGE REQUIRED FOR MORE DIFFICULTLY REDUCED PARTNER
BAIZER MM SEE PETROVIC.JP 118 447
BAIZER MM SEE TYSSEE DA 118 1420
BAKER BR PEARSON RM
N 6R N2 118 353
REACTION OF WATER VAPOR WITH ANODIC ALUMINIUM OXIDE - STUDIES BY WIDE-LINE NMR SPECTROSCOPY
BAKER CT TRACHTEN.I
10R N4 118 571
ION SELECTIVE ELECTROCHEMICAL SENSORS-FE&3, CU&2
BALK P
N 16R N3 118 494
SURFACE PROPERTIES OF OXIDIZED GERMANIUM-DOPED SILICON
BALK P STEPHANY F
27R N10 118 1634
CHARGE INJECTION IN MAOS SYSTEMS
BALK P SEE MONTILLO F 118 1463
BAN G SEE FOREST H 118 1999
BAN G SEE OZAWA L 118 482
BAN VS
15R N9 118 1473
MASS SPECTROMETRIC STUDIES OF VAPOR PHASE CRYSTAL GROWTH .1. GAASXP1-X SYSTEM %0 LESS THAN OR EQUAL TO X LESS THAN OR EQUAL TO 1<
BARD AJ SEE CHILDS WV 118 874
BARGER HJ WALKER GW YORK RJ
25R N11 118 1713
ADSORPTION AND REACTION OF CYCLIC OLEFINS ON A FUEL CELL ELECTRODE

XUM

ABBRUSCA,V
120 N6 119 930
OPTICAL AND ELECTRICAL PROPERTIES OF SNAL2O4-EU2O3
ABOAF JA
N 17R N8 118 1370
FORMATION OF 20-25A THERMAL OXIDE FILMS ON SILICON AT 950 DEGREES-1140 DEGREES C
ADAMS J HAAS W
N 12R N12 118 2026
SENSITIVITY OF CHOLESTERIC FILMS TO ULTRAVIOLET EXPOSURE
ADAMS J SEE HAAS W 118 1372
ADDAMIAN,A ANDERSON GW LUCKE W COMAS J
N NO R N11 118 C291
ION IMPLANTATION EFFECTS OF BORON, ALUMINUM AND NITROGEN IN HEXAGONAL SILICON CARBIDE
AGATSUMA T MIYAKE K
13P N5 118 759
RELAXATION PHENOMENON AT TURNOVER IN POINT CONTACT SILICON DEVICES
AGATSUMA T MIYAKE K
6R N5 118 763
N-LAYER THICKNESS DEPENDENCE OF SECOND BREAKDOWN IN POINT CONTACT NNE SI DEVICES
AGRUSS B
9R N2 118 375
TESTING BATTERIES FOR VEHICULAR APPLICATIONS .3. SELECTION AND CHARACTERIZATION OF A POWER BATTERY
AHMAD I HEFFERNA,WJ
6R N10 118 1670
PREPARATION OF BETA-RHOMBOHEDRAL BORON WHISKERS
AHN BH SHURTZ RR TRUSSELL CW
7R N6 118 1015
DEPENDENCE OF EMISSION SPECTRUM AND EFFICIENCY OF GAASSI DIODES ON SILICON CONCENTRATION
AIDA H EPELBOIN I GARREAU M
34R N2 118 243
ANODIC DISSOLUTION OF BERYLLIUM IN ANHYDROUS MEDIA
AIDA H SEE JAMES WJ 118 1960
ALBRIGHT LF SEE DAVITT HJ 118 236
ALKIRE R
9R N12 118 1935
TRANSIENT BEHAVIOR DURING ELECTRODEPOSITION ONTO A METAL STRIP OF HIGH OHMIC RESISTANCE
ALT H BINDER H KOHLING A SANDSTED,G
N 3R N12 118 1950
QUINONES AS RECHARGEABLE AND REGENERABLE BATTERY CATHODE MATERIALS
ALWAN AS SEE DUNN CG 118 381
ALWITT RS
N 7R N5 118 810
EFFECT OF A BARRIER OXIDE ON EVAPORATION OF WATER FROM A HYDROUS ALUMINUM OXIDE FILM
ALWITT RS
21R N11 118 1730
SOME PHYSICAL AND DIELECTRIC PROPERTIES OF HYDROUS ALUMINA FILMS
ALWITT RS
11R N11 118 1734
EFFECT OF BORIC ACID ON DIELECTRIC PROPERTIES OF HYDROUS ALUMINA FILMS
AMRON I
NO R N6 118 1026
GENERAL EQUATIONS FOR GAS PHASE COMPOSITIONS IN EPITAXIAL FLOW SYSTEMS
ANSEL G SEE CROSET M 118 717
ANSEL G SEE SIEJKA J 116 727
ANANTHA NG DDO VV SETO DK
10R N1 118 163
CHROMIUM DEPOSITION FROM DICUMENE-CHROMIUM TO FORM METAL-SEMICONDUCTOR DEVICES
ANDERSON GW SEE ADDAMIAN,A 118 C291
ANDERSON HJ SEE BRENNER A 118 373
ANDERSON WW CHANG HJ
17R N9 118 1451
DIFFUSION AND SOLUBILITY OF Y836 IN CDS
ANSELL MG BOORMAN RS
13R N1 118 133
PHASE RELATIONSHIPS IN IN-S-SYSTEM
ANTYPAS GA SEE STRINGFE,GB 118 1019
APPELS JA PAFFEN WM KODI E
N 3R N11 118 C291
OCCURRENCE AND PREVENTION OF FAILURES IN LOCOS %LOCALLY OXIDIZED SILICON% DEVICE STRUCTURES
APPLEBY AJ VANDRUNE,C
N 7R N1 118 95
ANODIC OXIDATION OF CARBOHYDRATES AND RELATED COMPOUNDS IN NEUTRAL SALINE SOLUTION
ARAMAKI K
12R N10 118 1553
CORROSION INHIBITION EFFECTS OF SMALL-SIZED POLYMETHYLENEIMINE
ARNSTRON,RD DOUGLAS AF KEENE DE
9R N4 118 568
ANODIC OXIDATION OF HYDROGEN IN AQUEOUS ACIDS BY CONDUCTING COMPOUNDS OF TRANSITION ELEMENTS
ARNSTRON,RD DICKINSO,T TURNER J
N 6R N7 118 1135
CONTACTS FOR RESISTIVITY MEASUREMENTS OF BETA-ALUMINA
ARNSTRON,RD DICKINSO,T RALEIGH DD
D 7R N12 118 1960
ELECTROCHEMICAL STUDIES IN LIQUID AND SOLID AGBR
ASAKURA S NOBE K
17R N1 118 13
ELECTRODISSOLUTION KINETICS OF IRON IN CHLORIDE SOLUTIONS .1. NEUTRAL SOLUTIONS
ASAKURA S NOBE K
10R N1 118 19
ELECTRODISSOLUTION KINETICS OF IRON IN CHLORIDE SOLUTIONS .2. ALKALINE SOLUTIONS
ASAKURA S NOBE K
12R N4 118 536
KINETICS OF ANODIC PROCESSES ON IRON IN ALKALINE SOLUTIONS
ASAKURA S
C 1R N7 118 1139
CORRECTION
ASHNER JD SEE SCHMIDT PF 118 325
AUBRY J STREIFF R
N 12R N4 118 650
EFFECT OF NITROGEN PURITY ON NITRIDING OF METALS USING PURITY CONTROLLED NITROGEN
AUERBACH C SEE SALZAND FJ 118 416
AUSTIN LG SEE GAGNON EG 118 497
AVELLA FJ
N 6R N11 118 1862
CATHODOLUMINESCENCE OF ALKALINE EARTH THIOSILICATE PHOSPHORS
AZZERRI N SEE ROMSARA G 118 676
BABOIAN R SEE RUBIN EJ 118 428
BACHMANN KJ
7R N2 118 226
METAL/METAL ION ELECTRODES WITH 2 CHARGE-TRANSFER STEPS - MEX-ALLOY/MEX ELECTRODES
MEZ6/ME%ZI6 POTENTIOSTATIC TRANSIENTS UNDER CHARGE-TRANSFER AND DIFFUSION CONTROL
BACHNER FJ SEE SMITH HI 118 821
BAILEY LG ROGERS GG
N 4R N5 118 834
METHOD FOR PRODUCING GRADED COMPOSITION EPITAXIAL LAYERS BY VAPOR DEPOSITION
BAIZER MM CHRUMA JL
20R N3 118 450
ELECTROLYTIC REDUCTIVE COUPLING .2O. MIXED REDUCTIVE COUPLINGS WITH ACRYLONITRILE. REDUCTIONS AT CATHODE VOLTAGE REQUIRED FOR MORE DIFFICULTLY REDUCED PARTNER
BAIZER MM SEE PETROVIC,JP 118 447
BAIZER MM SEE TYSSEE DA 118 1420
BAKER BR PEARSON RM
N 6R N2 118 353
REACTION OF WATER VAPOR WITH ANODIC ALUMINUM OXIDE - STUDIES BY WIDE-LINE NMR SPECTROSCOPY
BAKER CT TRACHTEN,I
10R N4 118 571
ION SELECTIVE ELECTROCHEMICAL SENSORS-FE63, CU62
BALK P
N 16R N3 118 496
SURFACE PROPERTIES OF OXIDIZED GERMANIUM-DOPED SILICON
BALK P STEPHANY F
27R N10 118 1634
CHARGE INJECTION IN MAOS SYSTEMS
BALK P SEE MONTILLO F 118 1463
BAN G SEE FOREST H 118 1969
BAN G SEE OZAWA L 118 482
BAN VS
15R N9 118 1473
MASS SPECTROMETRIC STUDIES OF VAPOR PHASE CRYSTAL GROWTH .1. GAASXP1-X SYSTEM NO LESS THAN OR EQUAL TO X LESS THAN OR EQUAL TO 1C
BARD AJ SEE CHILDS WV 118 874
BARGER HJ WALKER GW YORK RJ
25R N11 118 1713
ADSORPTION AND REACTION OF CYCLIC OLEFINS ON A FUEL CELL ELECTRODE
BARNARTT S SEE JOHNSON CA 118 576
BARRETT DL MYERS EH HAMILTON DR BENNETT AJ
10R N6 118 952
GROWTH OF WIDE, FLAT CRYSTALS OF SILICON WEB
BARTLETT ES SEE WILLIAMS DN 118 1684
BARTLETT PW
N 16R N2 118 397
OXIDE FILMS ON BETA-SILICON/CARBIDE
BECKMANN KH HARRICK NJ
27R N4 118 614
HYDRIDES AND HYDROXYLS IN THIN SILICON DIOXIDE FILMS
BEHL WK
50R N6 11F 889
LINEAR SWEEP VOLTAMMETRY OF NIXIIC, COXIIC, COXIIC, AND PRXIIC AT GLASSY CARBON ELECTRODES IN MOLTEN LITHIUM CHLORIDE-POTASSIUM CHLORIDE EUTECTIC
BELANGER A BELANGER G VIJH AK
N 13P N9 118 1543
POLARIZATION BEHAVIOR OF GRAPHITE IN SODIUM CHLORIDE SOLUTIONS IN PRESENCE AND ABSENCE OF ETHYLENE
BELANGER G
N 9R N4 118 583
AUTOMATED PROCEDURE FOR OBTAINING STEADY-STATE CURRENT-POTENTIAL RELATIONSHIP
BELANGER G SEE BELANGER A 118 1543
BELITSKU,DL SEE KINOSZ DL 118 1375
BELLAVAN,MT SEE MILLER B 118 1082
BELLISSE,MC GEPARO P LONGEVIA,C METON M
PICH M MORAND G
40R N12 118 1944
EXPERIMENTAL MEASUREMENTS OF HALL EFFECT IN VERY DILUTE SOLUTIONS
BENNETT AI SEE BARRETT DL 118 952
BENNION DN SEE DUNNING JS 118 1251
BENNION DN SEE DUNNING JS 118 1416
BENNION DN SEE DUNNING JS 118 1986
BENNION DN SEE MSUEH L 118 1128
BENNION DN SEE YAO HC 118 1097
BERGER MH CHANG IF
D 11R N6 118 1016
CONTACT RESISTANCE IN DIFFUSED RESISTORS
BERGSTEI,A WHITE WB
18R N7 118 1166
MANGANESE-ACTIVATED LUMINESCENCE IN SRAL12O19 AND CALI2O19
BERKENBI,WM SEE REISMAN A 118 1653
BERKENBL,WM SEE STAFFORD FE 118 1030
BERKES JS MYERS MB
19R N9 118 1485
PHASE RELATIONS AND LIQUID STRUCTURE IN SYSTEM AS-SB2SE3-SE
BERRY WB
7R N4 118 597
LOW-ENERGY ELECTRON IRRADIATION OF THIN PARAFFIN HYDROCARBON FILMS
BERRY WB SEE KAZNERSK,LL 118 C292
BERRY WE SEE WILLIAMS DN 118 1684
BERTOCCI C SEE BERTOCCI U 118 1287
BERTOCCI U BERTOCCI C
55R N8 118 1287
LOW DEFECT DENSITY ELECTRODEPOSITS ON COPPER SINGLE CRYSTALS
BETHUNE AJD SEE KROGER FA 118 1097
BHARDWAJ BD SEE KEGEL GHR 118 1662
BINDER H SEE ALT H 118 1950
BIRLEY SS TROMANS D
N 10R NA 118 636
MECHANISM OF CU2O TARNISH FORMATION ON CU/30ZN - 29CU-64 TRACER STUDY
BLAKESLE,AE
7R N9 118 1459
VAPOR GROWTH OF A SEMICONDUCTOR SUPERLATTICE
BLANCHAR,GC FOLEY RT
19R N7 118 1232
OPERATION OF AN ION-MEMBRANE FUEL CELL WITH MICROBIALLY-PRODUCED HYDROGEN
BLECH IA SEE ZAHAVI J 118 1809
BLESS PW SEE KOSTINER E 118 351
BLOCK FE SEE LANDSBER,A 118 1331
BLOEM J
14R N11 118 1837
EFFECT OF TRACE AMOUNTS OF WATER VAPOR ON BORON DOPING IN EPITAXIALLY GROWN SILICON
BLOM GM PLASKETT TS
16R N11 118 1831
IN-GA-SB TERNARY PHASE DIAGRAM
BLOM GM
18R N11 118 1834
IN-GA-P TERNARY PHASE DIAGRAM AND ITS APPLICATION TO LIQUID PHASE EPITAXIAL GROWTH
BLUM JB SEE SMITH KK 118 1631
BLUMENTH,RN LEE PW PANLENER RJ
20R N1 118 123
STUDIES OF DEFECT STRUCTURE OF NONSTOICHIOMETRIC CERIUM DIOXIDE
BOCHMAN RS YOUNG FJ
11R N12 118 2021
SOME STABILITY CONSIDERATIONS IN LEVITATION MELTING
BOCKRIS JO SUBRAMAN,PK
21R N7 118 1114
HYDROGEN EMBRITTLEMENT AND HYDROGEN TRAPS
BODEN DP WYLIE RB SPERA VJ
16R N8 118 1298
ELECTRODE POTENTIAL OF ZINC AMALGAM IN ALKALINE ZINCATE SOLUTIONS
BODEN DP SEE MANNING MH 118 2031
BOGGS WE
24R N6 118 906
OXIDATION OF IRON-ALUMINUM ALLOYS FROM 450 DEGREES TO 900 DEGREES C
BOHG A
2R N2 118 401
ETHYLENE DIAMINE-PYROCATECHOL-WATER MIXTURE SHOWS ETCHING ANOMALY IN BORON-DOPED SILICON
BOLLER B SEE LIEBERMA,ML 118 1224
BOLON RB SEE DUNN CG 118 381
BOMBARA G TAMBA A AZZERRI N
5R N4 118 676
POTENTIOSTATIC ANODIC PICKLING OF STAINLESS STEELS
BOND AM
25R N10 118 1588
PRINCIPLES AND APPLICATIONS OF A-C AND D-C RAPID POLAROGRAPHY WITH SHORT CONTROLLED DROP TIMES
BOND AP SEE LIZLOVS EA 118 22
BOORMAN RS SEE ANSELL MG 118 133
BOROWITZ JL RAFAELOF,R ROY A
13P N8 118 1358
PHASE DIAGRAMS OF SYSTEMS PBCL2-UCL4 AND PBCL2-UCL3
BOSTON CR
13R N3 118 425
ELECTRICAL CONDUCTIVITIES OF MOLTEN ALBR3-NABR MIXTURES
BOTHWELL AL SEE ROY RN 118 1302
BOWERS RW SEE MUELLER CF 118 394
BOXALL LG JOHNSON KE
28R N6 118 885
INTERSOLVENT POTENTIALS AND REVERSIBLE NITRATE AND SULFATE ELECTRODES
BRACK K SEE SCHWUTTK,GH 118 C291
BRACKEN RC SEE HUFF HR 118 143
BRANSKY I TALLAN NM
23R N5 118 788
GRAVIMETRIC STUDY OF NONSTOICHIOMETRIC MNO
BRANSKY I SEE TALLAN NM 118 349
BREBRICK RF SMITH FTJ
10R N6 118 991
PARTIAL AND TOTAL VAPOR PRESSURES OVER MOLTEN BI2TE3
BREBRICK RF
24R N12 118 2014
PARTIAL PRESSURES IN CD-TE AND ZN-TE SYSTEMS
BREITER MW LUBORSKY FE
10R N6 118 867
IDENTIFICATION OF GOLD ISLANDS ON COPPER-PLATED WIRE SURFACES BY CYCLIC VOLTAMMETRY
BRENNER A
N 2R N1 118 99
NOTE ON ELECTRODEPOSITION OF MAGNESIUM FROM AN ORGANIC SOLUTION OF A MAGNESIUM-BORON COMPLEX
BRENNER A ANDERSON HJ
N 7R N2 118 373
NOTE ON PREPARATION OF RHENIUM OXYCHLORIDES
BRENNER A
N NO R N3 118 461
NOTE ON AN ORGANIC-ELECTROLYTE CELL WITH A HIGH VOLTAGE
BRO P KANG HY
13R N4 118 519
DISCHARGE PROFILES IN A POROUS CADMIUM ELECTRODE
BRO P KANG HY
14R N9 118 1430
LOW-TEMPERATURE ACTIVITY OF WATER IN CONCENTRATED KOH SOLUTIONS
BRO P SEE SELIN R 118 829
BROADHEA,J ELVING PJ
44R N1 118 63
POLAROGRAPHIC ESTIMATION OF ION-SOLVENT INTERACTION OF ALKALI METAL IONS IN WATER AND OTHER SOLVENTS
BRODD RJ SEE KOZAWA A 118 1705
BROOK RJ PELZMANN WL KROGER FA
31R N2 118 185
PLATINUM ELECTRODES AND CALCIA-STABILIZED ZIRCONIA - RELATION BETWEEN ELECTRODE PROCESSES AND ELECTRODE STRUCTURE
BROOMAN EW MCCALLUM J
17R N9 118 1518
THERMAL CONDUCTIVITY MEASUREMENTS OF NICKEL-CADMIUM AEROSPACE CELLS .1. CELL CONDUCTIVITIES
BROWN DM KENNICOT,PR
32R N2 118 293
GLASS SOURCE B DIFFUSION IN SI AND SIO2
BROWN JJ SEE LOONEY JR 118 470
BROWN JJ SEE PALUMBO DT 118 1159
BROWN RA
27R N6 118 937
MECHANISM OF FLUX ACTION IN THERMAL RECRYSTALLIZATION OF ZINC SULFIDE
BRUCKENS,S SEE MILLER G 118 1082
BUCHAN WP SEE VOHL P 118 1842
BUEHLER MG HWANG JST WELLIVER LC
D 4R N12 118 2033
REDISTRIBUTION OF BORON IN DIFFUSED LAYER DURING THERMAL OXIDATION
BUHLER D SEE VOINOV M 118 1137
BURRANK J
63R NA 118 525
CRYSTALLIZATION OF PBSO4 ON ANODES OF LEAD-ANTIMONY ALLOY
BURGER FJ WU JC
5R N12 118 2039
DIELECTRIC BREAKDOWN IN ELECTROLYTIC CAPACITORS
BURROWS B
N 7R N7 118 1130
REDUCTION MECHANISM OF THIN-FILM CUF2 ELECTRODES IN PROPYLENE CARBONATE ELECTROLYTE
BURROWS B
C 1R N11 118 1771
CORRECTION
BURRUS CA
N 7R N5 118 633
PULSE ELECTROPLATING OF HIGH-RESISTANCE MATERIALS, POORLY CONTACTED DEVICES, AND EXTREMELY SMALL AREAS
BYRNE JG SEE CHAN JS 118 1492
BYRNE PJ SEE PICKERIN,HW 118 209
CAFFREY RE SEE TAUBER RN 118 747
CAHAN BD MORGANS J YEAGER E
N 3R N8 118 1322
CAUSES OF ERROR IN MULTIPLE SPECULAR REFLECTION STUDIES
CAIRNS EJ SEE CUNNINGH,PT 118 1941
CAMPANEL,L PISTOIA G
11R N12 118 1905
MOO3 - NEW ELECTRODE MATERIAL FOR NONAQUEOUS SECONDARY BATTERY APPLICATIONS
CANNON DL
N 2R N7 118 1228
USE OF PLATED METAL FILMS FOR SEMICONDUCTOR OXIDE PARAMETER MEASUREMENTS
CAPUANO GA DAVENPOR,WG
40R N10 118 1688
ELECTRODEPOSITION OF ALUMINUM FROM ALKYL BENZENE ELECTROLYTES
CARR JP HAMPSON NA
47R N6 118 1262
DIFFERENTIAL CAPACITANCE AND LINEAR SWEEP VOLTAMMETRY STUDIES ON POLYCRYSTALLINE LEAD AND ELECTRODEPOSITED LEAD DIOXIDE
CARTLEDG,GH
10R N2 118 231
FREE ENERGIES OF FORMATION OF HYDROUS OXIDES OF TECHNETIUM IN ITS LOWER VALENCIES
CARTLEDG,GH
7R N11 118 1752
ELECTROCHEMICAL BEHAVIOR OF TECHNETIUM AND IRON CONTAINING TECHNETIUM
CASTELLA,RN SCHMIDT PH
N 9R NA 118 853
CHEMICAL POLISH AND ETCH FOR LITHIUM, SODIUM AND POTASSIUM
CASTRO PL DEAL BE
33R N2 118 280
LOW-TEMPERATURE REDUCTION OF FAST SURFACE STATES ASSOCIATED WITH THERMALLY OXIDIZED SILICON
CATELLA C STREIFF R
N 9R N6 118 1006
EFFECT OF NITROGEN ON LINEAR OXIDATION OF NIOBIUM
CATHCART JV SEE PAWEL RE 118 1776
CATHRO KJ
7R N9 118 1523
FUEL CONTROL IN METHANOL-AIR AND FORMALDEHYDE-AIR FUEL CELL SYSTEMS
CAULDER SM SEE SIMON AC 118 659
CEZNER V SEE ROUSAR I 118 881
CHAN S SEE REISMAN A 118 1653
CHANG HJ SEE ANDERSON WW 118 1451
CHANG IF SEE BERGER HH 118 1016
CHEH HY
15R NA 118 551
ELECTRODEPOSITION OF GOLD BY PULSED CURRENT
CHEH HY
N 4R NA 118 681
GOLD PLATING ON COPPER SUBSTRATES FROM GEL ELECTROLYTES
CHEH HY
N 5R N7 118 1132
LIMITING RATE OF DEPOSITION BY P-R PLATING
CHEH HY SARD R
30R N11 118 1737
ELECTROCHEMICAL AND STRUCTURAL ASPECTS OF GOLD ELECTRODEPOSITION FROM DILUTE SOLUTIONS BY DIRECT CURRENT
CHEN F SEE KENNEDY JH 118 1043
CHEN MC
35R NA 118 591
SOME CHARGE PHENOMENA IN D-C REACTIVELY SPUTTERED ALUMINA FILMS ON SILICON
CHIEN KH SEE DEVEREUX OF 118 1147
CHIKU I NAKAJIMA K
7R N9 118 1395
FORMATION OF PBSO4 CRYSTALLITES ON PB IN LEAD-ACID CELL
CHILDS WV MALOY JT KESZTHEL,CP BARD AJ
22R N6 118 874
VOLTAMMETRIC AND COULOMETRIC STUDIES OF MECHANISM OF ELECTROHYDRODIMERIZATION OF DIETHYL FUMARATE IN DIMETHYLFORMAMIDE SOLUTIONS
CHILDS WV SEE FOX HW 118 1246
CHIN D
13R N11 118 1764
EXPERIMENTAL STUDY OF MASS TRANSFER ON A ROTATING SPHERICAL ELECTRODE
CHIN DT
16R N1 118 174
ANODIC MECHANISM OF ELECTROCHEMICAL MACHINING - STUDY OF CURRENT TRANSIENT ON A ROTATING ELECTRODE
CHIN DT
7R N5 118 818
LOGARITHMIC THROWING INDEX FOR MEASUREMENT OF THROWING POWERS
CHIN DT WALLACE AJ
N 3R N5 118 831
ELECTROCHEMICAL MACHINING - NOTE ON THROWING POWER OF ELECTROLYTES
CHIN DT
20R N9 118 1434
CONVECTIVE DIFFUSION ON A ROTATING SPHERICAL ELECTRODE
CHIN RJ NOBE K
7R N4 118 545
ELECTROCHEMICAL CHARACTERISTICS OF IRON IN H2SO4 CONTAINING BENZOTRIAZOLE
CHOU NJ
20R N4 118 601
APPLICATION OF TRIANGULAR VOLTAGE SWEEP METHOD TO MOBILE CHARGE STUDIES IN MOS STRUCTURES
CHOU NJ
N NO R N11 118 C292
D-C CONDUCTION IN SIO2 FILMS AT ELEVATED TEMPERATURES
CHOUDHUR,NS PATTERSO,JW
14R N9 118 1398
PERFORMANCE CHARACTERISTICS OF SOLID ELECTROLYTES UNDER STEADY-STATE CONDITIONS
CHRISTIE JM SEE OWENS BB 118 1144
CHRUMA JL SEE BAIZER MM 118 450
CHU TL
6R N7 118 1200
GALLIUM NITRIDE FILMS
CHUN JS NICHOLS0,PS SOSIN A BYRNE JG
7R N9 118 1492
CHEMICAL VAPOR DEPOSITED TUNGSTEN - MECHANICAL EVALUATION AT HIGH TEMPERATURES
CISZEK TF
N NO R N11 118 C291
CHARACTERISTICS OF B115+ DISLOCATION-FREE FLOAT-ZONED SILICON CRYSTALS
CLARK RP MOSER JR
19R N4 118 666
ELECTRICAL CONDUCTIVITY MEASUREMENTS IN ANHYDROUS HYDROGEN FLUORIDE
CLARK RP GROTHAUS KR
9R N10 118 1680
IMPROVED CALCIUM ANODE FOR THERMAL BATTERIES
COHEN RL DAMICO JF WEST KW
15R N12 118 2042
MOSSBAUER STUDY OF TIN%IC SENSITIZER DEPOSITS ON KAPTON
COMAS J SEE ADDAMIAN,A 118 C291
CONSTABL,DC
N 9R N8 118 1391
HIGH-STABILITY CATHODES FOR FUEL BATTERIES
CORNET I SEE ELLISON BT 118 69
CORNET I SEE KAPPESSE,M 118 1957
COUTTS MD SEE LEVIN ER 118 1171
COWAN RL STAEBLE RW
45R N4 118 557
THERMODYNAMICS AND ELECTRODE KINETIC BEHAVIOR OF NICKEL IN ACID SOLUTION IN TEMPERATURE RANGE 25 DEGREES TO 300 DEGREES C
COWAN RL SEE LEWIS D 118 1988
COWLING RD HINTERMA,HE
7R N12 118 1912
ANODIC OXIDATION OF TITANIUM CARBIDE
COX RH HENTZSCH,H
NO R N12 118 2006
CHARACTERIZATION OF MULTILEVEL INTERCONNECTION DEFECTS
CRAFORD WG GROVES WO FOX WJ
N 13R N2 118 355
GAAS-GAASP HETEROSTRUCTURE INJECTION LASERS
CRAIG SE DISMUKES JP DITTMAN FW
D 13P N12 118 2034

GAS PHASE ETCHING OF SILICON WITH CHLORINE
CROIALA E SEE RUSCIOR C 118 696
CROSET M PETREANU E SAMUEL D AMSEL G
NADAI JP
24R N5 118 717
018 STUDY OF SOURCE OF OXYGEN IN ANODIC OXIDATION OF SILICON AND TANTALUM IN SOME ORGANIC SOLVENTS
CROWDER BL
24R N6 118 943
INFLUENCE OF AMORPHOUS PHASE ON ION DISTRIBUTIONS AND ANNEALING BEHAVIOR OF GROUP III AND GROUP V IONS IMPLANTED INTO SILICON
CROWE MR SEE RALEIGH DO 118 79
CULLEN GW WANG CC
N 27P N4 118 640
COMPARISON OF HOLE MOBILITY AND EARLY GROWTH OF EPITAXIAL SILICON ON FLAME FUSION, FLUX, AND CZOCHRALSKI SPINEL
CUNNINGH.PT JOHNSON SA CAIRNS EJ
13P N12 118 1941
PHASE EQUILIBRIA IN LITHIUM-CHALCOGEN SYSTEMS .e1. LITHIUM-SELENIUM
CUONG J SEE REISMAN A 118 1653
DALVI AD SMELTZER WW
23R N12 119 1978
KINETICS AND MORPHOLOGICAL DEVELOPMENT OF OXIDE SCALE ON NICKEL-IRON ALLOYS %0-25 W/O FE< AT 1000 DEGREES C
DAMICO JF DEANGELO MA HENRICKS.JF KENNEY JT
SHARP DJ
15R N10 118 1695
SELECTIVE ELECTROLESS METAL DEPOSITION USING PATTERNED PHOTO-OXIDATION OF SNKIIC SENSITIZED SUBSTRATES
DAMICO JF SEE COHEN RL 118 2042
DAMM EP SEE PHILLIPS SL 118 1916
DAMPIER FW JANZ GJ
14R N12 118 1900
PRACTICAL ASSESSMENT OF RECENT TRANSITION-STATE THEORIES FOR ELECTRICAL CONDUCTANCE OF MOLTEN SALTS
DAS MB SEE OSADNIK SJ 118 C292
DAVENPOR.WG SEE CAPUANO GA 118 1688
DAVIS DG SEE HUNTING?.AL 118 57
DAVIS SM MANSFELD F GILMAN S
D 3R N6 118 1031
EFFECT OF SEVERAL ELECTRODE AND ELECTROLYTE ADDITIVES ON CORROSION AND POLARIZATION BEHAVIOR OF ALKALINE ZINC ELECTRODE
DAVITT HJ ALBRIGHT LF
25R N2 118 236
ELECTROCHEMICAL HYDROGENATION OF ETHYLENE, ACETYLENE, AND ETHYLENE-ACETYLENE MIXTURES
DAWSON LR SEE LORIMOR OG 118 C292
DEAL BE SEE CASTRO RL 119 200
DEANGELO MA SEE DAMICO JF 118 1695
DELDUCA BS
20R N3 118 405
ELECTROCHEMICAL BEHAVIOR OF ALUMINUM ELECTROLYTES
DELLUCA CJ YAN G YOUNG L
N 9R N1 118 89
ELLIPSOMETRY OF ANODIC OXIDE FILMS ON GAAS
DENIZU K
3R N10 118 1627
DOUBLE EPITAXIAL ISOLATION METHOD FOR FABRICATION OF INTEGRATED CIRCUIT TRANSISTORS
DESMET DJ SEE ELLIS BH 118 860
DESMET DJ SEE ORD JL 118 206
DEVEREUX OF WANG RY CHIEN KH
5R N7 118 1147
EFFECT OF SODIUM OXIDE ON THERMAL OXIDATION OF SILICON
DEXTER RJ SEE SCHWETTN.FN 118 C292
DEY AN
5R N10 118 1547
ELECTROCHEMICAL ALLOYING OF LITHIUM IN ORGANIC ELECTROLYTES
DICKINSO.T SEE ARMSTRON.RD 118 1135
DICKINSO.T SEE ARMSTRON.RD 118 1960
DILORENZ.JV MACHALA AE
N 17R N9 118 1516
ORIENTATION EFFECTS ON ELECTRICAL PROPERTIES OF HIGH PURITY EPITAXIAL GAAS
DILORENZ.JV
9R N10 118 1645
ANALYSIS OF IMPURITY DISTRIBUTION IN HOMOEPITAXIAL N ON N6 FILMS OF GAAS .e2.
DILORENZ.JV MOORE GE
24R N11 118 1823
EFFECTS OF ASCL3 MOLE FRACTION ON INCORPORATION OF GERMANIUM, SILICON, SELENIUM, AND SULFUR INTO VAPOR GROWN EPITAXIAL LAYERS OF GAAS
DIRKSE TP VANDERLU.LA HAMPSON NA
10R N10 118 1606
EXCHANGE IN ZN, ZINCATE, ZNO SYSTEM
DIRKSE TP SEE VANDERLU.LA 118 265
DISMUKES JP ULMER R
N 15R N4 118 634
GAS-PHASE ETCHING OF SILICON WITH CHLORINE
DISMUKES JR SEE OLSEN SE 118 2034
DISMUKES JP SEE LEVIN ER 118 1171
DITTMAN FW SEE CRAIG SE 118 2034
DOO VY ANANTHA NG 118 163
DOO VY SEE LEE LH 118 443
DOUGLAS AF SEE ARMSTRON.RD 118 568
DRAZIC D NAGY Z
N 14R N2 118 255
INVESTIGATION OF DIRECT REDUCTION OF ZINC OXIDE IN ALKALINE ELECTROLYTES
DREEBEN A SEE ETTENDER.M 118 1355
DRYHURST G
19R N5 118 699
PRIMARY PRODUCTS OF ELECTROCHEMICAL OXIDATION OF URIC ACID IN AQUEOUS AND METHANOLIC SOLUTION
DRYHURST G SEE HANSEN BH 118 1747
DUCATI U SEE PIONTELL.R 118 1986
DUNBRI AC SEE TAUBER RN 118 747
DUNN CG BOLON RB ALMAN AS STURLING AW
12R N2 118 381
SCANNING ELECTRON MICROSCOPE STUDY OF ETCHED ALUMINUM FOIL FOR ELECTROLYTIC CAPACITORS
DUNNING JS BENNION DN NEWMAN J
9R N8 118 1251
ANALYSIS OF POROUS ELECTRODES WITH SPARINGLY SOLUBLE REACTANTS
DUNNING JS BENNION DN
4R N9 118 1416
SOLUBILITY OF META-DINITROBENZENE IN DIMETHYL SULFOXIDE
DUNNING JS TIEDEMAN.WH HSUEH L BENNION DN
11D N12 118 1886
SECONDARY, NONAQUEOUS SOLVENT BATTERY
DUPNOCK A SEE TONG AH 118 390
DYER LD
18R N6 118 957
INFLUENCE OF METHANE ON TWIN FORMATION DURING VAPOR GROWTH OF SILICON CRYSTALS
DYMENT JC ROZGONYI GA
16P N8 118 1346
EVALUATION OF A NEW POLISH FOR GALLIUM ARSENIDE USING A PEROXIDE-ALKALINE SOLUTION
EFREMOV N SEE SMITH WI 118 821
EHMAN WF FAUST JW WHITE WB
28R N9 118 1443
INFLUENCE OF COMPLEXING AGENT CONCENTRATION ON ETCH RATE OF GERMANIUM
EICHKORN G SEE HILBERT F 118 1919
EICHKORN G SEE HILBERT F 118 1927
ELDRIDGE JM KERR DR
14R N6 118 986
SODIUM ION DRIFT THROUGH PHOSPHOSILICATE GLASS-SIO2 FILMS
ELMOSHY AH
N 7R N12 118 2028
CHARACTERIZATION OF CVD MOLYBDENUM TWIN FILMS
ELLIS BH HOPPER MA DESMET DJ
13R N6 118 860
STUDY OF ANODIC OXIDATION OF VANADIUM
ELLISON BT CORNET I
27R N1 118 68
MASS TRANSFER TO A ROTATING DISK
ELVING PJ SEE BROADHEA.J 118 63
EPELBOIN I MOREL P YAKENOUT.H
29R N8 118 1282
CORROSION INHIBITION AND HYDROGEN ADSORPTION IN CASE OF IRON IN A SULFURIC AQUEOUS MEDIUM
EPELBOIN I WIART R
31R N10 118 1577
MECHANISM OF ELECTROCRYSTALLIZATION OF NICKEL AND COBALT IN ACIDIC SOLUTION
EPELBOIN I SEE AIDA H 118 243
EPELBOIN I SEE JAMES WJ 118 1960
EPSTEIN SG WEEKS JR
N 8R N6 118 895
ELECTROMIGRATION OF FE AND CR IN LIQUID DI
ERDMANN FW SEE MANASEVI.HM 118 1664
ERDR NG WAGNER JB
19R N10 118 1665
NONSTOICHIOMETRIC DISORDER IN SINGLE-CRYSTALLINE MNO
ESCALANT.E KRUGER J
15R N4 118 1062
STRESS CORROSION CRACKING OF PURE COPPER
ETSELL TH FLENGAS SN
63R A10 118 1890
OVERPOTENTIAL BEHAVIOR OF STABILIZED ZIRCONIA SOLID ELECTROLYTE FUEL CELLS
ETTENDER.M SIGAI AG DREEBEN A GILBERT SL
15R N8 118 1355
VAPOR GROWTH AND PROPERTIES OF AIAS
FAIR RB
9R N6 118 971
SELF-CONSISTENT METHOD FOR ESTIMATING NON-STEP JUNCTION DOPING PROFILES FROM CAPACITANCE-VOLTAGE MEASUREMENTS
FAIRMAN RD SOLOMON P
N NO R N11 118 C291
SUBMICRON EPITAXIAL FILMS FOR GAAS FIELD EFFECT TRANSISTORS
FARROW RFC FILBY JD
N 7D N1 118 149
INHIBITION OF SILICON GROWTH RATE DURING DEPOSITION OF ARSENIC-DOPED EPITAXIAL SILICON LAYERS ON SILICON BY PYROLYSIS OF SILANE
FASTNACH.RA SEE SINCLAIR WR 118 341
FAUST JW SEE EHMAN WF 118 1443
FELDSTEI.M
20R N6 118 869
NEW TECHNIQUE FOR INVESTIGATING ELECTROCHEMICAL BEHAVIOR OF ELECTROLESS NICKEL PLATING
FFLDSTEI.M
C 1R N9 118 1442
CORRECTION
FELDSTEI.M SEE RANDIN JP 118 1969
FILBY JD SEE FARROW RFC 118 149
FISCHER AG MAMANTOV G
R 48P N6 118 C139
ELECTROLUMINESCENT II-VI HETEROJUNCTIONS
FITCHMUN DR SEE WIGGLE RR 118 158
FLENGAS SM SEE ETSELL TH 118 1890
FLENGAS SM SEE PELTON AD 118 1307
FLENGAS SN SEE THOMPSON WT 118 419
FLITSCH R SEE RAIDER SI 118 1011
FLORES EA SEE NAROTO AJG 118 400
FOGELS EA SALAMA CAT
19R N12 118 2002
CHARACTERIZATION OF SURFACE STATES AT SI-SIO2 INTERFACE USING QUASI-STATIC TECHNIQUE
FOLLET RT SEE BLANCHAR.GC 118 1232
FOLEY RT SEE TRAUBENA.SE 118 1066
FONGER WH STRUCK CW
21R N2 118 273
ENERGY LOSS AND ENERGY STORAGE FROM EU63 CHARGE-TRANSFER STATES IN Y AND LA OXYSULFIDES
FORESTH BAM
5R N12 118 1999
RANDOM SUBSTITUTION OF EU3% FOR Y3% IN Y203-EU3%
FORREST H SEE OZAWA L 118 482
FOSTER JM SCARDEFI.JE
N 4R N3 118 495
SOLIDUS BOUNDARY IN INAS-ALAS PSEUDOBINARY SYSTEM
FOSTER LM WOODS JF
S0R N7 118 1175
THERMODYNAMIC ANALYSIS OF III-V ALLOY SEMICONDUCTOR PHASE DIAGRAMS .e1. INSB-GASB, INAS-GAAS, AND INP-GAP
FOX HN RUEHLEN RN CHILOS WV
10R N7 118 1246
ELECTROCHEMICAL FLUORINATION
FOX MJ SEE CRAFORD MG 118 355
FUHRMEIS.LC SEE HILBERT TC 119 C265
GAGNON EG AUSTIN LG
17R N3 118 497
LOW-TEMPERATURE CATHODE PERFORMANCE OF POROUS AG/AG20 ELFCTRODES
GALLAGHE.PK JOHNSON DW
6R N9 118 1530
KINETICS OF THERMAL DECOMPOSITION OF AQUEOUS MANGANESE%II< NITRATE SOLUTIONS ON POROUS TANTALUM
GARREAU M SEE AIDA M 118 243
GARREAU M SEE JAMES WJ 118 1960
GATOS HC SEE HARRIS JM 118 335
GATOS HC SEE HARRIS JM 118 338
GATOS HC SEE LICHTENS.M 118 1013
GEGENWAR.HH SEE SCHURANN PA 118 145
GENSHAW AG SIROHI RS
49R N10 118 1558
ELLIPSOMETRIC STUDY OF CHROMIUM PASSIVATION
GENTHE JA SEE VOSK P 118 1842
GERARD P SEE BELLISSE.MC 118 1944
GERLSCHEAH SEE MILES MH 118 837
GERMANO G SEE SCROSATI B 118 86
GERYSMAN SL SEE SZABO EI 118 2059
GHEZZO M SEE WONG J 118 1540
GIBBON CF KETCHOW DR
10R N6 118 975
DIFFUSION OF TIN INTO GAAS FROM DOPED SIO2 FILM SOURCES
GINSCHEL GF SEE LAUD KP 118 918
GIGGINS CS PETTIT FS
16R N11 118 1782
OXIDATION OF NI-CR-AL ALLOYS BETWEEN 1000 DEGREES AND 1200 DEGREES C
GILBERT SL SEE ETTENDER.M 118 1355
GILEADI E STONER GE
23R N8 118 1316
EFFECT OF COMPETITION WITH WATER ON KINETIC PARAMETERS IN ELECTRODE REACTIONS
GILMAN S SANGERMA.LD
N 16R N12 118 1953
ADSORPTION OF CADMIUM IONS FROM KOH SOLUTION AT A PLATINUM ELECTRODE
GILMAN S SEE DAVIS SM 118 1031
GLASSER FD SEE JOHNSON CA 118 576
GOFL M SEE PILLAI PKC 118 1674
GOLDSTEI.DR SEE MAI CC 118 331
GOREY EF SEE SCHWUTTK.GH 118 C291
GRAFF WR SEE SCHWETTN.FN 118 1973
GRAHAM MC SEE TRIPP MC 118 1195
GREENE PE SEE STRINGFE.GB 118 805
GREIF R SEE KAPPESSE.R 118 1957
GRENS EA SEE KATAN T 118 1881
GRISAFE DA
N 3R N2 118 358
NEW MANGANESE-ACTIVATED PHOSPHOR - LI22MGE3O8
GROTHAUS KR SEE CLARK MP 118 1680
GROVES WO SEE CRAFORD MG 118 355
GRUSS L SEE HUSTED D 118 1989
GUO SF THURMOND CD PEARSON GL
14R N3 118 486
CONCENTRATION OF ZINC IN GALLIUM ARSENIDE CRYSTALS GROWN BY SLOWLY COOLING GALLIUM-RICH SOLUTIONS
HAAS W ADAMS J
M 11R N8 118 1372
ELECTRIC FIELD EFFECTS ON SYSTEM OLEYL CHOLESTERYL CARBONATE-CHOLESTERYL CHLORIDE
HAAS W SEE ADAMS J 118 2026
HACKERMA.N SEE WENGLE E 118 1273
HACKERMA.N SEE NARAYAN R 118 1426
HACKERMA.N SEE YSAI KC 118 28
HAKKI RM
12R N9 118 1469
GROWTH OF INXI-X< GAXP P-N JUNCTIONS BY LIQUID PHASE EPITAXY
HALL L
N 6R N9 118 1586
ETCH RATE CHARACTERIZATION OF SILANE SILICON DIOXIDE FILMS
HALL LH ROBINETT.WC
19R N10 118 1624
PROPERTIES OF ALUMINUM OXIDE FILMS OBTAINED FROM NITROUS OXIDE AND ALUMINUM TRIMETHYL
HAMILTON OR SEE BARRETT DL 118 952
HAMPSON NA SEE CARR JP 118 1262
HAMPSON NA SEE DIRKSE TP 118 1606
HANCK KW LAITINEN HA
14R N7 118 1123
ELECTROCHEMICAL REDUCTION OF POTASSIUM CHROMATE IN PRESENCE OF ZINCKIC AND COBALTIIC IN MOLTEN LITHIUM CHLORIDE-POTASSIUM CHLORIDE EUTECTIC
HANES MH SEE SIMPSON J 118 C291
HANSEN BH DRYHURST G
26R N11 118 1747
DERIVATIVES IN AQUEOUS SOLUTION
HANSEN EE MUNIR ZA
25R N6 118 983
TOTAL VAPOR PRESSURE OF TIN TELLURIDE UNDER EQUILIBRIUM AND NONEQUILIBRIUM CONDITIONS
HAPASE MG SEE HOCH M 118 1503
HARADA Y SEE TAKUJ Y 118 118
HARRICK NJ SEE BECKMANN KH 118 614
HARRIS JM GATOS HC WITT AF
17R N2 118 335
GROWTH CHARACTERISTICS OF ALPHA-SILICON CARBIDE .e1. CHEMICAL VAPOR DEPOSITION
HARRIS JM GATOS HC WITT AF
6R N2 118 339
GROWTH CHARACTERISTICS OF ALPHA-SILICON CARBIDE .e2. EQUILIBRIUM CONSIDERATIONS
HARUYAMA S SEE OGURA K 118 531
HASZKO SE SEE SCHWARTZ B 118 1229
HATANO Y SEE MIRAI T 118 669
HATHAWAY EJ SEE JOHNSON CE 118 631
HFCKAMAN M SEE NEWMAN DS 118 541
HED AZ
3R N6 118 737
DEVIATIONS FROM PARABOLIC OXIDATION OF CO-25 W/O CR AT HIGH TEMPERATURE
HEFFERNA.WJ SEE AHMAD I 118 1670
HEIMAN FP SEE ROBINSON PH 118 141
HELM PF SEE SIMPSON J 118 C291
HENRICKS.JF SEE DAMICO JF 118 1695
HENTZSCH.M SEE COX RH 118 2006
HEREDY LA SEE YAO MP 118 1039
HERSH HN
R 42R N6 118 C144
CONNECTIONS BETWEEN COLOR CENTER PHENOMENA AND LUMINESCENCE PHENOMENA IN GENERAL
HILBERT F MIYOSHI Y EICHKORN G LORENZ WJ
7JR N12 118 1919
CORRELATIONS BETWEEN KINETICS OF ELECTROLYTIC DISSOLUTION AND DEPOSITION OF IRON .1. ANODIC DISSOLUTION OF IRON
HILBERT F MIYOSHI Y EICHKORN G LORENZ WJ
19R N12 118 1927
CORRELATIONS BETWEEN KINETICS OF ELECTROLYTIC DISSOLUTION AND DEPOSITION OF IRON .2. CATHODIC DEPOSITION OF IRON
HINE F YASUDA M
17R N1 118 166
STUDIES ON DEPOSITED ASBESTOS DIAPHRAGM WITH A MINIATURE DIAPHRAGM-TYPE CHLORINE CELL
HINE F YASUDA M
9R N1 118 170
STUDIES ON CATHODIC REACTION IN DIAPHRAGM-TYPE CHLORINE CELL
HINE F YASUDA M
N 7R N1 118 182
CATHODE REACTION IN SOLUTIONS CONTAINING CL03
HINTERNA.HE SEE COWLING RD 118 1912
HIRAI Y HATANO Y NONOGAKI S
12R N4 118 669
EPOXIDE-CONTAINING POLYMERS AS HIGHLY SENSITIVE ELECTRON-BEAM RESISTS
HO FC SEE ORD JL 118 46
HOATSON CL SEE LANDSBER.A 118 1331
HOCH M RAMAKRIS.D
19R N7 118 1204
CONDENSATION COEFFICIENTS OF REFRACTORY MATERIALS .e1. ALN AND SN
HOCH M MAPASE MG YAMAUCHI S
26R N9 118 1503
THERMODYNAMIC PROPERTIES OF TERNARY REFRACTORY CARBIDES .e2. ZIRCONIUM-URANIUM-CARBON AND ZIRCONIUM-HAFNIUM-CARBON
HOCH M SEE JUN CK 118 1498
HOCH M SEE RAMAKRIS.D 118 1212
HOFFMAN MV
11R N6 118 933
ALKALINE EARTH ALUMINUM FLUORIDE COMPOUNDS WITH EU62 ACTIVATION
HOFFMAN MV
N 5R N9 118 1508
EFFECT OF THORIUM ON CE63 PHOSPHORS
HOFFMAN MV SEE MCCAULEY RA 118 785
HOFFMANN A SEE KRODER FA 118 981
HOLTON WC SEE PARKER SG 118 979
HOPKINS RH ROLAND GW STEINBRU.KB PARTOW HD
N 11R N4 118 637
SILICATE OXYAPATITES - NEW HIGH-ENERGY STORAGE LASER HOSTS FOR ND
HOPPER MA SEE ELLIS BH 118 860
HORKANS J SEE CAHAN BD 118 1322
HORN RE SEE LIU CC 118 402
HOSOI Y SEE OKADA H 118 2036
HOSPINAR.V SEE WIGGLE RR 118 158
HOSTOMSK.J SEE ROUSAR I 118 881
HSUEH L BENNION DN
N 19R N7 118 1128
EMF MEASUREMENTS OF SODIUM ACTIVITY IN SODIUM AMALGAM WITH BETA-ALUMINA
HSUEH L SEE DUNNING JS 118 1886
HU LD SEE STRAUMAN.ME 118 433
HU SM
N 3R N11 118 1770
INTERFACE EQUILIBRIUM CONCENTRATIONS DURING DIFFUSION
HUANG JST SEE BUEHLER MG 118 2033
HUFF HR BRACKEN RC NEA SN
N 18R N1 118 143
INFLUENCE OF SILICON SLICE CURVATURE ON THERMALLY INDUCED STRESSES
HUGGINS RA SEE WHITTING.WS 118 1
HULL WM PILLA AA
S0R N1 118 72
TRANSIENT BEHAVIOR OF GRAPHITE-SILVER IODIDE AND PLATINUM-SILVER IODIDE INTERFACES IN A SOLID-STATE SYSTEM
HUMMEL FA SEE MCCAULEY RA 118 785
HUNSPERG.RG WOLF FD
23R N11 118 1847
ANNEAL BEHAVIOR OF CD ION IMPLANTED GAAS
HUNTING?.AL DAVIS DG
28R N1 118 57
EFFECT OF MOLECULAR STRUCTURE ON ELECTRODE KINETICS OF AMINOQUINONES AND QUINONE THIOETHERS
HURD RM SEE JUSTICE DD 118 1417
HUSTED D GRUSS L MACKUS T
31R N12 118 1989
ELECTRICAL PROPERTIES OF ANODIC OXIDE FILMS OF TA, NB, ZR, TI, W, AND V FORMED BY ION-CATHODE METHOD
IIZUKA T
35R N7 118 1190
ETCHING STUDIES OF IMPURITY PRECIPITATES IN PULLED GAP CRYSTALS
ISAACS HS SEE SALZANO FJ 118 412
ISAACS HS SEE SALZANO FJ 118 416
ISAACS TJ
N 14R N6 118 1009
FLUORESCENCE OF ALKALINE-EARTH SILICATES ACTIVATED WITH DIVALENT EUROPIUM
ISHI G SEE ITAI R 118 1709
ITAI R SHIBUYA M MATSUMUR.T ISHI G
N 7R N10 118 1709
ELECTRICAL RESISTIVITY OF MAGNETITE ANODES
IVES MG SEE SPINK GM 118 903
IVES MG SEE TOKUDA T 118 1404
JACOBSON KA
21R N6 118 1001
GROWTH, TEXTURE, AND SURFACE MORPHOLOGY OF SIC LAYERS
JAFFE PM SEE OZAWA L 118 482
JAFFE PM SEE OZAWA L 118 1678
JAIN K SEE PILLAI PKC 118 1675
JAIN VK SEE PILLAI PKC 118 1665
JAIN VK SEE PILLAI PKC 118 1675
JAMES WJ STRAUMAN,ME AIDA M EPELBOIN I GARREAU M
D 12R N12 118 1960
ANODIC DISSOLUTION OF BERYLLIUM IN AMHYDROUS MEDIA
JANIM J SEE SCHWARTZ LH 118 1512
JANZ GJ SEE DAMPIER FW 118 1900
JANZ GJ SEE LORENZ PK 118 1550
JEFFERY TC FUHRMEIS.LC
R 54R N10 118 C265
REPORT OF ELECTROLYTIC INDUSTRIES FOR YEAR 1970
JINDAL BK SEE WALLACE RA 118 707
JOHNSON AM NEWMAN J
15R N3 118 510
DESALTING BY MEANS OF POROUS CARBON ELECTRODES
JOHNSON CA BARNARTT S GLASSER FD
14R N4 118 576
CONCENTRATION REVERSION IN POTENTIOSTATIC ELECTRODE KINETICS
JOHNSON CA
C 1R N9 118 1442
CORRECTION
JOHNSON CE HATHAWAY EJ
12R N4 118 631
SOLID-LIQUID PHASE EQUILIBRIA FOR TERNARY SYSTEMS LITF-CT-IC AND NABF-CT-IC
JOHNSON DW SEE GALLAGHE.PK 118 1530
JOHNSON JW WU CL
14R N12 118 1909
ANODIC DISSOLUTION OF TUNGSTEN
JOHNSON KE SEE BOXALL LG 118 885
JOHNSON SA SEE CUNNINGH.PT 118 1941
JORDAN AS
38R N5 118 781
SOLID SOLUBILITY ISOTHERMS OF ZN IN GAP AND GAAS
JORDAN AS
35R N8 119 1362
SOME THERMODYNAMIC PROPERTIES OF ZN3AS2, CD3AS2, AND ZNP2
JUDGE JS
13R N11 118 1772
STUDY OF DISSOLUTION OF SIO2 IN ACIDIC FLUORIDE SOLUTIONS
JUN CK HOCH M
15R N9 118 1498
THERMODYNAMIC PROPERTIES OF TERNARY REFRACTORY CARBIDES .e1. ZIRCONIUM-NIOBIUM-CARBON
JUSTICE DD HURD RM
9R N9 118 1417
ELECTROCHEMICAL DISSOLUTION OF ZND SINGLE CRYSTALS
KAHAN A SEE SCHWUTTK.GH 118 C291
KAMDAR M SEE PILLAI PKC 118 665
KANG MY
N 15R N3 118 462
LOW-TEMPERATURE PASSIVATION OF CADMIUM IN ON KOH
KANG MY SEE BRO P 118 519
KANG MY SEE BRO P 118 1430
KAPLAN LH LOWE ME
10R N10 118 1649
PHOSPHOSILICATE GLASS STABILIZATION OF MOS STRUCTURES
KAPPESSE.R CORNET I GREIF R
R 17R N12 118 1957
MASS TRANSFER TO A ROUGH ROTATING CYLINDER
KATAN T GRENS EA
24R N12 118 1881
EFFECT OF LIQUID CONFIGURATION IN POROUS GAS ELECTRODES
KATO A SEE SASAKI Y 118 101
KATTO H KOGA Y
15R N10 118 1619
PREPARATION AND PROPERTIES OF ALUMINUM OXIDE FILMS OBTAINED BY GLOW DISCHARGE TECHNIQUE
KAZMERSK.LL BERRY WB
N NO R N11 118 C292
EXPERIMENTAL DETERMINATION OF STACKING FAULT POTENTIAL IN COS THIN FILMS
KEENAN JA SEE LARRABEE GB 118 1351

XUM

KEENAN WA SCHUMANN PA
7R N12 118 2010
PSEUDO-BREWSTER ANGLE DETERMINATION OF CARRIER CONCENTRATION
KEENAN WA SEE SCHUMANN PA 118 145
KEENE DE SEE ARMSTRON,RD 118 568
KFGEL GHR LARAMEE RJ BHARDWAJ BD
17R N10 118 1662
FREE ENERGY OF MIXING IN LITHIUM-GERMANIUM BINARY SYSTEM
KEIL PG LUDWIG K
8R N6 118 864
ANODIZATION OF VANADIUM
KENDALL DL SEE SCHWETTM,FN 118 C292
KENNEDY JH CHEN F
12R N7 118 1043
THIN-FILM ELECTROLYTIC CELLS
KENNEY JT SEE DAMICO JF 118 1695
KENNICOTT,PR SEE BROWN DN 118 293
KERN W SHAW JM
ELECTROCHEMICAL DELINEATION OF TUNGSTEN FILMS FOR MICROELECTRONIC DEVICES
17R N10 118 1690
KERR DR SEE ELDRIDGE JM 118 986
KESSELMA,W SEE NANIS L 118 454
KESSELMA,W SEE NEWMAN J 118 1966
KESZTHEL,CP SEE CHILDS WV 118 874
KETCHOW DR SEE GIBSON CF 118 975
KIM CD WILDE RE
17R N2 118 202
KINETICS OF HYDROGEN ABSORPTION INTO IRON DURING CATHODIC HYDROGEN EVOLUTION
KINOSZ DL BELITSKUS,DL
N 11R N8 118 1375
OXIDATION OF VAPOR DEPOSITED ALUMINUM IN AIR AT 23 DEGREES C
KIRKALDY JS SEE ROMFO G 118 740
KIRKALDY JS SEE ROMFO G 118 1336
KLEIN GP
7R NA 118 672
CONTINUOUS MANUFACTURING PROCESS FOR SOLID TANTALUM CAPACITORS BASED ON POWDER-ON-FOIL CONCEPT
KOCK AJRD
22R N11 118 1851
ELIMINATION OF VACANCY-CLUSTER FORMATION IN DISLOCATION-FREE SILICON CRYSTALS
KOFNL RG SEE WILLIAMS DN 118 1684
KOGA Y SEE KATTO H 118 1619
KOHLING A SEE ALT H 118 1950
KOLODNEY M SEE SCHWETTM,FN 118 1973
KOLTHOFF IM
HISTORICAL DEVELOPMENT OF ELECTROANALYTICAL CHEMISTRY WITH SOME PERSONAL ANNOTATIONS
KOMIYA Y SEE TAPUI Y 118 118
KOOI E VERKUYLE,WH
N 10R N2 118 351
MAGNESIUM GERMANATE AND FLUOROGERMANATE
KOVAC Z
28R N1 118 51
EFFECT OF SUPERIMPOSED AC ON DC IN ELECTRODEPOSITION OF NI-FE ALLOYS
KOZAWA A ZILIONIS VE BRODD RJ
N 8R N10 118 1705
EFFECTS OF VARIOUS ADDITIVES IN ELECTROLYTE ON OXYGEN REDUCTION AT FERRIC PHTHALOCYANINE-CATALYZED GRAPHITE ELECTRODE
KREIDLER ER
25R N6 118 923
PHASE EQUILIBRIA AND TIN-ACTIVATED LUMINESCENCE IN SYSTEM CA3(PO4)2-BA3(PO4)2
KREITMAN MM SEE MAHEFKEY ET 118 1382
KROGER FA HOFFMANN A BETHUNE AJD
D 15R N6 118 901
RELATION BETWEEN STANDARD POTENTIALS AND ACTIVITY OF INTERSTITIAL SILVER IONS IN AGCL AND AGBR
KROGER FA SEE BROOK RJ 118 185
KROGER FA SEE YUAN D 118 841
KRONGELB S SEE SEDWICK TO 118 93
KRUGER J SEE ESCALANTE 118 1062
KUHN M NICOLLIA,EH
N 17R N2 118 370
NONEQUILIBRIUM EFFECTS IN QUASI-STATIC MOS MEASUREMENTS
KUHN P SILVERSM,DJ
15R N6 118 966
IONIC CONTAMINATION AND TRANSPORT OF MOBILE IONS IN MOS STRUCTURES
KUMMEL JT SEE RADZILOW,RH 118 714
KYLE NR
23R N11 118 1790
GROWTH OF SEMI-INSULATING CADMIUM TELLURIDE
LACONTI AB MAGET HJR
5R N3 118 506
ELECTROCHEMICAL DETECTION OF H2, CO, AND HYDROCARBONS IN INERT OR OXYGEN ATMOSPHERES
LAENGLE E HACKERMA,N
15R N8 118 1273
ELECTRODE BEHAVIOR OF IRON IN 2M HCL CONTAINING OXIMES OR QUINOLIDINE
LAITINEN HA SEE HANCK KW 118 1123
LANCSEK TS SEE RAMDIN JP 118 1969
LANDOLT D MULLER RH TOBIAS CW
14R N3 118 36
CRYSTALLOGRAPHIC FACTORS IN HIGH-RATE ANODIC DISSOLUTION OF COPPER
LANDOLT D MULLER RH TOBIAS CW
14R N1 118 40
ANODE POTENTIALS IN HIGH-RATE DISSOLUTION OF COPPER
LANDSBER,A HOATSON CL BLOCK FE
7R N8 118 1331
CHLORINATION KINETICS OF TUNGSTEN, MOLYBDENUM, AND THEIR ALLOYS
LANDSTEI,JE SEE REISMAN A 118 1479
LARAMEE RJ SEE KEGEL GPR 118 1662
LARRABEE GB KEENAN JA
11R N8 118 1351
NEUTRON ACTIVATION ANALYSIS OF EPITAXIAL SILICON
LASSOTA DT SEE WEINER ME 118 301
LAUD KR GIBBONS EF TIEN TY STADLER HL
12R N6 118 918
CATHODOLUMINESCENCE OF CE3+-ACTIVATED AND EU2+-ACTIVATED ALKALINE EARTH FELDSPARS
LAWRENCE J MOHILNER DM
N 19R N2 118 259
ELECTROCAPILLARY MEASUREMENTS IN PRESENCE AND ABSENCE OF SUPERIMPOSED A-C POTENTIAL
LAWRENCE J MOHILNER DM
14R N10 118 1596
COMPUTER CONTROLLED CAPILLARY ELECTROMETER
LEE LH DOD VY
21R N3 118 443
CORROSION AND PASSIVATION OF THIN MOLYBDENUM FILMS
LEE PW SEE BLUMENTH,RN 118 123
LEE TS
14R N8 118 1278
HYDROGEN OVERPOTENTIAL ON PURE METALS IN ALKALINE SOLUTION
LEHMANN W RYAN FM
24R N3 118 477
CATHODOLUMINESCENCE OF CAS-CE3+ AND CAS-EU2+ PHOSPHORS
LEHMANN W
15R N7 118 1164
OPTIMUM EFFICIENCY OF CATHODOLUMINESCENCE OF INORGANIC PHOSPHORS
LEJA J SFE QAZI MA 118 548
LEVIE RD
R 113R N9 118 C185
ANION BRIDGING AND ANION ELECTROCATALYSIS ON MERCURY
LEVIN ER DISMUKES JP COUTTS WD
37R N7 118 1171
ELECTRON MICROSCOPE CHARACTERIZATION OF DEFECTS ON GASFOUS-ETCHED SILICON SURFACES
LEVY DD
N 7R N9 118 1438
INDUCED OSTEOGENESIS BY ELECTRICAL STIMULATION
LEVY DJ MORYER WR
23R N10 118 1563
ELECTRODEPOSITION OF CHROMIUM AND NICKEL-CHROMIUM FROM AMIDE SOLVENTS
LEWIS D COWAN RL STAPHLE BW
D 24R N12 118 1968
THERMODYNAMICS AND ELECTRODE KINETIC BEHAVIOR OF NICKEL IN ACID SOLUTION IN TEMPERATURE RANGE 25 DEGREES TO 300 DEGREES C
LIANG CC
N 4R N6 118 894
SELF-DISCHARGE MECHANISM OF LI/LIL/AGL SOLID ELECTROLYTE CELL
LIANG CC SEE SCHLAIKJ,CR 118 1447
LICHTENS,M WITT AF GATOS HC
5R N6 118 1013
MODULATION OF DOPANT SEGREGATION BY ELECTRIC CURRENTS IN CZOCHRALSKI-TYPE CRYSTAL GROWTH
LIDA S
5R N5 118 768
SELECTIVE ETCHING OF GALLIUM ARSENIDE CRYSTALS IN H2SO4-H2O2-H2O SYSTEM
LIEBERMA,ML ROLLER B MEDRUD RC
19R N7 118 1224
CRYSTALLIZATION STUDIES OF NICKEL-TELLURIUM OXIDE FILMS
LIEBERMA,R SEE SIMPSON J 118 C291
LIEBERT BE MUNIR ZA
N 7R N2 118 368
POLARITY DEPENDENCE OF CONTACT ANGLES BETWEEN LIQUID GALLIUM AND 0111 SURFACES OF GAAS
LIEBMANN WK SEE MILLER EA 118 825
LIN J SEE VICKENS LF 118 1119
LIU CC MORN RE
N 2R N2 118 402
ELECTROCHEMICAL PREPARATION OF STANNOUS SULFATE USING PERIODICALLY REVERSED DIRECT CURRENT
LIZLOVS EA BOND AP
18R N1 118 22
ANODIC POLARIZATION BEHAVIOR OF 25 PERCENT CHROMIUM FERRITIC STAINLESS STEELS
LOCKER LD NAEGELE CL VRATNY F
10R N11 118 1856
PREPARATION OF HAFNIUM-TANTALUM NITRIDE FILMS BY REACTIVE ALLOY SPUTTERING
LONGEVIA,C SEE MELLISS,MC 119 1944
LOONEY JR BROWN JJ
17R N3 118 470
PHASE EQUILIBRIA IN SR3(PO4)2-CO3(PO4)2 SYSTEM AND EU2+-ACTIVATED LUMINESCENCE OF SR3(PO4)2
LORENZ PK JANZ GJ
10R N10 118 1550
ELECTROCHEMICAL REDUCTION OF OXYGEN IN CARBONATE AND CARBONATE-HALIDE MELTS
LORENZ WJ SEE HILBERT F 118 1919
LORENZ WJ SEE HILBERT F 118 1927
LORIMOR OG DAWSON LR
N NO R N11 118 C292
GAP LIQUID PHASE EPITAXIAL LAYER GROWTH FOR GREEN LIGHT EMITTING DIODES
LORINOR OG SEE WEINER ME 118 C292
LOUTFY RO SUKAVA AJ
18R N2 118 216
CATHODE OVERPOTENTIAL AND ELECTROSORPTION EFFECTS OF NORMAL MONOCARBOXYLIC ACIDS DURING ELECTRODEPOSITION OF COPPER
LOUZOS DV SEE MELLORS GW 118 846
LOUZOS DV SEE MELLORS GW 118 950
LOWE LF SEE SCHWUTTK,GH 118 C291
LOWE ME SEE KAPLAN LM 119 1649
LUBORSKY FE SEE BREITER WW 118 867
LUCKE W SEE ADDAMIAN,A 118 C291
LUDWIG GW
17R N7 118 1152
X-RAY EFFICIENCY OF POWDER PHOSPHORS
LUDWIG GW SEE KEIL RG 118 864
LUTHER LC VERLEUR HW
17R N7 118 1221
ANALYSIS FOR SI CONTAMINATION IN GAP
MACCHESN,JB OCONNOR PB SULLIVAN MV
12R N5 118 776
CHEMICAL VAPOR DEPOSITION OF IRON OXIDE FILMS FOR USE AS SEMITRANSPARENT MASKS
MACHALAE SEE DILORENZ,JV 118 1516
MACKUS T SEE HUSTED D 118 1989
MACMULL,AB MILLS KL RUEHLEN FN
8R N10 118 1582
ENHANCEMENT OF LIQUID FILM HEAT TRANSFER BY ELECTROLYTIC GAS EVOLUTION
MAGET HJR SEE LACONTI AB 118 506
MAGILL PJ SPEICHER CA
N 7R N3 118 1514
PHOTOMETALLIC ETCHING OF HOLOGRAMS
MAHEFKEY ET KREITMAN MM
9R N8 118 1382
INTERCELL PLANAR HEAT PIPE FOR REMOVAL OF HEAT DURING CYCLING OF A HIGH RATE NICKEL CADMIUM BATTERY
MAI CC WHITEHOU,TS THOMAS RC GOLOSTEI,DR
12R N2 118 331
PROPERTIES OF POLYCRYSTALLINE SILICON DEPOSITED ON SILICON NITRIDE LAYERS
MAJA M SPINELLI P
N 16R N9 118 1038
DETECTION OF METALLIC IMPURITIES IN ACID ZINC PLATING BATHS
MALOY JT SEE CHILDS WV 118 874
MANASEVI,HM SIMPSON WI
N 8R N4 118 644
USE OF METAL-ORGANICS IN PREPARATION OF SEMICONDUCTOR MATERIALS .2. II-VI COMPOUNDS
MANASEVI,HM
N 6R N4 118 647
USE OF METAL-ORGANICS IN PREPARATION OF SEMICONDUCTOR MATERIALS .3. STUDIES OF EPITAXIAL III-V ALUMINUM COMPOUND FORMATION USING TRIMETHYLALUMINUM
MANASEVI,HM SIMPSON WI
M NO R N11 118 C291
USE OF METALORGANICS IN PREPARATION OF SEMICONDUCTOR MATERIALS .5. FORMATION OF IN-V COMPOUNDS AND ALLOYS
MANASEVI,HM
C 1R N7 118 1231
CORRECTION
MANASEVI,HM
C 1R N7 118 1231
CORRECTION
MANASEVI,HM ERDMANN FM SIMPSON WI
N 24R N11 119 1864
USE OF METALORGANICS IN PREPARATION OF SEMICONDUCTOR MATERIALS .4. NITRIDES OF ALUMINUM AND GALLIUM
MANNING MR VENUTO CJ BODEN OP
N 7R N12 118 2031
GROWTH AND CRYSTALLOGRAPHIC IDENTIFICATION OF MAGNESIUM SINGLE CRYSTALS
MANSFELD F
14R N9 118 1412
EFFECT OF WATER ON PASSIVITY AND PITTING OF TITANIUM IN SOLUTIONS OF METHANOL AND HYDROGEN CHLORIDE
MANSFELD F SEE DAVIS SM 118 1031
MAO KW
19R N11 118 1870
ECM STUDY IN A CLOSED-CELL SYSTEM .1. NACLO3
MAO KW
12R N11 118 1876
ECM STUDY IN A CLOSED-CELL SYSTEM .2. NACL
MAROTO AJG FLORES JM
N 2R N2 118 400
ELECTRODEPOSITION OF BORON
MASKALIC,NJ SUN CC
12R N8 118 1386
SINTERED ZIRCONIA ELECTROLYTE FILMS IN HIGH-TEMPERATURE FUEL CELLS
MATSUMUR,T SEE ITAI R 118 1709
MCALLIST,WA
15R N3 118 474
LUMINESCENCE OF XZNOX1-XC MGF2:YS1O2:ZGEO2 - MN SOLID SOLUTIONS
MCBRIDE DG VLASAK GP
N 4R N12 118 2055
SODIUM BOROHYDRIDE %NABH4< INITIATION OF ELECTROLESS PLATING
MCCALLUM J SEE BROOMAN EW 118 1518
MCCARTHY J SEE NEWMAN DS 118 541
MCCAULEY RA MUNNEL FA HOFFMAN MV
20R N5 118 755
PHASE EQUILIBRIA AND EU2+-ACTIVATED, TE3+-ACTIVATED, AND MN2+-ACTIVATED LUMINESCENT PHASES IN CAC-MGO-P2O5 SYSTEM
MEDRUD RC SEE LIEBERMA,ML 118 1224
MEEK RL
22R N3 118 437
ANODIC DISSOLUTION OF NE SILICON
MEEK RL
15R N7 118 1240
ELECTROCHEMICALL THINNED N/NE EPITAXIAL SILICON - METHOD AND APPLICATIONS
MEHRA A
N 20R N1 118 136
ENERGY LEVELS OF DIVALENT MANGANESE IN ZNS
MEIBUHR SG
15R N5 118 709
ELECTRODE STUDIES IN NONAQUEOUS ELECTROLYTES .3. SODIUM ELECTRODE INNACLO4-PROPYLENE CARBONATE SOLUTIONS
MEIBUHR SG
12R N8 118 1320
ELECTRODE STUDIES IN NONAQUEOUS SOLVENTS .2. ANION EFFECT ON KINETICS OF LI/LI+ IN PROPYLENE CARBONATE
MEIBURR SG
N 3R N10 118 1616
CHARGING OF CU IN ORGANIC ELECTROLYTES
MEIERAN ES
30R N4 118 619
VIDEO DISPLAY OF X-RAY IMAGES .1. X-RAY TOPOGRAPHS
MEIERAN ES
9R N4 118 628
VIDEO DISPLAY OF X-RAY IMAGES .2. LAUE PATTERNS
MELLORS GW SENDEROF,S
12R N2 118 220
ELECTRODEPOSITION OF COHERENT COATINGS OF REFRACTORY METALS .7. ZIRCONIUM DIBORIDE
MELLORS GW LOUZOS DV
19R N6 118 846
IONIC CONDUCTANCE IN SOLIDS .1. COMPOUNDS FORMED BETWEEN SILVER IODIDE AND CYANIDES OF METALS OF GROUP IA
MELLORS GW LOUZOS DV VANLIER JA
7R N6 118 850
IONIC CONDUCTANCE IN SOLIDS .2. PHASE DIAGRAM OF KCN-AGL SYSTEM AND SOME OBSERVATIONS ON STABILITY OF CYANIDE-IODIDE COMPOUNDS
MERCIER J.
10R N6 118 962
PROPERTIES OF LOW-TEMPERATURE HETERODEPITAXIAL THIN SILICON FILMS GROWN IN HELIUM ATMOSPHERE
MESSIER DR WONG P
11R N5 118 772
EPITAXIAL GROWTH OF AL2O3 ON AL2O3 SUBSTRATES BY CHEMICAL VAPOR DEPOSITION
METON M SEE BELLISSE,MC 118 1944
MEYERHOF,RW
17R N6 118 997
PREPARATION AND ELECTRICAL RESISTIVITY OF ULTRAHIGH PURITY NIOBIUM
MILES MH GERTSCHE,H
33R N6 118 837
ZN2G /ZN3HG< ELECTRODE REACTION IN BINARY MIXTURES OF WATER AND PROPANOL
MILGRAM AA
PROPERTIES OF GOLD FILMS FORMED FROM ORGANOMETALLIC SOLUTION
17R N2 118 287
MILLER B BELLAVAN,MI BRUCKENS,S
21R N7 118 1082
APPLICATION OF ISOSURFACE CONCENTRATION VOLTAMMETRY AT A ROTATING DISK ELECTRODE TO SIMPLE ELECTRON TRANSFER KINETICS
MILLER EA WEISBERG LR LIEBMANN WK
6R N5 118 825
CZOCHRALSKI GROWTH OF GAP
MILLS KL SEE MACMULLI,RB 118 1582
MINOT M
N 8R N1 118 93
ELECTROLESS DEPOSITION OF CERTAIN METAL OXIDES .2-/ TI2O3, MNO2
MINUSHKI,B SEE SALZANO FJ 118 412
MINUSHKI,B SEE SALZANO FJ 118 416
MIYAKE K SEE AGATSUMA T 118 750
MIYAKE K SEE AGATSUMA T 118 763
MIYOSHI Y SEE HILBERT F 118 1919
MIYOSHI Y SEE HILBERT F 118 1927
MOHILNER DM SEE LAWRENCE J 118 259
MOHILNER DM SEE LAWRENCE J 118 1596
MONYER WR SEE LEVY DJ 118 1563
MONARF G SEE PIZZINI S 118 796
MONTILLO F BALK P
24R N9 118 1463
HIGH-TEMPERATURE ANNEALING OF OXIDIZED SILICON SURFACES
MOORE GE SEE DILORENZ,JV 118 1823
MORAND G SEE BELLISSE,MC 118 1944
MOREL P SEE EPELBOIN I 118 1282
MORITZUM,T SEE TAKAHASH,K 118 1639
MORLOTTI R SEE PIZZINI S 118 796
MOSER JR SEE CLARK BP 118 666
MOTTRAM A PEAKER AR SUDLOW PD
23R N2 118 318
GROWTH OF EPITAXIAL GALLIUM PHOSPHIDE FROM VAPOR PHASE BY HALOGEN TRANSPORT
MUELLER CE BOWERS FW
N 11R N2 118 394
CONTROL OF INSOLUBLE MAGNESIUM COMPOUNDS FORMED DURING SEAWATER BATTERY DISCHARGE
MULLER RH SEE LANDOLT D 118 36
MULLER RH SEE LANDOLT D 118 40
MUNIR ZA SEE HANSEN EE 118 983
MUNIR ZA SFE LIEBERT BE 118 368
MURRAY RW SEE PILJAC T 118 1750
MYERS EH SEE BARTTT DL 118 952
MYERS MB SEE BERKES JS 118 1485
NADAI JP SEE CROSER M 118 717
NADAI JP SEE SIEJKA J 118 727
NAEGELE CL SEE LOCKER LO 118 1856
NAGASAKI K SEE OGURA K 118 531
NAGY Z SEE DRAZIC D 118 255
NAKAJIMA K SEE CHIKU I 118 1395
NAKAMOTO N YOSHINAK,A SUGITA Y
M NO R N11 118 C292
INFLUENCE OF THERMALLY INDUCED DISLOCATIONS ON PROPERTIES OF SHALLOW DIFFUSED SI P-N JUNCTIONS
NANIS L KESSELMA,W
35R N3 118 454
ENGINEERING APPLICATIONS OF CURRENT AND POTENTIAL DISTRIBUTIONS IN DISK ELECTRODE SYSTEMS
NANIS L
D 9R N6 118 900
APPROACH TO LIMITING CURRENT IN A STAGNANT DIFFUSION CELL
NANIS L SFE NEWMAN J 118 1966
NARAYAN R HACKERMA,N
12R N9 118 1426
ADSORPTION OF THIOUREA AND DERIVATIVES AT IN-HG ELECTROLYTE INTERFACE
NEWMAN DS MCCARTHY J HECKAMAN H
15R N4 118 541
RADIOTRACER STUDIES OF METAL-METAL ION EXCHANGE INHIBITION USING ORGANIC CORROSION INHIBITORS
NEWMAN J NANIS L KESSELMA,W
D 6R N12 118 1966
ENGINEERING APPLICATIONS OF CURRENT AND POTENTIAL DISTRIBUTIONS IN DISK ELECTRODE SYSTEMS
NEWMAN J SEE DUNNING JS 118 1251
NEWMAN J SEE JOHNSON AN 118 510
NEWMAN J SEE SELMAN JR 118 1070
NEWMAN J SEE SMYRL WH 118 1079
NICHOLSO,MM
12R N7 118 1047
CATHODIC BEHAVIOR OF N-TYPE CADMIUM FLUORIDE
NICHOLSO,PS SEE CHUN JS 118 1492
NICOLLIA,EH SEE KUHN M 118 370
NICOLLIA,EH SFE VANGELDE,W 118 130
NIKI M SEE SATO Y 118 1269
NOBE K SEE ASAKURA S 118 13
NOBE K SEE ASAKURA S 118 19
NOBE K SEE ASAKURA S 118 536
NOBE K SEE CHIN RJ 118 545
NONOGAKI S SEE HIRAI T 118 669
NORRIS PE SHAW JM
M NO R N11 118 C292
PYROHYDROLYTIC AL2O3 FILMS - THEIR MOS AND RADIATION CHARACTERISTICS
NORRIS PE SEE SCHLESIE,KH 118 C292
NORTHROP DA
18R N8 118 1365
VAPORIZATION IN PBTE-SNTE SYSTEM
NOZAKI H SEE YAMAZAKI N 118 400
NYGREN SF RINGEL CM VERLEUR HW
22R N2 118 306
PROPERTIES OF GAP SINGLE CRYSTALS GROWN BY LIQUID ENCAPSULATED PULLING
OCONNOR PB SEE MACCHESN,JB 118 776
OGURA K HARUYAMA S NAGASAKI K
13R N4 118 531
ELECTROCHEMICAL OXIDATION AND REDUCTION OF GOLD
OHANLON JF
10R N2 118 270
FACTORS AFFECTING GROWTH RATE OF PLASMA ANODIZED AL2O3
OKADA H HOSOI Y YAMAMOTO K
10R N12 118 2036
EFFECT OF SULFUR ON CORROSION CHARACTERISTICS OF IRON IN CARBONATED BEVERAGE
OLDBERG RC
4R N1 118 129
EFFECTS OF EPOXY ENCAPSULANT COMPOSITION ON SEMICONDUCTOR DEVICE STABILITY
OLOHAN KB RALEIGH DO
11R N7 118 252
MODIFICATION OF COTTRELL EQUATION TO ACCOUNT FOR ELECTRODE GROWTH - APPLICATION TO DIFFUSION DATA IN AG-AU SYSTEM
ORD JL MO FC
11R N1 118 46
ANODIC OXIDATION OF PLATINUM - EVIDENCE FOR A HIGH-FIELD IONIC CONDUCTION MECHANISM
ORD JL DESMET DJ
11R N2 118 206
ELLIPSOMETRIC STUDY OF ANODIC DEPOSITION OF IRIDIUM OXIDE FILMS
OSADNIK SJ DAS MR
M NO R N11 118 C292
REACTIVELY EVAPORATED TITANIUM NITRIDE RESISTORS FOR MICROCIRCUITS
OSHIMA M TAKAHASH,M
37R N3 118 489
NEW OPTICAL QUENCHING BANDS IN CDS CRYSTALS
OWENS BB CHRISTIE JH TIEDEMAN T
11R N7 118 1144
HIGH-CONDUCTIVITY SOLID ELECTROLYTES - CAHBNL-AGL DOUBLE SALTS
OZAWA L FOREST H JAFFE PM BAN G
7R N3 118 482
EFFECT OF EXCITING WAVELENGTH ON OPTIMUM ACTIVATOR CONCENTRATION
OZAWA L JAFFE PM
12R N10 118 1678
MECHANISM OF EMISSION COLOR SHIFT WITH ACTIVATOR CONCENTRATION IN EU3+ ACTIVATED PHOSPHORS
PAFFEN WM SEE APPELS JA 118 C291
PALUMBO DT BROWN JJ
43R N7 118 1159
ELECTRONIC STATES OF MN2+-ACTIVATED PHOSPHORS .2. ORANGE-TO-RED EMITTING PHOSPHORS
PANLENER RJ SEE BLUMENTH,RN 118 123
PARKER SG REINBERG AR PINNELL JE HOLTON WC
12R N6 118 979
PREPARATION AND PROPERTIES OF MGXZN1-XTE
PARKER SG PINNELL JE
7R N11 118 1868
REVELATION OF DISLOCATIONS IN $HG_CDCTE BY AN ETCH TECHNIQUE
PARTLOW WD SEE HOPKINS RH 118 637

PATTERSO.JW
49R N7 118 1033
CONDUCTION DOMAINS FOR SOLID ELECTROLYTES
PATTERSO.JW SEE CHOUDHUR.NS 118 1398
PATTERSO.JW SEE SCHIELTZ J 118 1140
PATTERSO.JW SEE SCHIELTZ JD 118 1257
PAWEL RE CATHCART JV
28R N11 118 1776
FLEXURE MEASUREMENTS ON A V-NB-ZR ALLOY DURING OXIDATION AND TEMPERATURE CYCLING
PEAKER AR SEE MOTTRAM A 118 318
PEARSON GL SEE GUO SF 118 486
PEARSON GL SEE TING CH 118 1454
PEARSON RW SEE BAKER OR 118 353
PELTON AD FLENGAS SN
10R N6 118 1307
THERMODYNAMICS OF MOLTEN AGCL-RBCL-NACL SYSTEM BY ELECTROMOTIVE FORCE MEASUREMENTS
PELZMANN WL SEE BROOK RJ 118 185
PETREANU E SEE CROSET M 118 717
PETROVIC.JP BAIZER MM
22R N3 118 447
ELECTROLYTIC PEDUCTIVE COUPLING .ALPHA. EFFECT OF COUNTERIONS IN CATHODIC REACTIONS OF .ALPHA.,.BETA.-DIACTIVATED OLEFINS
PETTIT FS SEE GIGGINS CS 118 1782
PHILLIPS SL DAMM EP
18R N12 118 1916
ELECTRODEPOSITION OF RESINS AT SOLUBLE METAL ANODES
PICH M SEE BELLISSE.MC 118 1944
PICKERIN.HW BYRNE PJ
22R N2 118 209
PREFERENTIAL ANODIC DISSOLUTION OF ALLOYS IN LOW-CURRENT REGION AND NATURE OF CRITICAL POTENTIAL
PILJAC T MURRAY RW
32R N11 118 1758
NONAQUEOUS ELECTROCHEMISTRY OF 1-HYDROXY-9,10-ANTHRAQUINONE AND ITS CONJUGATE BASE
PILLA AA
10R N5 118 702
INFLUENCE OF FARADAIC PROCESS ON NONFARADAIC RESISTANCE COMPENSATION IN POTENTIOSTATIC TECHNIQUES
PILLA AA
18R N8 118 1295
LAPLACE PLANE ANALYSIS OF IMPEDANCE OF FARADAIC AND NONFARADAIC ELECTRODE PROCESSES
PILLA AA SEE HULL BN 118 72
PILLAI PKC GOEL M
9R N2 118 359
DEPOLARIZATION CURRENT CHARACTERISTICS OF NAPHTHALENE PHOTOELECTRETS
PILLAI PKC JAIN VK KAMDAR M
19R N3 118 465
INVESTIGATIONS OF VARIATIONS OF DIELECTRIC CONSTANT AND SURFACE CHARGE OF POLYVINYL CHLORIDE ELECTRETS WITH TIME
PILLAI PKC JAIN K JAIN VK
N 11R N10 118 1675
MAGNETOELECTRET EFFECT IN SHELLAC WAX
PINNELL JE SEE PARKER SG 118 979
PINNELL JE SEE PARKER SG 118 1868
PIONTELL.R DUCATI U
D 10R N12 118 1966
ELECTROCHEMICAL BEHAVIOR OF ALUMINUM ELECTRODE IN MOLTEN SALT ELECTROLYTES
PISTOIA G
10R N1 118 153
NONAQUEOUS BATTERIES WITH LICLO4-ETHYLENE CARBONATE AS ELECTROLYTE
PISTOIA G SEE CAMPANEL.L 118 1905
PISTOIA G SEE SCROSATI B 118 86
PIZZINI S MONARI G MORLOTTI R
26R N5 118 796
STUDY ON LITHIUM OXIDE-NICKEL OXIDE SYSTEM .2. THERMODYNAMICS OF CONCENTRATED SOLID SOLUTIONS
PLASKETT TS WODDALL JM SEGMULLE.A
4R N1 118 115
EFFECT OF GROWTH ORIENTATION ON CRYSTAL PERFECTION OF HORIZONTAL BRIDGMAN GROWN GAAS
PLASKETT TS SEE BLOM GW 118 1831
POWERS RW
23R N5 118 685
FILM FORMATION AND HYDROGEN EVOLUTION ON ALKALINE ZINC ELECTRODE
PROMISEL NE
E NO R N7 118 C163
SCIENTIFIC SOCIETY AND NATIONAL MATERIALS PROBLEMS
QAZI MA LEJA J
8R N4 118 548
ELECTRODEPOSITION OF MANGANESE USING AMIDE SOLUTIONS
RADZILOW.RH KUMMER JT
N 2R N5 118 714
HYDROSTATIC PRESSURE DEPENDENCE OF IONIC CONDUCTIVITY OF BETA-ALUMINAS
RAFAELOV.R SEE BOROWITZ JL 118 1358
RAICHOUD.P SCHRODER DK
10R N1 118 107
SELECTIVE GROWTH OF EPITAXIAL SILICON AND GALLIUM ARSENIDE
RAICHOUD.P
5R N2 115 266
SULFUR HEXAFLUORIDE AS AN ETCHANT FOR SILICON
RAICHOUD.P
15R N7 118 1183
SUBSTRATE SURFACE PREPARATION AND ITS EFFECT ON EPITAXIAL SILICON
RAIDER SI FLITSCH R
N 5R N5 118 1011
MOBILE ION TRANSFER TO SIO2 FILMS FROM ETHANOL
RALEIGH DO CROWE HR
13R N1 118 79
ELECTROCHEMICAL STUDIES IN LIQUID AND SOLID AGBR
RALEIGH DO SEE ARMSTRON.RD 118 1950
RALEIGH DO SEE OLOMAN KB 118 252
RAMAKRIS.D HOCH M
12R N7 118 1212
CONDENSATION COEFFICIENTS OF REFRACTORY MATERIALS .GT. NIO
RAMAKRIS.D SEE HOCH M 118 1204
RAMASUBR.N TROTTIER T
9R N11 118 1797
ELECTRICAL BREAKDOWN IN ANODIC OXIDE FILMS ON ZIRCALOY-2
RANDIN JP YEAGER E
N 10R N5 118 711
DIFFERENTIAL CAPACITANCE STUDY OF STRESS/ANNEALED PYROLYTIC GRAPHITE ELECTRODES
RANDIN JP FELDSTEI.N LANCSEK TS
D 21R N12 118 1969
NEW TECHNIQUE FOR INVESTIGATING ELECTRONIC BEHAVIOR OF ELECTROLESS PLATING BATHS AND MECHANISM OF ELECTROLESS NICKEL PLATING
RAPP RA SEE SHORES DA 118 1107
REA SN SEE HUFF HR 118 143
REINBERG AR SEE PARKER SG 118 979
REISMAN A LANDSTE.JE
9R N9 118 1479
THERMODYNAMIC ANALYSIS OF OPEN-TUBE CHEMICAL VAPOR TRANSPORT OF ZNO USING ZN-H2O REACTION
REISMAN A BERKENBL.M CUOMO J CHAN SA
15R N10 118 1653
CHEMICAL POLISHING OF SAPPHIRE AND MGAL SPINEL
REISMAN A SEE STAFFORD PE 118 1030
RINGEL CM
15R N6 118 609
SYNTHESIS OF GALLIUM PHOSPHIDE
RINGEL CM SEE NYGREN SF 118 306
ROBINETT.WC SEE HALL LH 118 1624
ROBINSON PH HEIMAN FP
N 15R N1 118 141
USE OF HCI GETTERING IN SILICON DEVICE PROCESSING
ROGERS GG SEE BAILEY LG 118 834
ROGERS JW SMITH GL 118 1089
ROLAND GW SEE HOPKINS RH 118 637
ROLINSKI EJ SEE RUTNER E 118 1216
ROMEO G SMELTZER WW KIRKALDY JS
16R N5 118 740
KINETICS AND MORPHOLOGICAL DEVELOPMENT OF SULFIDE SCALE ON A NICKEL-20 W/O CHROMIUM ALLOY IN HYDROGEN SULFIDE-HYDROGEN ATMOSPHERES AT 700 DEGREES C
ROMEO G SMELTZER WW KIRKALDY JS
17R NR 118 1336
MECHANISM OF SULFIDATION OF NICKEL-CHROMIUM ALLOYS AT 700 DEGREES C AS INFERRED FROM INERT AND RADIOACTIVE MARKER TECHNIQUES
ROPP RC
N 3R N9 118 1510
EMISSION COLORS OF STRONTIUM APATITE PHOSPHOR SYSTEM
ROSEN W SEE SCHULDIN.S 118 1138
ROSOLOWS.JH SEE TEDMON CS 118 192
ROTHWELL GP SEE SYKES JM 118 91
ROUSAR I HOSTOMSK.J CEZNER V STVERAK B
12R N6 118 881
LIMITING LOCAL CURRENT DENSITIES FOR ELECTRODES LOCATED ON WALLS OF A RECTANGULAR CHANNEL WITH LAMINAR FLOW - ASYMPTOTIC SOLUTION AND EXPERIMENTAL VERIFICATION
ROY A SEE BOROWITZ JL 118 1358
ROY RN VERNON W BOTHWELL AL
32R N9 118 1302
THERMODYNAMICS OF HYDROCHLORIC ACID IN GLYCEROL-WATER MIXTURES FROM EMF MEASUREMENTS BETWEEN 5 DEGREES C AND 45 DEGREES C
ROZGONYI GA SEE DYMENT JC 118 1346
RUBIN EJ BABOIAN R
14R N3 119 428
CORRELATION OF SOLUTION PROPERTIES AND ELECTROCHEMICAL BEHAVIOR OF NICKEL HYDROXIDE ELECTRODE IN BINARY AQUEOUS ALKALI HYDROXIDES
RUEHLEN FN SEE MACNULL.RB 118 1582
RUEHLEN RN SEE FOX HW 118 1246
RUSCIOR C CROIALA F
7R N5 118 696
CHEMICAL IRON-PHOSPHORUS FILMS
RUTNER F ROLINSKI EJ
13R N7 118 1216
ANALYSIS OF EXCHANGE REACTION BETWEEN NITROGEN AND ALUMINUM NITRIDE
RYAN FW VODOKLYS FM
12R N11 118 1814
OPTICAL PROPERTIES OF MN+2 IN CALCIUM HALOPHOSPHATE PHOSPHORS
RYAN FW VODOKLYS FM
7R N11 118 1819
EFFECT OF RAPID COOLING ON DIVALENT MANGANESE ION IN CALCIUM FLUORO-CHLOROPHOSPHATE PHOSPHORS
RYAN FW SEE LEHMANN W 118 477
SALAMA CAT
31R N12 118 1993
CONDUCTION IN AL2O3 FILMS AND CHARGE STORAGE IN MAOS STRUCTURES
SALAMA CAT SEE FOGELS FA 118 2002
SALOMON M
47R N10 118 1609
ENERGETICS OF SINGLE ION SOLVATION IN NONAQUEOUS SOLVENTS AND EFFECTS ON ELECTRODE KINETICS
SALOMON M
20R N10 118 1614
SOLVATION OF ALKALI METAL PERCHLORATES IN WATER
SALZANO FJ ISAACS MS MINUSHKI.B
17R N3 118 412
POTENTIAL MEASUREMENTS ON A SI.SIO2 ELECTRODE USING A TH02-Y203 ELECTROLYTE
SALZANO FJ AUERBACH C ISAACS MS MINUSHKI.B
7R N3 118 416
IONIC RANGE OF TH02-15 W/O Y203 AT HIGH OXYGEN ACTIVITIES
SAMUEL D SEE CROSET M 118 717
SANDLER YL
7R NR 118 1378
RESPONSE OF STABILIZED ZIRCONIA GALVANIC CELL TO METHANE-OXYGEN MIXTURES
SANDS G SEE WADE WL 118 1137
SANDSTED.G SEE ALTY H 118 1950
SANGERMA.LD SEE GILMAN S 118 1953
SARD R SEE CHEH HY 118 1737
SASAKI Y KATO A UEDA S
19R N1 118 101
KINETICS OF HIGH-TEMPERATURE PHOSPHIDATION OF NICKEL
SATO Y NIKI H TAKAMURA T
10R N8 118 1269
EFFECTS OF CARBONATE ON ANODIC DISSOLUTION AND PASSIVATION OF ZINC ELECTRODE IN CONCENTRATED SOLUTION OF POTASSIUM HYDROXIDE
SAUL RH
13R N5 118 793
REDUCED DISLOCATION DENSITIES IN LIQUID PHASE EPITAXY LAYERS BY INTERMITTENT GROWTH
SAUNDERS RC SEE YAO MP 118 1039
SCARDEFI.JE SEE FOSTER LM 118 495
SCHIELTZ J PATTERSO.JW WILDER DR
22R N7 118 1140
ELECTROLYTIC BEHAVIOR OF YTTRIA
SCHIELTZ JD PATTERSO.JW WILDER DR
21R N8 118 1257
ELECTROLYTIC BEHAVIOR OF YTTRIA-STABILIZED HAFNIA
SCHLAIKJ.CR LIANG CC
12R N9 118 1447
IONIC CONDUCTION IN CALCIUM DOPED POLYCRYSTALLINE LITHIUM IODIDE
SCHLESIE.KM NORRIS PF SHAW JM
N 1R N11 118 C292
RADIATION HARD AL2O3 MOS DEVICES IN SILICON-ON-SAPPHIRE
SCHMIDT A
7R N12 118 2046
CALCULATIONS OF PROFITABILITY IN ELECTROLYSIS INSTALLATIONS
SCHMIDT PF ASHNER JD
24R N2 118 325
TRACER INVESTIGATION OF HYDROXYLS IN SIO2 FILMS ON SILICON
SCHMIDT PH SEE CASTELLA.PN 118 653
SCHNEIDE.CP SEE SCHUMANN PA 118 145
SCHOENBE.LN
17R N10 118 1571
STRUCTURE OF COMPLEXED COPPER SPECIES IN ELECTROLESS COPPER PLATING SOLUTIONS
SCHRODER DK SEE RAICHOUD.P 118 107
SCHULDI.M ROSEN W
N 6R N7 118 1138
SPECIFIC ADSORPTION OF SULFATE IONS ON PLATINUM
SCHUMANN PA KEENAN WA TONG AM GEGENWAR.HH SCHNEIDE.CP
N 34R N1 118 145
SILICON OPTICAL CONSTANTS IN INFRARED
SCHUMANN PA SEE KEENAN WA 118 2010
SCHWARTZ B
N 9R NA 118 857
PRELIMINARY RESULTS ON OXIDATION OF GAAS AND GAP DURING CHEMICAL ETCHING
SCHWARTZ B HASZKO SE WOWSIDLE.DR
N 3R N7 118 1279
INFLUENCE OF DOPANT CONCENTRATION ON OXIDATION OF N-TYPE GAAS IN H2O
SCHWARTZ B SEE WEINER WE 118 301
SCHWARTZ LM YOUTAYPO.JW JAHIN J
N 14R N9 118 1512
PHOSPHORESCENCE DECAY OF CALCIUM OXIDE ACTIVATED BY YTTRIUM
SCHWARTZ PM
N 2R N6 118 897
BIPOLAR CURRENT INTERRUPTER FOR ELECTROCHEMICAL MEASUREMENTS
SCHWENKE.RD
18R N2 118 313
ETCH RATE CHARACTERIZATION OF BOROSILICATE GLASSES AS DIFFUSION SOURCES
SCHWETTM.FN DEXTER RJ
M NO R N11 118 C292
IMPLANTED BORON PROFILES IN SILICON
SCHWETTM.FN KENDALL DL
M NO R N11 118 C292
LOW TEMPERATURE PHOSPHORUS DIFFUSION IN SILICON
SCHWETTM.FN GRAFF RA KOLODNEY M
19R N12 118 1973
MECHANISM OF OXIDATION OF TITANIUM DISILICIDE
SCHWUTTK.GH BRACE R GOREY TJ MAHAN A LOWE LF
M 1R N11 118 C291
FORMATION OF ISOLATION REGIONS IN SILICON THROUGH SIO2 BOMBARDMENT
SCROSATI B MARIANO C PISTOIA G
N 15R N1 118 86
ELECTROCHEMICAL PROPERTIES OF RBAG4I5 SOLID ELECTROLYTE .1. CONDUCTIVITY STUDIES
SCROSATI B
N 9R N6 118 899
NEW METHOD OF PREPARATION OF RBAG4I5 SOLID ELECTROLYTE
SEDGWICK TO KRONGELB S
N 11R N7 118 349
EFFECT OF WATER ON DIELECTRIC CONSTANT OF VAPOR DEPOSITED SILICA FILMS
SEGMULLE.A SEE PLASKETT TS 118 115
SEITZ F
E NO R N10 118 C272
SCIENCE AND UNIVERSITY
SELIM R BRO P
N 4R N5 118 829
PERFORMANCE DOMAIN ANALYSIS OF PRIMARY BATTERIES
SELMAN JR NEWMAN J
9BR N7 118 1078
FREE-CONVECTION MASS TRANSFER WITH A SUPPORTING ELECTROLYTE
SELTZER MS
15R N5 118 802
DIFFUSION OF CR-51 IN NIO SINGLE CRYSTALS
SENDEROF.S SEE MELLORS GW 118 220
SETO OK SEE ANANTHA NG 118 163
SHARP DJ SEE DAMICO JF 118 1695
SHAW DW
M 1R N11 118 C291
USE OF AB ETCHANT FOR RAPID EVALUATION OF GAAS EPITAXIAL LAYERS
SHAW JM SEE KERN W 118 1699
SHAW JM SEE NORRIS PE 118 C292
SHAW JM SEE SCHLESIE.KM 118 C292
SHIRUYA M SEE ITAI R 118 1709
SHICK LK
7R N1 118 179
CHEMICAL POLISH FOR RARE EARTH ORTHOFERRITES
SHIH KK BLUM JM
10R N10 118 1631
EFFECT OF PARTIAL DISSOLUTION DURING LPE GROWTH OF ALXGA1-XAS ON EFFICIENCY OF DIFFUSED LIGHT-EMITTING DIODES
SHIMURA M
11R N7 118 1094
DISSOLUTION OF BARRIER LAYER OF ALUMINUM IN SULFURIC ACID ELECTROLYTE CONTAINING CS6 10M
SHIROSE S SEE YAMAHASH.K 118 1639
SHORES DA RAPP RA
22R N7 118 1107
SOLID BIELECTROLYTE CELLS FOR THERMODYNAMIC MEASUREMENTS
SHURTZ RR SEE AHN BM 119 1015
SIEJKA J NADAI JP AMSEL G
48R N5 118 727
STUDY OF OXYGEN GROWTH LAWS OF ANODIC OXIDE FILMS ON ALUMINUM AND TANTALUM USING NUCLEAR MICROANALYSIS OF O16 AND O18
SIGAI AG SEE ETTENGER.M 118 1355
SILVERSM.DJ SEE KUHN W 118 966
SIMON AC CAULDER SM
6R NA 118 659
CRYSTALLOGRAPHY OF FORMED AND CYCLED PBO2 ELECTRODES
SIMONS PY
N 3R N1 118 148
LUMINESCENCE OF SI63-ACTIVATED LAOCI UNDER X-RAY EXCITATION
SIMPSON J LIEBERMA.R MELM RF HANES WM
M NO R N11 118 C291
GROWTH OF EPITAXIAL SILICON OVER ANTIMONY AND ARSENIC DOPED DIFFUSIONS
SIMPSON WI SEE MANASEVI.HM 118 644
SIMPSON WI SEE MANASEVI.HM 118 C291
SIMPSON WI SEE MANASEVI.HM 118 1884
SINCLAIR WR SULLIVAN MV FASTMACH.RA
9R N2 118 341
MATERIALS FOR USE IN A DURABLE SELECTIVELY SEE-THROUGH PHOTOMASK
SIRONI RS SEE GENSHAW MA 118 1558
SLADEK KJ
N 10R N6 118 654
ROLE OF HOMOGENEOUS REACTIONS IN CHEMICAL VAPOR DEPOSITION
SMELTZER WW SEE DALVI AD 118 1978
SMELTZER WW SEE ROMEO G 118 740
SMELTZER WW SEE ROMEO G 118 1336
SMITH FTJ SEE BREBRICK RF 118 991
SMITH GL ROGERS JW
15R N7 118 1089
ELECTROCHEMICAL BEHAVIOR OF SUBSTITUTED THIOPHADIAZOLES
SMITH MI BACHNER FJ EFREMOW N
13R NG 118 821
HIGH-YIELD PHOTOLITHOGRAPHIC TECHNIQUE FOR SURFACE WAVE DEVICES
SMYRL WH NEWMAN J
15R N7 118 1079
LIMITING CURRENT ON A ROTATING DISK WITH RADIAL DIFFUSION
SOLOMON R SEE FAIRMAN RD 118 C291
SOSNIK A SEE CHUN AS 118 1492
SPEICHER CA SEE MAGILL PJ 118 1514
SPERA VJ SEE BODEN DP 118 1298
SPINELLI P SEE MAJA M 118 1938
SPINK GM IVES MG
21R N6 118 903
INFLUENCE OF AN AIR-FORMED FILM ON NUCLEATION AND MORPHOLOGY OF ETCH PITS IN PURE IRON
STADLER HL SEE LAUD KR 118 918
STAEHLE RW SEE COWAN RL 118 557
STAFHLE RW SEE LEWIS D 118 1968
STAFFORD FE BERKENBL.M REISMAN A
D 4R NA 118 1030
METHOD FOR SYNTHESIS OF BL3 FOR USE AS A DOPANT SOURCE
STEINBRU.RB SEE HOPKINS RH 118 637
STEINMANN F SEE BALK P 118 1634
STERN KH
6R N7 118 1111
EFFECT OF ANIONS ON THERMODYNAMICS OF SILVER-SODIUM EXCHANGE BETWEEN GLASS AND MOLTEN SALTS
STIRLING AW SEE DUNN CG 118 381
STONER GE SEE GILEADI E 118 1316
STRAUMAN.ME HU LD
25R N3 118 433
ANODIC DISSOLUTION REACTION OF IN38 - ETCH PATTERNS, ELECTRON NUMBER, ANODIC DESENSITIZATION, AND FILM FORMATION
STRAUMAN.ME SEE JAMES WJ 118 1960
STREIFF R SEE AUBRY J 118 650
STREIFF R SEE CATELLA C 118 1066
STRINGFE.GR GREENE PE
21R N5 118 865
LIQUID PHASE EPITAXIAL GROWTH OF INAS1-XSBX
STRINGFE.G9 ANTYPAS GA D 4R NA 118 1019
GA-GAP-GAAS TERNARY PHASE DIAGRAM
STRUCK CW SEE FONGER WH 118 273
STVERAK B SEE ROUSAR I 118 681
SUBRAMAN.PK SEE BOCKRIS JO 118 1114
SUDLOW PD SEE MOTTRAM A 118 318
SUGAWARA K
20R N1 118 110
FACETS FORMED BY HYDROGEN CHLORIDE VAPOR ETCHING ON SILICON SURFACES THROUGH WINDOWS IN SIO2 AND SI3N4 MASKS
SUGITA Y SEE NAKAMOTO N 118 C292
SUKAVA AJ SEE LOUTFY RO 118 216
SULLIVAN MV SEE MACCHESN.JB 118 775
SULLIVAN MV SEE SINCLAIR WR 118 341
SUN CC SEE MASKALIC.V 119 1386
SWANSON AW UHLIG HH
28R NA 118 1329
INITIAL OXIDATION RATES OF SINGLE-CRYSTAL COPPER AND EFFECT OF GASEOUS PRETREATMENT
SWAROOP B
19R N6 118 913
CHARACTERIZATION OF SILICON DIOXIDE FILMS BY ELECTRON PROBE
SYKES JM BOTHWELL GP
N 11R N1 118 91
RELAXATION OF INTERNAL STRESSES IN ELECTRODEPOSITS DURING STRESS MEASUREMENT BY NULL-DEFLECTION METHODS
SZAMRET EI GERTSMAN SL
D 1R N12 118 2059
ELECTROPHORETIC DEPOSITION OF LUMINESCENT MATERIALS
TAFT EA
40R N8 118 1341
CHARACTERIZATION OF SILICON NITRIDE FILMS
TAFT EA
11R N9 118 1535
EPITAXIAL GROWTH OF DOPED SILICON USING AN IODINE CYCLE
TAFT EA
19R N12 118 1985
INFRARED ABSORPTION OF CHEMICAL VAPOR DEPOSITED BOROSILICATE GLASS FILMS
TAKAHASH.K MORIIZUM.T SHIROSE S
17R N10 118 1639
PREPARATION AND PROPERTIES OF INXGA1-XAS SINGLE CRYSTALS BY SOLUTION GROWTH TECHNIQUE
TAKAHASH.R SEE OSHIMA N 118 449
TAKAHASH.T YAMAMOTO O
23R N7 118 1051
SOLID-STATE IONICS - COULOMETRIC TITRATIONS AND MEASUREMENTS OF IONIC CONDUCTIVITY OF BETA AG2SE AND BETA AG2SE AND USE OF THESE COMPOUNDS IN AN ELECTROCHEMICAL ANALOG MEMORY ELEMENT
TAKAMURA T SEE SATO Y 118 1269
TAKENOUT.H SEE EPELBOIN I 118 1282
TALLAN NM BRANSKY I
19R N2 118 345
OBSERVATION OF MIXED THERMOELECTRIC POWER IN THOX
TALLAN NM SEE BRANSKY I 118 780
TAMIA A SEE ROMRARA G 118 676
TANNENBE.H SEE VOINOV M 118 1137
TARUI Y KOMIYA Y HARADA Y
10R N1 118 118
PREFERENTIAL ETCHING AND ETCHED PROFILE OF GAAS
TAUBER RN DUMBRI AC CAFFREY RE
33R N5 118 747
PREPARATION AND PROPERTIES OF PYROLYTIC ZIRCONIUM DIOXIDE FILMS
TAYLOR AH
35R N6 118 854
CORROSION BEHAVIOR OF CU AND NAVAL BRASS IN 0.5N NACL SOLUTIONS AT AMBIENT TEMPERATURE
TAYLOR RC
N 16R N2 118 364
BEHAVIOR OF TE IN VAPOR-GROWN GAP
TEDMON CS VERMILYE.DA ROSOLOWS.JH
26R N2 118 192
INTERGRANULAR CORROSION OF AUSTENITIC STAINLESS STEEL
TENNEY AS
M NO R N11 118 C292
COMPOSITION AND THICKNESS OF BOROSILICATE GLASS FILMS BY INFRARED ABSORPTION
TENNEY AS
11R N10 118 1658
NONDESTRUCTIVE DETERMINATION OF COMPOSITION AND THICKNESS OF THIN FILMS OF PYROLYTICALLY DEPOSITED BOROSILICATE GLASS BY INFRARED ABSORPTION
THOMAS RC SEE MAI CC 118 331
THOMPSON WT FLENGAS SN
19R N3 118 419
FREE ENERGIES OF FORMATION OF SILVER SULFIDE AND LEAD SULFIDE BY ELECTROMOTIVE FORCE MEASUREMENTS AT HIGH TEMPERATURE
THURMOND CD SEE GUO SF 118 486
TIEDEMAN T SEE OWENS BB 118 1144
TIEDEMAN.WH SEE DUNNING JS 118 1986
TIEN TY SEE LAUD KR 118 918
TING CH PEARSON GL
15R N9 118 1454
TIME-DEPENDENCE OF ZINC DIFFUSION IN GALLIUM ARSENIDE UNDER A CONCENTRATION GRADIENT
TIVERS RJ SEE VANNORMA.JD 118 258
TOMLAS CW SEE LANDOLT D 118 36
TOMLAS CW SEE LANDOLT D 118 40
TOKUDA T IWES MR
22R N9 118 1404

XUM

AGGRESSIVE ION ACCESSIBILITY AND MORPHOLOGY OF CORROSION PITS
TONG AH DUPNOCK A 12R N2 118 390

2-LEVEL EFFECT IN SHEET RESISTANCE MEASUREMENTS MADE WITH A 4-POINT PROBE
TONG AH SEE SCHUMANN PA 118 145
TRACHTEN,I SEE BAKER CY 118 571
TRASATTI S VIJH AK D 52R N12 118 1961

CRYSTAL STRUCTURES OF ELEMENTS OF PERIODIC TABLE AND MECHANISMS OF ELECTROLYTIC HYDROGEN EVOLUTION
TRAURENS,SE FOLEY RT 15R N7 118 1066

INFLUENCE OF CHLORIDE AND SULFATE IONS ON CORROSION OF IRON IN SULFURIC ACID
TRIPP WC GRAHAM HC 7R N7 118 1195

THERMOGRAVIMETRIC STUDY OF OXIDATION OF ZRB2 IN TEMPERATURE RANGE OF 800 DEGREES TO 1500 DEGREES
TROMANS D SEE BIRLEY SS 118 636
TROTTIER T SEE RAMASUBR,N 118 1797
TRUSSELL CW SEE ANN RH 118 1015
TSAI KC HACKERMA,N 33R N1 118 28

EFFECTS OF AMIDES ON PASSIVATION OF IRON
TURNER DR WOLOWODI,C 6P N7 118 1235

ELECTROLESS COPPER PLATING AS AN IMAGE AMPLIFIER FOR ELECTROLYTIC PRINTING
TURNER J SEE ARMSTRON,RD 118 1135
TVARUSKO A WATKINS LS 14R N2 118 248

DETERMINATION OF DIFFUSION LAYER THICKNESS AT A CATHODE IN CUSO4 SOLUTIONS
TVARUSKO A WATKINS LS 15R N4 118 580

INTERFEROMETRIC STUDY OF CONCENTRATION CHANGE AT HIGH CATHODIC CURRENT DENSITIES
TYSSEE DA BATZER MM 17R N9 118 1420

ELECTROCHEMISTRY OF AZIRIDINIUM SALTS - REDUCTION OF ALKYL RADICALS TO ANIONS AS FUNCTION OF SOLVENT
UEDA S SEE SASAKI Y 118 101
UHLIG HH SEE SWANSON AW 118 1325
ULMER R SEE DISMUKES JP 118 634
VANAMSTE,JJ KODI E M NO R N11 118 C292

POROUS CARBIDES AS EVAPORATION SOURCES FOR VACUUM DEPOSITION OF METAL AND SEMICONDUCTOR LAYERS
VANDERLU,LA DIRKSE TP N 5R N2 118 265

EXCHANGE OF ZN65 BETWEEN ZNO&SC AND POTASSIUM ZINCATE
VANDERLU,LA SEE DIRKSE TP 118 1606
VANDRUNE,C SEE APPLEBY AJ 118 95
VANGELDE,W NICOLLIA,EH N 15R N1 118 138

SILICON IMPURITY DISTRIBUTION AS REVEALED BY PULSED MOS C-V MEASUREMENTS
VANLIER JA SEE WELLORS GW 118 850
VANNORMA,JD TIVERS RJ N 5R N2 118 258

STUDY OF HCL IN LICL-KCL EUTECTIC
VARDIMAN RG 11R N11 118 1804

CHEMICAL POLISHING AND ETCH PITTING OF SAPPHIRE
VEKENS LP ZEELAND JF LIN J 22R N7 118 1119

THERMAL DIFFUSION STUDIES WITH AG/AGCL/CL- ELECTRODE
VENUTO CJ SEE MANNING MR 118 2031
VERKUYLE,WH SEE KODI E 118 C291
VERLEUR HW SEE LUTHER LC 118 1221
VERLEUR HW SEE HYGREN SF 118 306
VERMILYE,DA 7R N4 118 529

CONCERNING CRITICAL PITTING POTENTIAL
VERMILYE,DA SEE TEDMON CS 118 192
VERNON W SEE ROY DN 118 1302
VIJH AK N 8R N2 118 263

CRYSTAL STRUCTURES OF ELEMENTS OF PERIODIC TABLE AND MECHANISMS OF ELECTROLYTIC HYDROGEN EVOLUTION
VIJH AK SEE BELANGER A 118 1543
VIJH AK SEE TRASATTI S 118 1961
VLASAK GP SEE MCBRIDE DG 118 2055
VODOKLYS FM SEE RYAN FM 118 1814
VODOKLYS FM SEE RYAN FM 118 1819
VOHL P BUCHAN WR GENTHE JE 15R N11 118 1842

THICK EPITAXIAL FILMS OF CUBIC ZNSE AND ZNS BY VAPOR PHASE TRANSPORT
VOINOV N BUHLER D TANNENBE,H N 2R N7 118 1137

OXYGEN REDUCTION ON TUNGSTEN CARBIDE
VOUTAYPO,JM SEE SCHWARTZ LM 118 1512
VRATNY F SEE LOCKER LD 118 1856
WACHTEL A WEI CKL N 3R N8 118 1373

GE-ESPERITE - NEW MN-ACTIVATED PHOSPHOR
WADE WL SANDS G N 4R N7 118 1137

MO-PERMALLOY FILM DEPOSITED ON A CONTINUOUS WIRE SUBSTRATE
WAGNER JB SEE EROP NG 118 1645
WALES CP 21R N1 118 7

MICROSTRUCTURE OF SINTERED SILVER ELECTRODES .3. AG2O FORMATION DURING CHARGES
WALES CP 13R N6 118 1021

MICROSTRUCTURE OF SINTERED SILVER ELECTRODES .4. FORMATION OF AGO DURING CHARGES
WALKER GW SEE BARGER HJ 118 1713
WALLACE AJ SEE CHIN DT 118 831
WALLACE RA JINDAL BK 10R N5 118 707

STRUCTURAL TRANSITION IN STRONG-ACID MEMBRANES
WANG CC ZANZUCCH,PJ 44R N4 118 586

DIELECTRIC AND OPTICAL PROPERTIES OF STOICHIOMETRIC MAGNESIUM ALUMINATE SPINEL SINGLE CRYSTALS
WANG CC SEE CULLEN GW 118 640
WANG RY SEE DEVEREUX OF 118 1147
WATKINS LS SEE TVARUSKO A 118 248
WATKINS LS SEE TVARUSKO A 118 580
WEEKS JR SEE EPSTEIN SG 118 895
WEI CKL SEE WACHTEL A 118 1373
WEINER ME LASSOTA DT SCHWARTZ B 15R N2 118 301

LIQUID ENCAPSULATED CZOCHRALSKI GROWTH OF GAAS
WEINER ME LORIMOR OG M NO R N11 118 C292

DOPANT INTERACTIONS DURING GROWTH OF GAP FOR GREEN LIGHT EMITTING DIODES
WETSBERG LR SEE MILLER EA 118 825
WELLIVER LC SEE BUEHLER MG 118 2033
WEST KW SEE COHEN RL 118 2042
WHITE WB SEE BERGSTEI,A 118 1166
WHITE WB SEE EHMAN WF 118 1443
WHITEHOU,TS SEE MAI CC 118 331
WHITTING,MS HUGGINS RA 26R N1 118 1

TRANSPORT PROPERTIES OF SILVER BETA-ALUMINA
WIART R SEE EPELBOIN I 118 1577
WIEWIORO,TK N 1R N10 118 1711

ELECTRIC CONDUCTIVITY OF CARBON BLACK SUSPENSIONS IN MOLTEN SULFUR
WIGGLE RR HOSPADAR,V PITCHMUN DR 6R N1 118 158

MECHANISM OF ADHESION FAILURE OF PLATED PLASTICS IN CORROSIVE ENVIRONMENTS
WILCOX PS 4R N11 118 1726

SECTIONING OF SPUTTERED TANTALUM FILMS BY ANODIC OXIDE GROWTH IN FLUORIDE SOLUTIONS
WILDE BE WILLIAMS E 25R N7 118 1057

RELEVANCE OF ACCELERATED ELECTROCHEMICAL PITTING TESTS TO LONG-TERM PITTING AND CREVICE CORROSION BEHAVIOR OF STAINLESS STEELS IN MARINE ENVIRONMENTS
WILDE BE 40R N11 118 1717

ROLE OF PASSIVITY IN MECHANISM OF STRESS-CORROSION CRACKING AND METAL DISSOLUTION OF 18CR-8NI STAINLESS STEELS IN BOILING MAGNESIUM AND LITHIUM CHLORIDES
WILDE BE SEE KIM CD 118 202
WILDER DR SEE SCHIELTZ J 118 1140
WILDER DR SEE SCHIELTZ JD 118 1257
WILLIAMS DN KOEHL RG BERRY WE BARTLETT ES 3R N10 118 1684

CORROSION BEHAVIOR OF ZN-22AL ALLOY SHEET
WILLIAMS E SEE WILDE BE 118 1057
WITT AF SEE MARRIS JM 118 335
WITT AF SEE MARRIS JM 118 338
WITT AF SEE LICHTENS,M 118 1013
WOLF ED SEE HUNSPERG,RG 118 1847
WOLOWODI,C SEE TURNER DR 118 1235
WONG J GHEZZO M N 11R N9 118 1540

CHEMICAL VAPOR DEPOSITION OF ARSENOSILICATE GLASS - ONE-LIQUID-SOURCE SYSTEM
WONG P SEE MESSIER DR 118 772
WONSIDLE,DR SEE SCHWARTZ B 118 1229
WOODALL JM N 9R N1 118 150

ISOTHERMAL SOLUTION MIXING GROWTH OF THIN GA1-XALXAS LAYERS
WOODALL JM SEE PLASKETT TS 118 115
WOODS JF SEE FOSTER LM 118 1175
WU CL SEE JOHNSON JW 118 1909
WU JC SEE BURGER FJ 118 2039
WYLIE RA SEE BODEN DP 118 1298
YAHALOM J SEE ZAHAVI J 118 1809
YAMAMOTO K SEE OKADA H 118 2036
YAMAMOTO O SEE TAKAHASH,T 118 1051
YAMAUCHI S SEE HOCH M 118 1503
YAMAZAKI M NOZAKI H N 4R N2 118 480

FORMATION OF ELECTROLYTIC RUTILE FILM CONTAINING BARIUM
YAN G SEE DELLOCA CJ 118 89
YAO NP HERDOY LA SAUNDERS RC 18R N7 118 1039

EMF MEASUREMENTS OF ELECTROCHEMICALLY PREPARED LITHIUM-ALUMINUM ALLOY
YAO NP BENNION DN 58R N7 118 1097

TRANSPORT BEHAVIOR IN DIMETHYL SULFOXIDE .1. CONDUCTANCE STUDIES
YASUDA M SEE HINE F 118 166
YASUDA M SEE HINE F 118 170
YASUDA M SEE HINE F 118 182
YEAGER E SEE CAHAN BD 118 1382
YEAGER F SEE RANDIN JP 118 711
YORK RJ SEE BARKOPR HJ 118 1713
YOSHINAK,A SEE NAKAMOTO N 118 C292
YOUNG FJ SEE BOCIAN ES 118 2021
YOUNG L SEE DELLOCA CJ 118 89
YUAN D KROGER FA 20P N6 118 841

ELECTROCHEMICAL OXYGEN AND SULFUR VAPOR GAUGE WITH PYREX AS SOLID ELECTROLYTE
ZAHAVI J OLECH IA YAHALOM J 11R N11 118 1009

MORPHOLOGY OF ELECTROLYTIC BREAKDOWN PRODUCTS IN ANODIC FILMS ON SILICON
ZANKER A N 12R N1 118 97

NOMOGRAPHS FOR DIFFUSIVITIES OF SALTS, ACIDS, AND BASES IN VERY DILUTE WATER SOLUTIONS
ZANZUCCH,PJ SEE WANG CC 118 586
ZEELAND JF SEE VEKENS LF 118 1119
ZILIONIS VE SEE KOZAWA A 118 1705

JOURNAL ARTICLE SUBJECT INDEX

TO FIND ARTICLES ON A SPECIFIC TOPIC:

1. Locate any one of the words (Primary Terms) that describes the topic. If you want every title that includes that primary term, select only the articles marked with an arrow (→). This eliminates unnecessary lookups.
2. To narrow selection, use any of the other words (Co-Terms) listed below that Primary Term. When using co-terms always disregard arrows.
3. The PAGE No. refers to the page in the Journal on which the article containing the keyword appears.


PRIMARY TERM
CO-TERM
PAGE NO.
PRIMARY TERM
This word was selected from the contents of one or more articles.
PLATING
BATH - - - - - ->1969
BOROHYDRIDE - - ->2055
COBALT - - - - ->869
COPPER - - - - ->681
- - - - ->1235
- - - - ->1571
COPPER COMPLEX - "
DEPOSITION - - ->1132
DETECTION - - - ->1538
ELECTROLESS - - - 869
- - - 1571
- - - 1969
- - - 2055
EPR - - - - - - - 1571
FILM - - - - - - ->1228
GEL ELECTROLYTE - 681
GOLD - - - - - - - "
IMAGE AMPLIFIER - 1235
IMPURITY - - - - 1538
METAL - - - - - - 1228
NICKEL - - - - - 869
- - - - - 1969
OXIDE - - - - - - 1228
PRINTING - - - - 1235
SEMICONDUCTOR - - 1228
SODIUM - - - - - 2055
ZINC - - - - - - 1538
To find articles concerned with "PLATING", check only entries with this mark.
Co-term identical to Co-term "ELECTROLESS" above.
To find articles concerning "PLATING" and "ELECTROLESS", check all entries under Co-term "ELECTROLESS".
CO-TERM
These words also were selected from the contents of articles about "PLATING".
Ditto marks indicate same page.

PRIMARY TERM / CO-TERM	PAGE NO.
ABSORPTION	
CATHODE	->202
EVOLUTION	"
HYDROGEN	"
IRON	"
KINETICS	"
AC POTENTIAL	
ELECTROCAPILLARY	>259
SUPERIMPOSITION	"
ACETYLENE	
ETHYLENE	->236
HYDROGENATION	"
ACID	
MEMBRANE	->707
TRANSITION	"
TRANSPORT	"
ACID SOLUTION	
CORROSION	->2036
IRON	"
NICKEL	->557
	->1968
POLARIZATION	2036
SULFUR	"
THERMODYNAMICS	557
	1968
ACRYLONITRILE	
CATHODE	->450
COUPLING	"
REDUCTION	"
ACTIVATION	
EPITAXY	->1351
NEUTRON	"
SILICON	"
ACTIVATOR	
EUROPIUM	->482
PHOSPHOR	"
PRASEODYMIUM	"
TERBIUM	"
WAVELENGTH	"
ACTIVITY	
HYDROXIDE	->1430
LOW TEMPERATURE	"
POTASSIUM	"
WATER	"
ADDITIVE	
GRAPHITE	->1705
IRON	"
OXYGEN	"
PHTHALOCYANINE	"
REDUCTION	"
ADHESION	
CORROSION	->158
FAILURE	"
PLASTIC	"
PLATED	"
ADSORPTION	
CORROSION	->1282
CYCLIC	->1713
FUEL CELL	"
HYDROGEN	1282
INDIUM	->1426
INHIBITION	1282
IRON	"
MERCURY	1426
OLEFIN	1713
PLATINUM	->1138
REACTION	1713
SULFATE	1138
SULFURIC ACID	1282
THIOUREA	1426
AGGRESSIVE ION	
CORROSION	->1404
NICKEL	"
AIR	
BATTERY	->812
FORMALDEHYDE	->1523
FUEL CELL	"
HYDROGEN	812
LEAD	"
METHANOL	1523
PROPULSION	812
VEHICLE	"
ALKALI	
COLOR CENTER	->C144
CORROSION	->1031
ELECTRODE	->428
HALIDE	C144
HYDROXIDE	428
LUMINESCENCE	C144
NICKEL	428
POLARIZATION	1031
ZINC	"
ALKALI METAL	
INTERACTION	->63
PERCHLORATE	->1614
POLAROGRAPHY	63
SOLVATION ENERGY	1614
WATER	63
ALKALINE	
DIRECT	->255
ALKALINE (CONTD)	
REDUCTION	255
ZINC OXIDE	"
ALKALINE EARTH	
ALUMINUM	->933
CERIUM	->918
	->1862
EUROPIUM	918
	933
	->1009
	1862
FELDSPAR	918
FLUORESCENCE	933
	1009
FLUORIDE	933
LUMINESCENCE	918
	1862
PHOSPHOR	"
SILICATE	1009
THIOSILICATE	1862
ALKALINE SOLUTION	
AMALGAM	->1298
ANODE	->536
GALLIUM ARSENIDE	>1346
HYDROGEN	->1278
IRON	536
KINETICS	"
METAL	1278
OVERPOTENTIAL	"
PEROXIDE	1346
POLISH	"
POTENTIAL	1298
ZINC	"
ALKENE	
CATHODE	->447
COUNTERION	"
COUPLING	"
REDUCTION	"
ALKYL RADICAL	
ANION	->1420
AZIRIDINE	"
REDUCTION	"
ALLOXAN	
DIMETHYL	->1747
METHYL	"
ALLOY	
ALUMINUM	->906
	->1039
ANODE	->209
CHROMIUM	->1336
COPPER	209
CRITICAL	"
DISSOLUTION	"
ELECTRODEPOSITION>	51
EMF	1039
GOLD	209
ION ELECTRODE	->226
IRON	51
	906
LABELED	1336
LITHIUM	1039
METAL METAL	226
NICKEL	51
	1336
OXIDATION	906
PHASE DIAGRAM	->1175
POTENTIAL	209
POTENTIOSTATIC	226
SEMICONDUCTOR	1175
SINGLE PULSE	226
SULFIDATION	1336
SUPERIMPOSITION	51
THERMODYNAMICS	1175
ALLOYING	
LITHIUM	->1547
ALPHA	
CARBIDE	->335
	->338
CVP	335
	338
SILICON	335
	338
ALUMINA	
AMALGAM	->1128
BETA	"
	->1135
BORIC ACID	->1734
CHARGE	->591
CONDUCTIVITY	->714
	1135
DIELECTRIC	->1730
	1734
EMF	1128
FILM	591
HYDROSTATICS	714
HYDROUS	1730
	1734
PRESSURE	714
RESISTIVITY	1135
SILICON	591
SODIUM	1128
SPUTTERING	591
ALUMINATE	
DIELECTRIC	->586
MAGNESIUM	"
OPTICS	"
ALUMINATE (CONTD)	
SINGLE CRYSTAL	586
SPINEL	"
STOICHIOMETRY	"
ALUMINUM	
ALKALINE EARTH	->933
ALLOY	->906
	->1039
ALUMINUM OXIDE	->1624
ANODE	->727
	->1966
	->2039
ARSENIDE	->150
	->495
	->1355
	->1631
BARRIER	->1094
BENZENE	->1688
BORON	->1204
BREAKDOWN	2039
BROMIDE	->425
CALCIUM	->1166
CAPACITOR	2039
CESIUM	1094
CHROMIUM	->1782
COEFFICIENT	1204
CONDENSATION	"
CONDUCTIVITY	425
CORROSION	->1684
CVD	1624
DEPOSITION	->1375
DIELECTRIC	2039
DIODE	1631
DISK ELECTRODE	1966
DISSOLUTION	1094
	1631
ELECTRODE	->405
ELECTRODEPOSITION	1688
ELECTRON	->381
EMF	1039
EPITAXY	->647
ETCHING	381
EUROPIUM	->930
	933
EXCHANGE REACTION	>1216
FLUORESCENCE	933
FLUORIDE	"
FOIL	381
GALLIUM	150
	1631
	->1864
GROWTH LAW	727
HIGH VOLTAGE	2039
INDIUM	495
IRON	906
ISOTHERMAL MIXING	150
LABELED	727
LIGHT EMITTING	1631
LITHIUM	1039
LPE	1631
LUMINESCENCE	930
	1166
MAGNESIUM	->1653
MANGANESE	1166
MICROANALYSIS	727
MICROSCOPE	381
MOLTEN SALT	405
	1966
NICKEL	1782
NITRIDE	1204
	1216
	1864
NITROGEN	1216
NITROUS OXIDE	1624
ORGANOMETAL	647
	1864
OXIDATION	906
	1375
	1782
OXIDE	930
	1166
	1653
OXYGEN	727
POLISHING	1653
REFRACTORY	1204
SAPPHIRE	1653
SCANNING	381
SEMICONDUCTOR	647
	1864
SODIUM	425
SOLIDUS BOUNDARY	495
SPINEL	1653
STRONTIUM	930
	1166
SULFURIC ACID	1094
TANTALUM	727
	2039
TRIMETHYL	1624
VAPOR	1355
	1375
ZINC	1684
ALUMINUM OXIDE	
ALUMINUM	->1624
ANODIZATION	->270
BARRIER	->810
CHARGE STORAGE	->1993
CVD	->772
	1624
EPITAXY	772
ETCHING	->1804
EVAPORATION	810
FILM	"
GLOW DISCHARGE	->1619
GROWTH RATE	270
ALUMINUM OXIDE (CONTD)	
MAOS	1993
NITROUS OXIDE	1624
NMR	->353
OXIDE	810
OXIDE FILM	1993
PITTING	1804
POLISHING	"
SAPPHIRE	"
TRIMETHYL	1624
WATER VAPOR	353
WIDE LINE	"
AMALGAM	
ALKALINE SOLUTION	>1298
ALUMINA	->1128
BETA	"
EMF	"
POTENTIAL	1298
SODIUM	1128
ZINC	1298
AMIDE	
CHROMIUM	->1563
ELECTRODEPOSITION	>548
	1563
IRON	->28
MANGANESE	548
NICKEL	1563
PASSIVATION	28
POLARIZATION	"
STEADY STATE	"
AMMONIA	
IODIDE	->2031
POTASSIUM	"
RUBIDIUM	"
SILVER	"
SINGLE CRYSTAL	"
X RAY DIFFRACTION	"
AMMONIUM	
CONDUCTIVITY	->1144
IODIDE	"
SOLID ELECTROLYTE	"
AMORPHOUS PHASE	
ANNEALING	->943
SILICON	"
ANGELL	
CONDUCTANCE	->1900
MOLTEN SALT	"
TRANSITION STATE	"
ANHYDROUS	
ANODE	->243
BERYLLIUM	"
DISSOLUTION	"
ANION	
ALKYL RADICAL	->1420
AZIRIDINE	"
BRIDGING	->C185
CARBONATE	->1320
ELECTROCATALYSIS	C185
LITHIUM	1320
MERCURY	C185
NONAQUEOUS	1320
PROPYLENE	"
REDUCTION	1420
ANNEAL	
CADMIUM	->1847
COATES KIKUCH I	"
GALLIUM ARSENIDE	"
ION IMPLANTATION	"
ANNEALING	
AMORPHOUS PHASE	->943
HIGH TEMPERATURE	>1463
SILICON	943
	1463
ANODE	
ALKALINE SOLUTION	>536
ALLOY	->209
ALUMINUM	->727
	->1966
	->2039
ANHYDROUS	->243
ANTIMONIDE	->433
ANTIMONY	->525
BATTERY	->1680
BERYLLIUM	243
BREAKDOWN	->1797
	2039
CALCIUM	1680
CAPACITOR	2039
CARBOHYDRATE	->95
CARBONATE	->1269
CHLORATE	->174
CHLORIDE	"
CHROMIUM	->22
COPPER	->36
	->40
	209
CRITICAL	"
CRYSTALLIZATION	525
DEPOSITION	->206
DIELECTRIC	2039
DISK ELECTRODE	1966
DISSOLUTION	36
	40
	209
	243

PRIMARY TERM / CO-TERM — PAGE NO.

ANODE (CONTD)
DISSOLUTION - - - 433
- - -> 437
- - - 1269
ELECTRICAL - - - 1797
ELECTROCHEMICAL - 174
ELECTRON NUMBER - 433
ELEMENTS - - - -> 568
ELLIPSOMETRY - -> 89
- - 206
ETCHING - - - - - 433
FERRITE - - - - - 22
FILM - - - - - - 89
- - - - - - 206
- - - - - - 433
- - - - - -> 685
- - - - - -> 864
FLUORIDE - - - ->1726
GALLIUM ARSENIDE 89
GOLD - - - - - - 209
GROWTH LAW - - - 727
HIGH FIELD - - -> 46
HIGH RATE - - - - 36
- - - - 40
HIGH VOLTAGE - - 2039
HYDROGEN - - - - 568
- - - - 685
HYDROXIDE - - - - 1269
INDIUM - - - - - 433
IONIC CONDUCTION 46
IRON - - - - - - 536
IRON OXIDE - - - 206
KINETICS - - - - 536
LABELED - - - - -> 717
- - - - - 727
LEAD - - - - - - 525
MACHINING - - - - 174
MAGNETITE - - - ->1709
MICROANALYSIS - - 727
MOLTEN SALT - - - 1966
MOLYBDENUM - - - 22
ORGANIC SOLVENT - 717
OXIDATION - - - - 46
- - - - 95
- - - - 568
- - - - 717
- - - -> 860
OXIDE - - - - - - 89
- - - - - - 864
OXIDE FILM - - - 1797
OXIDE GROWTH - - 1726
OXYGEN - - - - - 717
- - - - 727
PASSIVATION - - - 1269
PICKLING - - - -> 676
PLATINUM - - - - 46
POLARIZATION - - 22
POLYCRYSTALLINE - 36
POTASSIUM - - - - 1269
POTENTIAL - - - - 40
- - - - 209
POTENTIOSTATIC - 676
RESISTIVITY - - - 1709
ROTATING - - - - 174
SILICON - - - - - 437
- - - - - 717
SINGLE CRYSTAL - 36
SODIUM - - - - - 174
SPUTTERING - - - 1726
STAINLESS STEEL - 22
- 676
SULFATE - - - - - 525
TANTALUM - - - - 717
- - - - 727
- - - - 1726
- - - - 2039
THERMAL - - - - - 1680
TRANSITION - - - 568
VANADIUM - - - - 860
- - - - 864
ZINC - - - - - - 1269
ZINC OXIDE - - - 685
ZIRCALOY - - - - 1797

ANODE DISSOLUTION
BERYLLIUM - - - ->1960
BROMIDE - - - - - "
CARBIDE - - - - ->1912
CORROSION - - - ->1909
COULOMETRY - - - 1912
DISK ELECTRODE - "
IRON - - - - - ->1919
LIQUID - - - - - 1960
OXIDATION - - - - 1912
ROTATING RING - - "
SILVER - - - - - 1960
SOLID - - - - - - "
TITANIUM - - - - 1912
TUNGSTEN - - - - 1909

ANODIZATION
ALUMINUM OXIDE -> 270
GROWTH RATE - - - "

ANTHRAQUINONE
HYDROXYL - - - ->1758
NONAQUEOUS - - - "
POLAROGRAPHY - - "
SPECTROMETRY - - "

ANTIMONIDE
ANODE - - - - - -> 433
DISSOLUTION - - - "
ELECTRON NUMBER - "
ETCHING - - - - - "
FILM - - - - - - "

ANTIMONIDE (CONTD)
INDIUM - - - - - 433

ANTIMONY
ANODE - - - - - -> 525
ARSENIC - - - - ->1485
ARSENIDE - - - -> 805
CRYSTALLIZATION - 525
GALLIUM - - - - ->1831
INDIUM - - - - - 805
- - - - - 1831
LEAD - - - - - - 525
LIQUID STRUCTURE 1485
LPE - - - - - - - 805
- - - - - - 1831
PHASE DIAGRAM - - 1485
- - 1831
SELENIUM - - - - 1485
SULFATE - - - - - 525

APATITE
PHOSPHOR - - - ->1510
STRONTIUM - - - - "

ARSENIC
ANTIMONY - - - ->1485
CHLORIDE - - - ->1823
GALLIUM ARSENIDE "
GERMANIUM - - - - "
LIQUID STRUCTURE 1485
PHASE DIAGRAM - - "
SELENIUM - - - - "
- - - - 1823
SILICON - - - - - "
SULFUR - - - - - "
VPE - - - - - - - "

ARSENIC DOPED
EPITAXY - - - - -> 149
INHIBITION - - - "
PYROLYSIS - - - - "
SILANE - - - - - "
SILICON - - - - - "

ARSENIDE
ALUMINUM - - - -> 150
- - - -> 495
- - - ->1355
- - - ->1631
ANTIMONY - - - -> 805
CADMIUM - - - - ->1362
DIODE - - - - - - 1631
DISSOLUTION - - - "
GALLIUM - - - - - 150
- - - - - 1631
- - - - ->1639
INDIUM - - - - - 495
- - - - 805
- - - - 1639
ISOTHERMAL MIXING 150
LIGHT EMITTING - 1631
LPE - - - - - - - 805
- - - - - - - 1631
PHOSPHIDE - - - - 1362
SINGLE CRYSTAL - 1639
SOLIDUS BOUNDARY 495
SOLUTION GROWTH - 1639
THERMODYNAMICS - 1362
VAPOR - - - - - - 1355
ZINC - - - - - - 1362

ASBESTOS
CHLORINE CELL - -> 166
DIAPHRAGM - - - - "

ATMOSPHERE
CARBON MONOXIDE -> 506
CHROMIUM - - - -> 740
DETECTION - - - - 506
HYDROCARBON - - - "
HYDROGEN - - - - "
HYDROGEN SULFIDE 740
KINETICS - - - - "
MORPHOLOGY - - - "
NICKEL - - - - - "
OXYGEN - - - - - 506
SCALE - - - - - - 740

AUTOMATED
CAPILLARY - - - ->1596
COMPUTER - - - - "
ELECTROMETER - - "

AUTOMATION
CAPACITOR - - - -> 672
CURRENT POTENTIAL> 583
MANUFACTURING - - 672
STEADY STATE - - 583
TANTALUM - - - - 672

AZIRIDINE
ALKYL RADICAL - ->1420
ANION - - - - - - "
REDUCTION - - - - "

BARIUM
CALCIUM - - - - -> 923
FILM - - - - - -> 400
LUMINESCENCE - - 923
PHASE EQUILIBRIUM "
PHOSPHATE - - - - "
TIN - - - - - - - "
TITANIUM - - - - 400

BARRIER
ALUMINUM - - - ->1094

BARRIER (CONTD)
ALUMINUM OXIDE -> 810
CESIUM - - - - - 1094
DISSOLUTION - - - "
EVAPORATION - - - 810
FILM - - - - - - "
OXIDE - - - - - - "
SULFURIC ACID - - 1094

BATH
ELECTROLESS - - ->1969
NICKEL - - - - - "
PLATING - - - - - "

BATTERY
AIR - - - - - - -> 812
ANODE - - - - - ->1680
CADMIUM - - - - ->1382
CALCIUM - - - - - 1680
CARBONATE - - - -> 153
CATHODE - - - - ->1950
DIMETHYL - - - ->1886
DISCHARGE - - - -> 394
- - - -> 829
ETHYLENE - - - - 153
GRAPHITE - - - - 1886
HEAT PIPE - - - - 1382
HEAT TRANSFER - - "
HYDROGEN - - - - 812
LEAD - - - - - - "
LITHIUM - - - - - 153
- - - - 1886
MAGNESIUM - - - - 394
MOLYBDENUM - - ->1905
NICKEL - - - - - 1382
NONAQUEOUS - - - 153
- - - 1905
ORGANIC SOLVENT - 1886
PERCHLORATE - - - 153
- - - 1886
POWER - - - - - -> 375
PROPULSION - - - 812
QUINONE - - - - - 1950
SEAWATER - - - - 394
SULFITE - - - - - 1886
TESTING - - - - - 375
THERMAL - - - - - 1680
TRIOXIDE - - - - 1905
VEHICLE - - - - - 375
- - - - - 812
VOLTAMMETRY - - - 1950

BENZENE
ALUMINUM - - - ->1688
DMSO - - - - - ->1416
ELECTRODEPOSITION 1688
SOLUBILITY - - - 1416

BENZOTRIAZOLE
IRON - - - - - -> 545
SULFURIC ACID - - "

BERYLLIUM
ANHYDROUS - - - -> 243
ANODE - - - - - - "
ANODE DISSOLUTION>1960
BROMIDE - - - - - "
DISSOLUTION - - - 243
LIQUID - - - - - 1960
SILVER - - - - - "
SOLID - - - - - - "

BETA
ALUMINA - - - - ->1128
- - - - ->1135
AMALGAM - - - - - 1128
CARBIDE - - - - -> 397
CONDUCTIVITY - - 1135
EMF - - - - - - - 1128
OXIDE FILM - - - 397
RESISTIVITY - - - 1135
SILICON - - - - - 397
SODIUM - - - - - 1128

BETA ALUMINA
CONDUCTIVITY - -> 1
ELECTRICAL - - - "
ELECTRONIC - - - "
SILVER - - - - - "
TRANSPORT - - - - "

BETA RHOMBOHEDRAL
BORON - - - - - ->1670
WHISKER - - - - - "

BIELECTROLYTE
SOLID - - - - - ->1107
THERMODYNAMICS - "

BISMUTH
CHROMIUM - - - -> 895
DOPANT - - - - ->1030
ELECTROMIGRATION 895
IODIDE - - - - - 1030
IRON - - - - - - 895
MOLTEN - - - - -> 991
TELLURIDE - - - - "
VAPORIZATION - - "

BISMUTH ACTIVATED
LANTHANUM - - - -> 148
LUMINESCENCE - - "
OXYCHLORIDE - - - "
X RAY EXCITATION "

BORIC ACID
ALUMINA - - - - ->1734
DIELECTRIC - - - "
HYDROUS - - - - - "

BOROHYDRIDE
ELECTROLESS - - ->2055
PLATING - - - - - "
SODIUM - - - - - "

BORON
ALUMINUM - - - ->1204
BETA RHOMBOHEDRAL>1670
COEFFICIENT - - - 1204
COMPLEX - - - - -> 99
CONDENSATION - - 1204
CVD - - - - - - ->1837
DIFFUSION - - - -> 293
DIFFUSION LAYER ->2033
DOPING - - - - - 1837
ELECTRODEPOSITION 99
EPITAXY - - - - - 1837
GLASS - - - - - - 293
MAGNESIUM - - - - 99
NITRIDE - - - - - 1204
OXIDATION - - - - 2033
REFRACTORY - - - 1204
SILICON - - - - - 293
- - - - - 1837
SILICON DIOXIDE - 293
WATER VAPOR - - - 1837
WHISKER - - - - - 1670

BORON DOPED
ETCHING - - - - - -> 401
SILICON - - - - - "

BOROSILICATE
CVD - - - - - - - ->1985
GLASS - - - - - - -> 313
- - - - - - ->1658
GLASS FILM - - - 1985
IR - - - - - - - - 1658
- - - - - - - - 1985
NONDESTRUCTIVE - 1658
SILICON - - - - - 1985
THIN FILM - - - - 1658

BRASS
COPPER - - - - - -> 854
CORROSION - - - - "
NAVAL - - - - - - "

BREAKDOWN
ALUMINUM - - - - ->2039
ANODE - - - - - - ->1797
- - - - - - 2039
CAPACITOR - - - - "
DIELECTRIC - - - "
ELECTRICAL - - - 1797
HIGH VOLTAGE - - 2039
OXIDE FILM - - - 1797
- - - ->1809
SILICON - - - - - "
TANTALUM - - - - 2039
ZIRCALOY - - - - 1797

BRENNER
FILM - - - - - - -> 696
IRON - - - - - - - "
PHOSPHORUS - - - "

BREWSTER ANGLE
CARRIER - - - - - ->2010
DENSITY - - - - - "
PSEUDOBREWSTER - "
SILICON - - - - - "

BRIDGING
ANION - - - - - - ->C185
ELECTROCATALYSIS "
MERCURY - - - - - "

BRIDGMAN
CRYSTAL GROWTH -> 115
GALLIUM ARSENIDE "
HORIZONTAL - - - "

BROMIDE
ALUMINUM - - - - -> 425
ANODE DISSOLUTION>1960
BERYLLIUM - - - - "
CHLORIDE - - - -> 901
CONDUCTIVITY - - 425
INTERSTITIAL - - 901
LIQUID - - - - - 1960
OXIDATION - - - - ->1195
POTENTIAL - - - - 901
SILVER - - - - -> 79
- - - - - 901
- - - - - 1960
SODIUM - - - - - 425
SOLID - - - - - - 1960
THERMOGRAVIMETRY 1195
ZIRCONIUM - - - - "

CADMIUM
ANNEAL - - - - - ->1847
ARSENIDE - - - - ->1362
BATTERY - - - - - ->1382
CATHODE - - - - - ->1047
COATES KIKUCH I - 1847
COBALT - - - - - -> 889
CONDUCTIVITY - - ->1518
CRYSTAL GROWTH ->1790
DIFFUSION - - - - ->1451

PRIMARY TERM
CO-TERM — PAGE NO.

CADMIUM (CONTD)
DISCHARGE -> 519
DISLOCATION ->1868
ETCHING "
EUROPIUM -> 470
EUTECTIC 889
FLUORIDE 1047
GALLIUM ARSENIDE 1847
HEAT PIPE 1382
HEAT TRANSFER "
INSULATING 1790
ION ADSORPTION ->1953
ION IMPLANTATION 1847
LEAD 889
LOW TEMPERATURE -> 462
LUMINESCENCE 470
MERCURY 1868
NICKEL 889
1382
1518
OPTICAL -> 489
PARTIAL PRESSURE >2014
PASSIVATION 462
PHASE DIAGRAM 2014
PHASE EQUILIBRIUM 470
PHOSPHATE "
PHOSPHIDE 1362
PLATINUM 1953
POROUS ELECTRODE 519
QUENCHING 489
SOLUBILITY 1451
STRONTIUM 470
SULFIDE 489
1451
TELLURIDE 1790
TELLURIUM 1868
2014
THERMODYNAMICS 1362
VOLTAMMETRY 889
1953
YTTERBIUM 1451
ZINC 1362
2014

CALCIA STABILIZED
ELECTRODE -> 185
PLATINUM "
ZIRCONIA "

CALCIUM
ALUMINUM ->1166
ANODE ->1680
BARIUM -> 923
BATTERY 1680
COOLING ->1819
GALLIUM ARSENIDE >1019
HALOGEN ->1814
1819
IODIDE ->1447
IONIC CONDUCTION "
LITHIUM "
LUMINESCENCE 923
1166
1814
1819
MANGANESE 1166
1814
1819
OXIDE 1166
PHASE EQUILIBRIUM 923
PHOSPHATE "
1814
1819
PHOSPHIDE 1019
PHOSPHOR 1814
STRONTIUM 1166
TERNARY SYSTEM 1019
THERMAL 1680
TIN 923

CALCIUM OXIDE
PHOSPHORESCENCE ->1542
YTTRIUM "

CALCIUM SULFIDE
CESIUM -> 477
EUROPIUM "
LUMINESCENCE "

CAPACITANCE
DOPING PROFILE -> 971
GRAPHITE -> 711
LEAD ->1262
LEAD DIOXIDE "
PYROLYTIC 711
STRESS ANNEALING "
VOLTAMMETRY 1262

CAPACITOR
ALUMINUM ->2039
ANODE "
AUTOMATION -> 672
BREAKDOWN 2039
DIELECTRIC "
HIGH VOLTAGE "
MANUFACTURING 672
TANTALUM "
2039

CAPILLARY
AUTOMATED ->1596
COMPUTER "
ELECTROMETER "

CARBIDE
ALPHA -> 335

CARBIDE (CONTD)
ALPHA -> 338
ANODE DISSOLUTION>1912
BETA -> 397
COULOMETRY 1912
CVP 335
338
DISK ELECTRODE 1912
ELECTRODEPOSITION>1137
FILM "
HAFNIUM ->1503
MOLYBDENUM 1137
NIOBIUM ->1498
OXIDATION 1912
OXIDE FILM 397
OXYGEN 1137
PERMALLOY "
REDUCTION "
ROTATING RING 1912
SILICON 335
338
397
THERMODYNAMICS 1498
1503
TITANIUM 1912
TUNGSTEN 1137
URANIUM 1503
WIRE 1137
ZIRCONIUM 1498
1503

CARBOHYDRATE
ANODE -> 95
OXIDATION "

CARBON
DESALTING -> 510
POROUS ELECTRODE "
SILICON ->1001
SURFACE "
TEXTURE "

CARBON BLACK
CONDUCTIVITY ->1711
MOLTEN "
SULFUR "

CARBON MONOXIDE
ATMOSPHERE -> 506
DETECTION "
HYDROCARBON "
HYDROGEN "
OXYGEN "

CARBONATE
ANION ->1320
ANODE ->1269
BATTERY -> 153
COPPER ->1130
DISSOLUTION 1269
ETHYLENE 153
FLUORIDE 1130
HALIDE ->1550
HYDROXIDE 1269
LITHIUM 153
1320
MELT 1550
NONAQUEOUS 153
-> 709
1320
OXYGEN 1550
PASSIVATION 1269
PERCHLORATE 153
709
POTASSIUM 1269
PROPYLENE 709
1130
1320
REDUCTION 1130
1550
SODIUM 709
SODIUM ELECTRODE "
THIN FILM 1130
ZINC 1269

CARBOXYLIC ACID
CATHODE -> 216
COPPER "
ELECTRODEPOSITION "
ELECTROSORPTION "
OVERPOTENTIAL "

CARRIER
BREWSTER ANGLE ->2010
DENSITY "
PSEUDOBREWSTER "
SILICON "

CATHODE
ABSORPTION -> 202
ACRYLONITRILE -> 450
ALKENE -> 447
BATTERY ->1950
CADMIUM ->1047
CARBOXYLIC ACID -> 216
CHLORATE -> 182
CHLORINE CELL -> 170
CONCENTRATION -> 580
COPPER 216
-> 248
COUNTERION 447
COUPLING "
450
CURRENT 580
DEPOSITION ->1927
DIAPHRAGM 170

CATHODE (CONTD)
DIFFUSION 248
ELECTRODEPOSITION 216
ELECTROSORPTION "
EVOLUTION 202
FLUORIDE 1047
FUEL CELL ->1391
HIGH STABILITY "
HYDROGEN 202
INTERFEROMETRY 580
IRON 202
1927
KINETICS 202
LAYER 248
LOW TEMPERATURE -> 497
OVERPOTENTIAL 216
QUINONE 1950
REDUCTION 170
182
447
450
SILVER OXIDE 497
SULFATE 248
THICKNESS "
VOLTAMMETRY 1950

CELL
ELECTROLYTE ->1043
THIN FILM "

CERIUM
ALKALINE EARTH -> 918
->1862
EUROPIUM 918
1862
FELDSPAR 918
LUMINESCENCE "
->1508
1862
PHOSPHOR "
THIOSILICATE "
THORIUM 1508

CERIUM DIOXIDE
CONDUCTIVITY -> 123
DEFECT "
ELECTRICAL "
NONSTOICHIOMETRIC "

CESIUM
ALUMINUM ->1094
BARRIER "
CALCIUM SULFIDE -> 477
DISSOLUTION 1094
EUROPIUM 477
LUMINESCENCE "
SULFURIC ACID 1094

CHALCOGEN
LITHIUM ->1941
PHASE EQUILIBRIUM "
SELENIUM "

CHARGE
ALUMINA -> 591
FILM "
SILICON "
SPUTTERING "

CHARGE INJECTION
MAOS ->1634

CHARGE STORAGE
ALUMINUM OXIDE ->1993
MAOS "
OXIDE FILM "

CHARGE TRANSFER
ELECTRODEPOSITION>1935
MASS TRANSFER "
OHME RESISTANCE "

CHEMICAL VAPOR
DEPOSITION ->1492
HIGH TEMPERATURE "
TUNGSTEN "

CHLORATE
ANODE -> 174
CATHODE -> 182
CHLORIDE 174
CLOSED CELL ->1870
ELECTROCHEMICAL 174
MACHINING "
1870
REDUCTION 182
ROTATING 174
SODIUM "
1870

CHLORIDE
ANODE -> 174
ARSENIC ->1823
BROMIDE -> 901
CHLORATE 174
CHROMATE ->1123
CHROMIUM ->1717
CLOSED CELL ->1876
COBALT 1123
CONSTANT -> 465
COPPER ->1616
CORROSION ->1066
1717
CRACKING "
DIELECTRIC 465
DIFFUSION ->1119

CHLORIDE (CONTD)
DISSOLUTION 13
-> 19
1717
ELECTRET 465
ELECTROCHEMICAL 174
EMF ->1307
ETHYLENE ->1543
EUTECTIC -> 258
1123
GALLIUM ARSENIDE 1823
GERMANIUM "
GRAPHITE 1543
HYDROGEN CHLORIDE 258
INTERSTITIAL 901
IRON 13
19
1066
KINETICS 13
19
LEAD ->1358
LITHIUM 258
1123
1717
MACHINING 174
1876
MAGNESIUM 1717
METAL "
MOLTEN 1307
MOLTEN SALT 1123
NICKEL 1717
NITRATE 1876
ORGANIC 1616
PASSIVITY 1717
PERCHLORATE 1876
PHASE DIAGRAM 1358
POLARIZATION 1543
1616
POLYVINYL 465
POTASSIUM 258
1123
"
POTENTIAL 901
REDUCTION 1123
ROTATING 174
RUBIDIUM 1307
SELENIUM 1823
SILICON "
SILVER 901
1119
1307
SODIUM 174
1307
1543
1876
STAINLESS STEEL 1717
STRESS "
SULFATE 1066
SULFUR 1823
SULFURIC ACID 1066
SURFACE CHARGE 465
THERMODYNAMICS 1307
URANIUM 1358
VPE 1823
ZINC 1123

CHLORINATION
MOLYBDENUM ->1331
TUNGSTEN "

CHLORINE
ETCHING -> 634
->2034
FLUORINE -> 631
GAS PHASE 634
2034
IODINE 631
LITHIUM "
PHASE EQUILIBRIUM "
SILICON 634
2034
SODIUM 631
TERNARY SYSTEM "

CHLORINE CELL
ASBESTOS -> 166
CATHODE -> 170
DIAPHRAGM 166
170
REDUCTION "

CHOLESTERIC FILM
CHOLESTERYL ->2026
IODIDE "
LIQUID CRYSTAL "
NONANOATE "
UV "

CHOLESTERYL
CHOLESTERIC FILM >2026
IODIDE "
LIQUID CRYSTAL "
NONANOATE "
UV "

CHROMATE
CHLORIDE ->1123
COBALT "
EUTECTIC "
LITHIUM "
MOLTEN SALT "
POTASSIUM "
"
REDUCTION "
ZINC "

PRIMARY TERM — CO-TERM — PAGE NO.

CHROMIUM
ALLOY ->1336
ALUMINUM ->1782
AMIDE ->1563
ANODE -> 22
ATMOSPHERE -> 740
BISMUTH -> 895
CHLORIDE ->1717
COBALT -> 737
CORROSION 1717
CRACKING "
DEPOSITION -> 163
DICUMENE "
DIFFUSION -> 802
DISSOLUTION 1717
ELECTRODEPOSITION 1563
ELECTROMIGRATION 895
ELLIPSOMETRY ->1558
FERRITE 22
HIGH TEMPERATURE 737
HYDROGEN SULFIDE 740
IRON 895
KINETICS 740
LABELED 1336
LITHIUM 1717
MAGNESIUM "
METAL "
MOLYBDENUM 22
MORPHOLOGY 740
NICKEL "
1336
1563
1717
1782
NICKEL OXIDE 802
OXIDATION 737
1782
PASSIVATION 1558
PASSIVITY 1717
POLARIZATION 22
SCALE 740
SEMICONDUCTOR 163
STAINLESS STEEL 22
1717
STRESS "
SULFIDATION 1336

CIRCUIT
DEFECT ->2006
ELECTRON "
EPITAXY ->1627
FABRICATION "
INTEGRATED "
MICROSCOPY 2006
MULTILEVEL "
P TYPE 1627
TRANSISTOR "

CLOSED CELL
CHLORATE ->1870
CHLORIDE ->1876
MACHINING 1870
1876
NITRATE "
PERCHLORATE "
SODIUM 1870
1876

CLUSTER
CRYSTAL GROWTH ->1851
SILICON "
VACANCY "

COATES KIKUCH I
ANNEAL ->1847
CADMIUM "
GALLIUM ARSENIDE "
ION IMPLANTATION "

COBALT
CADMIUM -> 889
CHLORIDE ->1123
CHROMATE "
CHROMIUM -> 737
CRYSTALLIZATION ->1577
ELECTROLESS -> 869
EUTECTIC 889
1123
HIGH TEMPERATURE 737
LEAD 889
LITHIUM 1123
MOLTEN SALT "
NICKEL 869
889
1577
OXIDATION 737
PLATING 869
POTASSIUM 1123
"
REDUCTION "
VOLTAMMETRY 889
ZINC 1123

COEFFICIENT
ALUMINUM ->1204
BORON "
CONDENSATION "
->1212
NICKEL OXIDE "
NITRIDE 1204
REFRACTORY "
1212

COLOR CENTER
ALKALI ->C144
HALIDE "

COLOR CENTER (CONTD)
LUMINESCENCE C144

COLOR SHIFT
EMISSION ->1678
EUROPIUM "
LUMINESCENCE "

COMPENSATION
FARADAY -> 702
RESISTANCE "

COMPLEX
BORON -> 99
ELECTRODEPOSITION "
MAGNESIUM "

COMPLEXING AGENT
ETCHING ->1443
GERMANIUM "

COMPOSITION
EPOXY -> 129
SEMICONDUCTOR "
STABILITY "

COMPUTER
AUTOMATED ->1596
CAPILLARY "
ELECTROMETER "

CONCENTRATION
CATHODE -> 580
CURRENT "
ELECTRODE -> 576
ELECTRON ->1082
INTERFEROMETRY 580
ISOSURFACE 1082
KINETICS 576
POTENTIOSTATIC "
REVERSION "
ROTATING DISK 1082
TRANSFER "
VOLTAMMETRY "

CONDENSATION
ALUMINUM ->1204
BORON "
COEFFICIENT "
->1212
NICKEL OXIDE "
NITRIDE 1204
REFRACTORY "
1212

CONDUCTANCE
ANGELL ->1900
CYANIDE -> 846
-> 850
DMSO ->1097
IODIDE 846
850
ION 846
850
MOLTEN SALT 1900
PHASE DIAGRAM 850
POTASSIUM "
SILVER 846
850
SOLID 846
850
TRANSITION STATE 1900
TRANSPORT 1097

CONDUCTION
SOLID ELECTROLYTE>1033

CONDUCTIVITY
ALUMINA -> 714
->1135
ALUMINUM -> 425
AMMONIUM ->1144
BETA 1135
BETA ALUMINA -> 1
BROMIDE 425
CADMIUM ->1518
CARBON BLACK ->1711
CERIUM DIOXIDE -> 123
DEFECT "
ELECTRICAL 1
123
ELECTRONIC 1
EMF ->1140
FLUORIDE -> 666
HAFNIA ->1257
HYDROGEN 666
HYDROSTATICS 714
IODIDE -> 86
1144
MEMORY ->1051
MOLTEN 1711
NICKEL 1518
NONSTOICHIOMETRIC 123
PRESSURE 714
RESISTIVITY 1135
RUBIDIUM 86
SEEBECK -> 345
SELENIDE 1051
SILVER 1
86
1051
SODIUM 425
SOLID ELECTROLYTE 86
1144
SOLID STATE 1051
SULFUR 1711

CONDUCTIVITY (CONTD)
TELLURIDE 1051
THORIUM DIOXIDE 345
TRANSPORT 1
X RAY 1257
YTTRIA 1140
1257

CONSTANT
CHLORIDE -> 465
DIELECTRIC "
ELECTRET "
POLYVINYL "
SURFACE CHARGE "

CONTACT
RESISTANCE ->1016

CONTACT ANGLE
GALLIUM -> 368
GALLIUM ARSENIDE "
LIQUID "
SESSILE DROP "

CONTAMINATION
GALLIUM PHOSPHIDE>1221
MOS -> 966
SILICON 1221
TRANSPORT 966

COOLING
CALCIUM ->1819
GALLIUM ARSENIDE > 486
HALOGEN 1819
LUMINESCENCE "
MANGANESE "
PHOSPHATE "
ZINC 486

COPPER
ALLOY -> 209
ANODE -> 36
-> 40
209
BRASS -> 854
CARBONATE ->1130
CARBOXYLIC ACID -> 216
CATHODE "
-> 248
CHLORIDE ->1616
COPPER COMPLEX ->1571
CORROSION 854
->1062
CRACKING "
CRITICAL 209
DIFFUSION 248
DISSOLUTION 36
40
209
ELECTRODEPOSITION 216
>1287
ELECTROLESS 1571
ELECTROSORPTION 216
EPR 1571
FLUORIDE 1130
GAS ->1325
GEL ELECTROLYTE -> 681
GOLD 209
681
-> 867
HIGH RATE 36
40
IMAGE AMPLIFIER ->1235
ION SELECTIVE -> 571
IRON "
LAYER 248
NAVAL 854
ORGANIC 1616
OVERPOTENTIAL 216
OXIDATION 1325
PLATING 681
1235
1571
POLARIZATION 1616
POLYCRYSTALLINE 36
POTENTIAL 40
209
PRINTING 1235
PROPYLENE 1130
REDUCTION "
SENSOR 571
SINGLE CRYSTAL 36
1287
1325
SULFATE 248
THICKNESS "
THIN FILM 1130
VOLTAMMETRY 867
WIRE "

COPPER COMPLEX
COPPER ->1571
ELECTROLESS "
EPR "
PLATING "

COPPER OXIDE
LABELED -> 636
OXIDE "
TARNISH "
ZINC "

CORROSION
ACID SOLUTION ->2036
ADHESION -> 158
ADSORPTION ->1282

CORROSION (CONTD)
AGGRESSIVE ION ->1404
ALKALI ->1031
ALUMINUM ->1684
ANODE DISSOLUTION>1909
BRASS -> 854
CHLORIDE ->1066
->1717
CHROMIUM "
COPPER 854
->1062
CRACKING "
1717
CRITICAL PITTING > 529
DISSOLUTION 1717
FAILURE 158
FILM -> 443
HYDROGEN 1282
IMINE ->1553
INHIBITION -> 541
1282
1553
INTERGRANULAR -> 192
ION EXCHANGE 541
IRON 1066
1282
2036
LABELED 541
LITHIUM 1717
MAGNESIUM "
MARINE ->1057
METAL 541
1717
MOLYBDENUM 443
NAVAL 854
NICKEL 1404
1717
ORGANIC COMPOUND 541
PASSIVATION 443
529
PASSIVITY 1717
PITTING 1057
PLASTIC 158
PLATED "
POLARIZATION 1031
2036
POTENTIAL 529
STAINLESS STEEL 192
1057
1717
STRESS "
SULFATE 1066
SULFUR 2036
SULFURIC ACID 1066
1282
TUNGSTEN 1909
ZINC 1031
1684

COTTRELL
DIFFUSION -> 252
GOLD "
SILVER "

COULOMETRY
ANODE DISSOLUTION>1912
CARBIDE "
DISK ELECTRODE "
FUMARATE -> 874
HYDRODIMERIZATION "
OXIDATION 1912
ROTATING RING "
TITANIUM "
VOLTAMMETRY 874

COUNTERION
ALKENE -> 447
CATHODE "
COUPLING "
REDUCTION "

COUPLING
ACRYLONITRILE -> 450
ALKENE -> 447
CATHODE "
450
COUNTERION 447
REDUCTION "
450

CRACKING
CHLORIDE ->1717
CHROMIUM "
COPPER ->1062
CORROSION "
1717
DISSOLUTION "
LITHIUM "
MAGNESIUM "
METAL "
NICKEL "
PASSIVITY "
STAINLESS STEEL "
STRESS "

CRITICAL
ALLOY -> 209
ANODE "
COPPER "
DISSOLUTION "
GOLD "
POTENTIAL "

CRITICAL PITTING
CORROSION -> 529
PASSIVATION "

XUM

PRIMARY TERM CO-TERM	PAGE NO.
...RM	
...ICAL PITTING (CONTD)	
POTENTIAL - - - -	529
CRYSTAL GROWTH	
BRIDGMAN - - - ->	115
CADMIUM - - - - ->1790	
CLUSTER - - - - ->1851	
CZOCHRALSKI - - ->1013	
[illegible] - - - - -	"
GALLIUM ARSENIDE	115
	>1473
HORIZONTAL - - -	115
INSULATING - - -	1790
PHOSPHIDE - - - ->1459	
- - - -	1473
SEGREGATION - - -	1013
SEMICONDUCTOR - -	1459
SILICON - - - - -	1851
SPECTROMETRY - -	1473
TELLURIDE - - - -	1790
VACANCY - - - -	1851
VAPOR PHASE - - -	1473
CRYSTAL STRUCTURE	
EVOLUTION - - - ->1961	
HYDROGEN - - - -	"
CRYSTALLITE	
ELECTRON - - - - ->1395	
LEAD - - - - - -	"
MICROSCOPY - - -	"
SULFATE - - - - -	"
X RAY - - - - - -	"
CRYSTALLIZATION	
ANODE - - - - - ->	525
ANTIMONY - - - -	"
COBALT - - - - ->1577	
FILM - - - - - ->1224	
FLUX ACTION - - ->	937
LEAD - - - - - -	525
NICKEL - - - - -	1224
- - - - -	1577
OXIDE - - - - -	1224
SULFATE - - - -	525
TELLURIUM - - -	1224
ZINC SULFIDE - -	937
CRYSTALLOGRAPHY	
ELECTRODE - - - ->	659
LEAD DIOXIDE - -	"
CURRENT	
CATHODE - - - - ->	580
CONCENTRATION - -	"
DEPOLARIZATION ->	359
DIFFUSION CELL ->	900
DISK ELECTRODE ->	454
ENGINEERING - - -	"
INTERFEROMETRY -	580
NAPHTHALENE - - -	359
PHOTOELECTRET - -	"
POTENTIAL - - - -	454
RADIAL DIFFUSION	>1079
ROTATING DISK - -	"
CURRENT DENSITY	
LAMINAR FLOW - ->	881
CURRENT INTERRUPT	
POLAROGRAPHY - ->	897
VOLTAMMETRY - - -	"
CURRENT POTENTIAL	
AUTOMATION - - ->	583
STEADY STATE - -	"
CVD	
ALPHA- - - - - ->	335
- - - - - ->	338
ALUMINUM - - - -	>1624
ALUMINUM OXIDE ->	772
-	1624
BORON- - - - - -	>1837
BOROSILICATE - -	>1985
CARBIDE- - - - -	335
- - - - -	338
DIELECTRIC - - ->	349
DOPING - - - - -	1837
EPITAXY- - - - -	772
- - - - ->	834
- - - - -	1837
FILM - - - - - ->	349
- - - - - ->	776
GLASS- - - - - -	>1540
GLASS FILM - - -	1985
HOMOGENEOUS- - ->	654
IR - - - - - - -	1985
IRON OXIDE - - -	776
MASK - - - - - -	776
MOLYBDENUM - - -	>2028
NITROUS OXIDE- -	1624
OXYCHLORIDE- - ->	373
REACTION - - - -	654
RHENIUM- - - - -	373
SILICA - - - - -	349
SILICON - - - -	335
- - - -	338
- - - -	1837
- - - -	1985
SILICON DIOXIDE-	2028
THIN FILM- - - -	2028
TRIMETHYL- - - -	1624
WATER VAPOR- - -	1837
CYANIDE	
CONDUCTANCE - - ->	846
- - ->	850
IODIDE - - - - -	846
- - - - -	850
ION - - - - - - -	846
- - - - - - -	850
PHASE DIAGRAM - -	"
POTASSIUM - - - -	"
SILVER - - - - -	846
- - - - -	850
SOLID - - - - - -	846
- - - - - -	850
CYCLIC	
ADSORPTION - - ->1713	
FUEL CELL - - - -	"
OLEFIN - - - - -	"
REACTION - - - -	"
CYCLING	
FLEXURE - - - - ->1776	
NIOBIUM - - - - -	"
OXIDATION - - - -	"
TEMPERATURE - - -	"
URANIUM - - - - -	"
ZIRCONIUM - - - -	"
CZOCHRALSKI	
CRYSTAL GROWTH ->1013	
DOPANT - - - - -	"
EPITAXY - - - - ->	640
FLAME FUSION - -	"
FLUX - - - - - -	"
GALLIUM ARSENIDE >	301
GALLIUM PHOSPHIDE>	306
	> 825
GROWTH - - - - -	640
HOLE MOBILITY - -	"
SEGREGATION - - -	1013
SILICON - - - - -	640
SINGLE CRYSTAL -	301
-	306
SPINEL - - - - -	640
DECOMPOSITION	
MANGANESE - - - ->1530	
NITRATE - - - - -	"
TANTALUM - - - -	"
DEFECT	
CERIUM DIOXIDE ->	123
CIRCUIT - - - - ->2006	
CONDUCTIVITY - -	123
ELECTRICAL - - -	"
ELECTRON - - - -	2006
MICROSCOPY - - -	"
MULTILEVEL - - -	"
NONSTOICHIOMETRIC	123
DENSITY	
BREWSTER ANGLE ->2010	
CARRIER - - - - -	"
DISLOCATION - - ->	793
GALLIUM PHOSPHIDE	"
LPE - - - - - - -	"
PSEUDOBREWSTER -	2010
SILICON - - - - -	"
DEPOLARIZATION	
CURRENT - - - - ->	359
NAPHTHALENE - - -	"
PHOTOELECTRET - -	"
DEPOSITION	
ALUMINUM - - - - ->1375	
ANODE - - - - - ->	206
CATHODE - - - - ->1927	
CHEMICAL VAPOR ->1492	
CHROMIUM - - - ->	163
DICUMENE - - - -	"
ELECTROLESS - - ->	93
- - ->1695	
ELECTROPHORESIS ->2059	
ELLIPSOMETRY - -	206
FILM - - - - - -	"
HIGH TEMPERATURE	1492
IRON - - - - - -	1927
IRON OXIDE - - -	206
LUMINESCENCE - -	2059
MANGANESE OXIDE -	93
METAL - - - - - -	"
OXIDATION - - - -	1375
PHOTOOXIDATION -	1695
PLATING - - - - ->1132	
SEMICONDUCTOR - -	163
SUBSTRATE - - - -	1695
THALLIC OXIDE - -	93
TIN - - - - - - -	1695
TUNGSTEN - - - -	1492
VAPOR - - - - -	1375
DESALTING	
CARBON - - - - ->	510
POROUS ELECTRODE	"
DETECTION	
ATMOSPHERE - - ->	506
CARBON MONOXIDE -	"
HYDROCARBON - - -	"
HYDROGEN - - - -	"
IMPURITY - - - ->1538	
OXYGEN - - - - -	506
PLATING - - - - -	1538
ZINC - - - - - -	"
DIAPHRAGM	
ASBESTOS - - - - ->	166
CATHODE - - - - ->	170
CHLORINE CELL - -	166
- -	170
REDUCTION - - - -	"
DIAZOLE	
REDUCTION - - - ->1089	
DIBORIDE	
ELECTRODEPOSITION>	220
METALS - - - - -	"
REFRACTORY - - -	"
ZIRCONIUM - - - -	"
DICUMENE	
CHROMIUM - - - ->	163
DEPOSITION - - -	"
SEMICONDUCTOR - -	"
DIELECTRIC	
ALUMINA - - - - ->1730	
- - - - ->1734	
ALUMINATE - - - ->	586
ALUMINUM - - - ->2039	
ANODE - - - - - -	"
BORIC ACID - - -	1734
BREAKDOWN - - - -	2039
CAPACITOR - - - -	"
CHLORIDE - - - ->	465
CONSTANT - - - -	"
CVP - - - - - - ->	349
ELECTRET - - - -	465
FILM - - - - - -	349
HIGH VOLTAGE - -	2039
HYDROUS - - - - -	1730
- - - - -	1734
MAGNESIUM - - - -	586
OPTICS - - - - -	"
POLYVINYL - - - -	465
SILICA - - - - -	349
SINGLE CRYSTAL -	586
SPINEL - - - - -	"
STOICHIOMETRY - -	"
SURFACE CHARGE -	465
TANTALUM - - - -	2039
DIFFUSION	
BORON - - - - - ->	293
CADMIUM - - - - ->1451	
CATHODE - - - - ->	248
CHLORIDE - - - ->1119	
CHROMIUM - - - ->	802
COPPER - - - - -	248
COTTRELL - - - - ->	252
EQUILIBRIUM - - ->1770	
FILM - - - - - ->975	
GALLIUM ARSENIDE	"
	>1454
GLASS - - - - - -	293
GOLD - - - - - -	252
INTERFACE - - - -	1770
LAYER - - - - - -	248
NICKEL OXIDE - -	802
ROTATING SPHERE ->1434	
SILICON - - - - -	293
SILICON DIOXIDE -	"
-	975
SILVER - - - - -	252
- - - - -	1119
SOLUBILITY - - -	1451
SULFATE - - - - -	248
SULFIDE - - - - -	1451
THICKNESS - - - -	248
TIN - - - - - - -	975
YTTERBIUM - - - -	1451
ZINC - - - - - -	1454
DIFFUSION CELL	
CURRENT - - - - ->	900
DIFFUSION LAYER	
BORON - - - - - ->2033	
OXIDATION - - - -	"
DIFFUSIVITY	
ELECTROLYTE - - ->	97
NOMOGRAPH - - - -	"
DILUTE SOLUTION	
HALL EFFECT - - ->1944	
HYDROCHLORIC ACID	"
NITRIC ACID - - -	"
DIMETHYL	
ALLOXAN - - - - ->1747	
BATTERY - - - - ->1886	
GRAPHITE - - - -	"
LITHIUM - - - - -	"
METHYL - - - - -	1747
ORGANIC SOLVENT -	1886
PERCHLORATE - - -	"
SULFITE - - - - -	"
DIODE	
ALUMINUM - - - ->1631	
ARSENIDE - - - -	"
DISSOLUTION - - -	"
GALLIUM - - - - -	"
GALLIUM ARSENIDE >1015	
LIGHT EMITTING -	1631
LPE - - - - - - -	"
SILICON - - - - -	1015
SPECTRUM - - - -	"
DIRECT	
ALKALINE - - - ->	255
REDUCTION - - - -	"
ZINC OXIDE - - -	"
DISCHARGE	
BATTERY - - - - ->	394
- - - - ->	829
CADMIUM - - - - ->	519
MAGNESIUM - - - -	394
POROUS ELECTRODE	519
SEAWATER - - - -	394
DISILICIDE	
OXIDATION - - - ->1973	
TITANIUM - - - -	"
DISK ELECTRODE	
ALUMINUM - - - ->1966	
ANODE - - - - - -	"
ANODE DISSOLUTION>1912	
CARBIDE - - - - -	"
COULOMETRY - - -	"
CURRENT - - - - ->	454
ENGINEERING - - -	"
MOLTEN SALT - - -	1966
OXIDATION - - - -	1912
POTENTIAL - - - -	454
ROTATING RING - -	1912
TITANIUM - - - -	"
DISLOCATION	
CADMIUM - - - - ->1868	
DENSITY - - - - ->	793
ETCHING - - - - -	1868
GALLIUM PHOSPHIDE	793
LPE - - - - - - -	"
MERCURY - - - - -	1868
TELLURIUM - - - -	"
DISSOLUTION	
ALLOY - - - - - ->	209
ALUMINUM - - - ->1094	
- - - ->1631	
ANHYDROUS - - - ->	243
ANODE - - - - - ->	36
- - - - - ->	40
- - - - - -	209
- - - - - -	243
- - - - - ->	433
- - - - - ->	437
- - - - - ->1269	
ANTIMONIDE - - -	433
ARSENIDE - - - -	1631
BARRIER - - - - -	1094
BERYLLIUM - - - -	243
CARBONATE - - - -	1269
CESIUM - - - - -	1094
CHLORIDE - - - ->	13
- - - ->	19
- - - ->1717	
CHROMIUM - - - -	"
COPPER - - - - -	36
- - - - -	40
- - - - -	209
CORROSION - - - -	1717
CRACKING - - - -	"
CRITICAL - - - -	209
DIODE - - - - -	1631
ELECTRON NUMBER -	433
ETCHING - - - - -	"
FILM - - - - - -	"
FLUORIDE - - - ->1772	
GALLIUM - - - - -	1631
GOLD - - - - - -	209
HIGH RATE - - - -	36
- - - -	40
HYDROXIDE - - - -	1269
INDIUM - - - - -	433
IRON - - - - - -	13
- - - - -	19
KINETICS - - - -	13
- - - -	19
LIGHT EMITTING -	1631
LITHIUM - - - - -	1717
LPE - - - - - - -	1631
MAGNESIUM - - - -	1717
METAL - - - - - -	"
NICKEL - - - - -	"
PASSIVATION - - -	1269
PASSIVITY - - - -	1717
POLYCRYSTALLINE -	36
POTASSIUM - - - -	1269
POTENTIAL - - - -	40
- - - -	209
SILICON - - - - -	437
SILICON DIOXIDE -	1772
SINGLE CRYSTAL -	36
	>1417
STAINLESS STEEL -	1717
STRESS - - - - -	"
SULFURIC ACID - -	1094
ZINC - - - - - -	1269
ZINC OXIDE - - -	1417
DIVALENT	
ENERGY LEVEL - ->	136
MANGANESE - - - -	"
ZINC SULFIDE - -	"
DMSO	
BENZENE - - - - ->1416	
CONDUCTANCE - - ->1097	
SOLUBILITY - - -	1416
TRANSPORT - - - -	1097

PRIMARY TERM
CO-TERM — PAGE NO.

DOPANT
BISMUTH ->1030
CRYSTAL GROWTH ->1013
CZOCHRALSKI "
GALLIUM ARSENIDE >1229
IODIDE 1030
OXIDATION 1229
SEGREGATION 1013

DOPING
BORON ->1837
CVD "
EPITAXY "
SILICON "
WATER VAPOR "

DOPING PROFILE
CAPACITANCE -> 971

DROP TIME
POLAROGRAPHY ->1588
RAPID "

ECONOMICS
ELECTROLYSIS ->2046
INSTALLATION "
OPTIMIZATION "

ELECTRET
CHLORIDE -> 465
CONSTANT "
DIELECTRIC "
MAGNETOELECTRET ->1675
POLYVINYL 465
SHELLAC 1675
SURFACE CHARGE 465
WAX 1675

ELECTRICAL
ANODE ->1797
BETA ALUMINA -> 1
BREAKDOWN 1797
CERIUM DIOXIDE -> 123
CONDUCTIVITY 1
123
DEFECT "
ELECTRONIC 1
NONSTOICHIOMETRIC 123
OXIDE FILM 1797
SILVER 1
TRANSPORT "
ZIRCALOY 1797

ELECTROCAPILLARY
AC POTENTIAL -> 259
SUPERIMPOSITION "

ELECTROCATALYSIS
ANION ->C185
BRIDGING "
MERCURY "

ELECTROCHEMICAL
ANODE -> 174
CHLORATE "
CHLORIDE "
MACHINING "
ROTATING "
SODIUM "

ELECTRODE
ALKALI -> 428
ALUMINUM -> 405
CALCIA STABILIZED> 185
CONCENTRATION -> 576
CRYSTALLOGRAPHY -> 659
HYDROXIDE 428
KINETICS 576
LEAD DIOXIDE 659
MASS TRANSFER ->1764
MOLTEN SALT 405
NICKEL 428
PLATINUM 185
POTENTIOSTATIC 576
REVERSION "
ROTATING 1764
RSE "
SPHERICAL "
ZIRCONIA 185

ELECTRODEPOSITION
ALLOY -> 51
ALUMINUM ->1688
AMIDE -> 548
->1563
BENZENE 1688
BORON -> 99
CARBIDE ->1137
CARBOXYLIC ACID -> 216
CATHODE "
CHARGE TRANSFER ->1935
CHROMIUM 1563
COMPLEX 99
COPPER 216
->1287
DIBORIDE -> 220
ELECTROSORPTION 216
FILM 1137
GOLD -> 551
->1737
IRON 51
MAGNESIUM 99
MANGANESE 548
MASS TRANSFER 1935
METAL ANODE ->1916
METALS 220

ELECTRODEPOSITION (CONTD)
MOLYBDENUM 1137
NICKEL 51
1563
NULL DEFLECTION -> 91
OHME RESISTANCE 1935
OVERPOTENTIAL 216
OXYGEN 1137
PERMALLOY "
PULSED CURRENT 551
REDUCTION 1137
REFRACTORY 220
RELAXATION 91
RESIN 1916
SINGLE CRYSTAL 1287
STRESS 91
STRUCTURE 1737
SUPERIMPOSITION 51
TUNGSTEN 1137
WIRE "
ZIRCONIUM 220

ELECTROLESS
BATH ->1969
BOROHYDRIDE ->2055
COBALT -> 869
COPPER ->1571
COPPER COMPLEX "
DEPOSITION -> 93
->1695
EPR 1571
MANGANESE OXIDE 93
METAL "
NICKEL 869
1969
PHOTOOXIDATION 1695
PLATING 869
1571
1969
2055
SODIUM "
SUBSTRATE 1695
THALLIC OXIDE 93
TIN 1695

ELECTROLYSIS
ECONOMICS ->2046
INSTALLATION "
OPTIMIZATION "

ELECTROLYTE
CELL ->1043
DIFFUSIVITY -> 97
HIGH VOLTAGE -> 461
NOMOGRAPH 97
ORGANIC 461
THIN FILM 1043

ELECTROMETER
AUTOMATED ->1596
CAPILLARY "
COMPUTER "

ELECTROMIGRATION
BISMUTH -> 895
CHROMIUM "
IRON "

ELECTRON
ALUMINUM -> 381
CIRCUIT ->2006
CONCENTRATION ->1082
CRYSTALLITE ->1395
DEFECT 2006
ETCHING 381
->1171
FILM -> 597
FOIL 381
HYDROCARBON 597
IRRADIATION "
ISOSURFACE 1082
LEAD 1395
LOW ENERGY 597
MICROSCOPE 381
1171
MICROSCOPY 1395
2006
MULTILEVEL "
PARAFFIN 597
ROTATING DISK 1082
SCANNING 381
SILICON 1171
SULFATE 1395
TRANSFER 1082
VOLTAMMETRY "
X RAY 1395

ELECTRON BEAM
EPOXIDE -> 669
POLYMER "

ELECTRON NUMBER
ANODE -> 433
ANTIMONIDE "
DISSOLUTION "
ETCHING "
FILM "
INDIUM "

ELECTRON PROBE
FILM -> 913
SILICON DIOXIDE "

ELECTRONIC
BETA ALUMINA -> 1
CONDUCTIVITY "

ELECTRONIC (CONTD)
ELECTRICAL 1
SILVER "
TRANSPORT "

ELECTROPHORESIS
DEPOSITION ->2059
LUMINESCENCE "

ELECTROPLATING
PULSE -> 833
SEMICONDUCTOR "

ELECTROSORPTION
CARBOXYLIC ACID -> 216
CATHODE "
COPPER "
ELECTRODEPOSITION "
OVERPOTENTIAL "

ELEMENTS
ANODE -> 568
HYDROGEN "
OXIDATION "
TRANSITION "

ELLIPSOMETRY
ANODE -> 89
->1695
CHROMIUM ->1558
DEPOSITION 206
FILM 89
206
GALLIUM ARSENIDE 89
IRON OXIDE 206
OXIDE 89
PASSIVATION 1558

EMBRITTLEMENT
HYDROGEN ->1114
TRAPPING "

EMF
ALLOY ->1039
ALUMINA ->1128
ALUMINUM 1039
AMALGAM 1128
BETA "
CHLORIDE ->1307
CONDUCTIVITY ->1140
FREE ENERGY -> 419
GLYCEROL ->1302
HIGH TEMPERATURE 419
HYDROCHLORIC ACID 1302
LEAD SULFIDE 419
LITHIUM 1039
MOLTEN 1307
RUBIDIUM "
SILVER "
SILVER SULFIDE 419
SODIUM 1128
1307
THERMODYNAMICS 1302
1307
YTTRIA 1140

EMISSION
COLOR SHIFT ->1678
EUROPIUM "
LUMINESCENCE "

ENERGY LEVEL
DIVALENT -> 136
MANGANESE "
ZINC SULFIDE "

ENERGY TRANSFER
EUROPIUM -> 273
LANTHANUM "
OXYSULFIDE "
YTTRIUM "

ENGINEERING
CURRENT -> 454
DISK ELECTRODE "
POTENTIAL "

ENHANCEMENT
GAS EVOLUTION ->1582
HEAT TRANSFER "
LIQUID "

EPITAXY
ACTIVATION ->1351
ALUMINUM -> 647
ALUMINUM OXIDE -> 772
ARSENIC DOPED -> 149
BORON ->1837
CIRCUIT ->1627
CVD 772
-> 834
1837
CZOCHRALSKI -> 640
DOPING 1837
FABRICATION 1627
FILM -> 962
FLAME FUSION 640
FLOW ->1026
FLUX 640
GALLIUM ARSENIDE > 107
>1516
GALLIUM PHOSPHIDE> 318
GAS PHASE 1026
GROWTH 640
HALOGEN 318
HOLE MOBILITY 640

EPITAXY (CONTD)
INHIBITION 149
INTEGRATED 1627
IODINE ->1535
LOW TEMPERATURE 962
NEUTRON 1351
ORGANOMETAL 647
ORIENTATION 1516
P TYPE 1627
PYROLYSIS 149
SEMICONDUCTOR 647
SILANE 149
SILICON 107
149
640
962
->1183
->1240
1351
1535
1837
SPINEL 640
SUBSTRATE 1183
SURFACE "
THINNING 1240
TRANSISTOR 1627
TRANSPORT 318
VAPOR PHASE "
VPE "
WATER VAPOR 1837

EPOXIDE
ELECTRON BEAM -> 669
POLYMER "

EPOXY
COMPOSITION -> 129
SEMICONDUCTOR "
STABILITY "

EPR
COPPER ->1571
COPPER COMPLEX "
ELECTROLESS "
PLATING "

EQUILIBRIUM
DIFFUSION ->1770
INTERFACE "

ESPERITE
GERMANIUM ->1373
MANGANESE "
PHOSPHOR "

ESR
KINETICS -> 57
POLAROGRAPHY "
QUINONE "
THIOETHER "
VOLTAMMETRY "

ETCHED PROFILE
ETCHING -> 118
GALLIUM ARSENIDE "

ETCHING
ALUMINUM -> 381
ALUMINUM OXIDE ->1804
ANODE -> 433
ANTIMONIDE "
BORON DOPED -> 401
CADMIUM ->1868
CHLORINE -> 634
->2034
COMPLEXING AGENT >1443
DISLOCATION 1868
DISSOLUTION 433
ELECTRON 381
->1171
ELECTRON NUMBER 433
ETCHED PROFILE -> 118
FILM 433
-> 903
->1506
FOIL 381
GALLIUM ->1190
GALLIUM ARSENIDE 118
> 657
> 768
GALLIUM PHOSPHIDE 657
GAS PHASE 634
2034
GERMANIUM 1443
HEXAFLUORIDE -> 266
HOLOGRAM ->1514
HYDROGEN CHLORIDE> 110
HYDROGEN PEROXIDE 768
IMPURITY 1190
INDIUM 433
IRON 903
LITHIUM -> 653
MERCURY 1868
METAL 1514
MICROSCOPE 381
1171
NITRIDE 110
NUCLEATION 903
OXIDATION 657
PHOSPHIDE 1190
PITTING 1804
POLISHING 653
1804
POTASSIUM 653
SAPPHIRE 1804
SCANNING 381

XUM

PRIMARY TERM — CO-TERM — PAGE NO.

ETCHING (CONTD)
SILICON - - - - - 110
- - - - - 266
- - - - - 401
- - - - - 634
- - - - - 1171
- - - - - 2034
SILICON DIOXIDE - 110
- 1506
SODIUM - - - - - 653
SULFUR - - - - - 266
SULFURIC ACID - - 768
TELLURIUM - - - - 1868

ETHANOL
FILM - - - - - - ->1011
ION - - - - - - - "
SILICON DIOXIDE - "
TRANSFER - - - - "

ETHYLENE
ACETYLENE - - - -> 236
BATTERY - - - - -> 153
CARBONATE - - - - "
CHLORIDE - - - ->1543
GRAPHITE - - - - "
HYDROGENATION - - 236
LITHIUM - - - - - 153
NONAQUEOUS - - - "
PERCHLORATE - - - "
POLARIZATION - - 1543
SODIUM - - - - - "

EUROPIUM
ACTIVATOR - - - -> 482
ALKALINE EARTH -> 918
-> 933
->1009
->1862
ALUMINUM - - - -> 930
- - - - - 933
CADMIUM - - - - -> 470
CALCIUM SULFIDE -> 477
CERIUM - - - - - 918
- - - - - 1862
CESIUM - - - - - 477
COLOR SHIFT - - ->1678
EMISSION - - - - "
ENERGY TRANSFER -> 273
FELDSPAR - - - - 918
FLUORESCENCE - - 933
- - 1009
FLUORIDE - - - - 933
LANTHANUM - - - - 273
LUMINESCENCE - - 470
- - 477
- -> 755
- - 918
- - 930
- - 1678
- - 1862
MANGANESE - - - - 755
ORDERING - - - ->1999
OXIDE - - - - - - 930
OXYSULFIDE - - - 273
PHASE EQUILIBRIUM 470
755
PHOSPHATE - - - - 470
PHOSPHOR - - - - 482
- - - - 1862
PRASEODYMIUM - - 482
SILICATE - - - - 1009
SOLID SOLUTION - 755
STRONTIUM - - - - 470
- - - - 930
TERBIUM - - - - - 482
- - - - - 755
THIOSILICATE - - 1862
WAVELENGTH - - - 482
YTTRIUM - - - - - 273
- - - - - 1999
YTTRIUM OXIDE - - "

EUTECTIC
CADMIUM - - - - -> 889
CHLORIDE - - - -> 258
- - - ->1123
CHROMATE - - - - "
COBALT - - - - - 889
- - - - - 1123
HYDROGEN CHLORIDE 258
LEAD - - - - - - 889
LITHIUM - - - - - 258
- - - - - 1123
MOLTEN SALT - - - "
NICKEL - - - - - 889
POTASSIUM - - - - 258
- - - - 1123
- - - - "
REDUCTION - - - - "
VOLTAMMETRY - - - 889
ZINC - - - - - - 1123

EVAPORATION
ALUMINUM OXIDE -> 810
BARRIER - - - - - "
FILM - - - - - - "
OXIDE - - - - - - "

EVOLUTION
ABSORPTION - - -> 202
CATHODE - - - - - "
CRYSTAL STRUCTURE>1961
HYDROGEN - - - - 202
- - - -> 263
- - - - 1961

EVOLUTION (CONTD)
IRON - - - - - - 202
KINETICS - - - - "
METAL - - - - - - 263

EXCHANGE
LABELED - - - - -> 265
POTASSIUM - - - - "
ZINC OXIDE - - - "
ZINCATE - - - - - "

EXCHANGE REACTION
ALUMINUM - - - ->1216
NITRIDE - - - - - "
NITROGEN - - - - "

FABRICATION
CIRCUIT - - - - ->1627
EPITAXY - - - - - "
INTEGRATED - - - "
P TYPE - - - - - "
TRANSISTOR - - - "

FAILURE
ADHESION - - - -> 158
CORROSION - - - - "
PLASTIC - - - - - "
PLATED - - - - - "

FARADAY
COMPENSATION - -> 702
RESISTANCE - - - "

FARADAY PROCESS
IMPEDANCE - - - ->1295
LAPLACE PLANE - - "
NONFARADAY - - - "

FELDSPAR
ALKALINE EARTH -> 918
CERIUM - - - - - "
EUROPIUM - - - - "
LUMINESCENCE - - "

FERRITE
ANODE - - - - - -> 22
CHROMIUM - - - - "
MOLYBDENUM - - - "
POLARIZATION - - "
POLISH - - - - - -> 179
RARE EARTH - - - "
STAINLESS STEEL - 22

FILM
ALUMINA - - - - -> 591
ALUMINUM OXIDE -> 810
ANODE - - - - - - -> 89
- - - - - -> 206
- - - - - -> 433
- - - - - -> 685
- - - - - -> 864
ANTIMONIDE - - - 433
BARIUM - - - - - -> 400
BARRIER - - - - - 810
BRENNER - - - - -> 696
CARBIDE - - - - ->1137
CHARGE - - - - - 591
CORROSION - - - -> 443
CRYSTALLIZATION ->1224
CVD - - - - - - -> 776
CVP - - - - - - -> 349
DEPOSITION - - - 206
DIELECTRIC - - - 349
DIFFUSION - - - -> 975
DISSOLUTION - - - 433
ELECTRODEPOSITION 1137
ELECTRON - - - -> 597
ELECTRON NUMBER - 433
ELECTRON PROBE -> 913
ELLIPSOMETRY - - 89
- - 206
EPITAXY - - - - -> 962
ETCHING - - - - - 433
- - - - -> 903
- - - - ->1506
ETHANOL - - - - ->1011
EVAPORATION - - - 810
FUEL CELL - - - ->1386
GALLIUM - - - - ->1200
GALLIUM ARSENIDE 89
975
GLASS - - - - - -> 986
GOLD - - - - - -> 287
HIGH TEMPERATURE 1386
HYDRIDE - - - - -> 614
HYDROCARBON - - - 597
HYDROGEN - - - - 685
HYDROXYL - - - -> 325
- - - - 614
INDIUM - - - - - 433
ION - - - - - - - 1011
IRON - - - - - - 696
- - - - - - 903
IRON OXIDE - - - 206
- - - 776
IRRADIATION - - - 597
LOW ENERGY - - - "
LOW TEMPERATURE - 962
MASK - - - - - - 776
METAL - - - - - ->1228
MICROELECTRONICS >1699
MOLYBDENUM - - - 443
- - - 1137
NICKEL - - - - - 1224
NITRIDE - - - - - 1200
NUCLEATION - - - 903

FILM (CONTD)
ORGANOMETAL - - - 287
OXIDATION - - - ->1370
OXIDE - - - - - - 89
- - - - - - 810
- - - - - - 864
- - - - - - 1224
- - - - - - 1228
OXYGEN - - - - - 1137
PARAFFIN - - - - 597
PASSIVATION - - - 443
PERMALLOY - - - - 1137
PHOSPHORUS - - - 696
PHOSPHOSILICATE - 986
PLATING - - - - - 1228
PYROLYSIS - - - -> 747
REDUCTION - - - - 1137
SEMICONDUCTOR - - 1228
SILICA - - - - - 349
SILICON - - - - - 591
- - - - - 962
- - - - - 1370
SILICON DIOXIDE - 325
- 614
- 913
- 975
- 986
- 1011
- 1506
SILICON NITRIDE ->1341
SINTERING - - - - 1386
SODIUM - - - - - 986
SPUTTERING - - - 591
TELLURIUM - - - - 1224
TIN - - - - - - - 975
TITANIUM - - - - 400
TRANSFER - - - - 1011
TRANSPORT - - - - 986
TUNGSTEN - - - - 1137
- - - - 1699
VANADIUM - - - - 864
WIRE - - - - - - 1137
ZINC OXIDE - - - 685
ZIRCONIA - - - - 1386
ZIRCONIUM DIOXIDE 747

FLAME FUSION
CZOCHRALSKI - - -> 640
EPITAXY - - - - - "
FLUX - - - - - - "
GROWTH - - - - - "
HOLE MOBILITY - - "
SILICON - - - - - "
SPINEL - - - - - "

FLEXURE
CYCLING - - - - ->1776
NIOBIUM - - - - - "
OXIDATION - - - - "
TEMPERATURE - - - "
URANIUM - - - - - "
ZIRCONIUM - - - - "

FLOW
EPITAXY - - - - ->1026
GAS PHASE - - - - "

FLUORESCENCE
ALKALINE EARTH -> 933
->1009
ALUMINUM - - - - 933
EUROPIUM - - - - "
- - - - 1009
FLUORIDE - - - - 933
SILICATE - - - - 1009

FLUORIDE
ALKALINE EARTH -> 933
ALUMINUM - - - - "
ANODE - - - - - ->1726
CADMIUM - - - - ->1047
CARBONATE - - - - ->1130
CATHODE - - - - - 1047
CONDUCTIVITY - -> 666
COPPER - - - - - 1130
DISSOLUTION - - - ->1772
EUROPIUM - - - - 933
FLUORESCENCE - - - "
HYDROGEN - - - - 666
OXIDE GROWTH - - 1726
PROPYLENE - - - - 1130
REDUCTION - - - - "
SILICON DIOXIDE - 1772
SPUTTERING - - - 1726
TANTALUM - - - - "
THIN FILM - - - - 1130

FLUORINATION
HYDROCARBON - - ->1246
MOLTEN SALT - - - "

FLUORINE
CHLORINE - - - -> 631
IODINE - - - - - "
LITHIUM - - - - - "
PHASE EQUILIBRIUM "
SODIUM - - - - - "
TERNARY SYSTEM - "

FLUOROGERMANATE
GERMANATE - - - -> 351
MAGNESIUM - - - - "
POWDER - - - - - "
X RAY - - - - - - "

FLUX
CZOCHRALSKI - - -> 640
EPITAXY - - - - - "
FLAME FUSION - - - "
GROWTH - - - - - "
HOLE MOBILITY - - "
SILICON - - - - - "
SPINEL - - - - - "

FLUX ACTION
CRYSTALLIZATION -> 937
ZINC SULFIDE - - "

FOIL
ALUMINUM - - - -> 381
ELECTRON - - - - "
ETCHING - - - - - "
MICROSCOPE - - - "
SCANNING - - - - "

FORMALDEHYDE
AIR - - - - - - ->1523
FUEL CELL - - - - "
METHANOL - - - - "

FOUR POINT
PROBE - - - - - -> 390
RESISTANCE - - - "
SHEET - - - - - - "
SILICON - - - - - "

FREE CONVECTION
MASS TRANSFER - ->1070

FREE ENERGY
EMF - - - - - - -> 419
GERMANIUM - - - ->1662
HIGH TEMPERATURE 419
HYDROUS - - - - -> 231
LEAD SULFIDE - - 419
LITHIUM - - - - - 1662
MIXING - - - - - "
SILVER SULFIDE - 419
TECHNETIUM OXIDE 231

FUEL CELL
ADSORPTION - - ->1713
AIR - - - - - - ->1523
CATHODE - - - - ->1391
CYCLIC - - - - - 1713
FILM - - - - - ->1386
FORMALDEHYDE - - 1523
HIGH STABILITY - 1391
HIGH TEMPERATURE 1386
HYDROGEN - - - ->1232
MEMBRANE - - - - "
METHANOL - - - - 1523
MICROBE - - - - - 1232
OLEFIN - - - - - 1713
OVER POTENTIAL ->1890
REACTION - - - - 1713
SINTERING - - - - 1386
SOLID ELECTROLYTE 1890
ZIRCONIA - - - - 1386
- - - - 1890

FUMARATE
COULOMETRY - - -> 874
HYDRODIMERIZATION "
VOLTAMMETRY - - - "

GALLIUM
ALUMINUM - - - -> 150
- - - ->1631
- - - ->1864
ANTIMONY - - - ->1831
ARSENIDE - - - - 150
- - - - 1631
- - - ->1639
CONTACT ANGLE - -> 368
DIODE - - - - - - 1631
DISSOLUTION - - - "
ETCHING - - - - ->1190
FILM - - - - - ->1200
GALLIUM ARSENIDE 368
IMPURITY - - - - 1190
INDIUM - - - - - 1639
- - - - - 1831
ISOTHERMAL MIXING 150
LIGHT EMITTING - 1631
LIQUID - - - - - 368
LPE - - - - - - 1631
- - - - - - 1831
NITRIDE - - - - - 1200
- - - - - 1864
ORGANOMETAL - - - "
PHASE DIAGRAM - - 1831
PHOSPHIDE - - - - 1190
SEMICONDUCTOR - - 1864
SESSILE DROP - - 368
SINGLE CRYSTAL - 1639
SOLUTION GROWTH - "

GALLIUM ARSENIDE
ALKALINE SOLUTION>1346
ANNEAL - - - - ->1847
ANODE - - - - - -> 89
ARSENIC - - - - ->1823
BRIDGMAN - - - -> 115
CADMIUM - - - - - 1847
CALCIUM - - - - ->1019
CHLORIDE - - - - 1823
COATES KIKUCH I - 1847
CONTACT ANGLE - -> 368
COOLING - - - - -> 486
CRYSTAL GROWTH - 115

PRIMARY TERM
CO-TERM — PAGE NO.

GALLIUM ARSENIDE (CONTD)
CRYSTAL GROWTH ->1473
CZOCHRALSKI - - -> 301
DIFFUSION - - - -> 975
- - - - ->1454
DIODE - - - - - ->1015
DOPANT - - - - ->1229
ELLIPSOMETRY - - 89
EPITAXY - - - - -> 107
- - - - ->1516
ETCHED PROFILE -> 118
ETCHING - - - - - "
- - - - -> 657
- - - - -> 768
FILM - - - - - - 89
- - - - - - 975
GALLIUM - - - - - 368
GALLIUM PHOSPHIDE> 355
657
> 781
GERMANIUM - - - - 1823
HOMOEPITAXY - - ->1645
HORIZONTAL - - - 115
HYDROGEN PEROXIDE 768
IMPURITY - - - - 1645
INJECTION - - - - 355
ION IMPLANTATION 1847
LASER - - - - - - 355
LIQUID - - - - - 368
LPE - - - - - - - 1645
ORIENTATION - - - 1516
OXIDATION - - - - 657
- - - - 1229
OXIDE - - - - - - 89
PEROXIDE - - - - 1346
PHOSPHIDE - - - - 1019
- - - - 1473
POLISH - - - - - 1346
SELENIUM - - - - 1823
SESSILE DROP - - 368
SILICON - - - - - 107
- - - - - 1015
- - - - - 1823
SILICON DIOXIDE - 975
SINGLE CRYSTAL - 301
SOLUBILITY - - - 781
SPECTROMETRY - - 1473
SPECTRUM - - - - 1015
SULFUR - - - - - 1823
SULFURIC ACID - - 768
TERNARY SYSTEM - 1019
TIN - - - - - - - 975
VAPOR PHASE - - - 1473
VPE - - - - - - - 1645
- - - - - - - 1823
ZINC - - - - - - 486
- - - - - - 781
- - - - - - 1454

GALLIUM PHOSPHIDE
CONTAMINATION - ->1221
CZOCHRALSKI - - -> 306
- - -> 825
DENSITY - - - - -> 793
DISLOCATION - - - "
EPITAXY - - - - -> 318
ETCHING - - - - -> 657
GALLIUM ARSENIDE > 355
657
> 781
HALOGEN - - - - - 318
INDIUM - - - - ->1469
INJECTION - - - - 355
LASER - - - - - - "
LPE - - - - - - - 793
- - - - - - - 1469
OXIDATION - - - - 657
POLYCRYSTAL - - -> 609
SILICON - - - - - 1221
SINGLE CRYSTAL - 306
SOLUBILITY - - - 781
TELLURIUM - - - -> 364
TRANSPORT - - - - 318
VAPOR PHASE - - - "
VPE - - - - - - - "
ZINC - - - - - - 781

GAS
COPPER - - - - ->1325
OXIDATION - - - - "
SINGLE CRYSTAL - "

GAS ELECTRODE
GAS LIQUID - - ->1881
INTERFACE - - - - "
OXYGEN CATHODE - "
POROUS - - - - - "

GAS EVOLUTION
ENHANCEMENT - - ->1582
HEAT TRANSFER - - "
LIQUID - - - - - "

GAS LIQUID
GAS ELECTRODE - ->1881
INTERFACE - - - - "
OXYGEN CATHODE - "
POROUS - - - - - "

GAS PHASE
CHLORINE - - - -> 634
- - - ->2034
EPITAXY - - - - ->1026
ETCHING - - - - - 634
- - - - - 2034
FLOW - - - - - - 1026

GAS PHASE (CONTD)
SILICON - - - - - 634
- - - - - 2034

GAUGE
OXYGEN - - - - -> 841
PYREX - - - - - - "
SULFUR - - - - - "
VAPOR - - - - - - "

GEL ELECTROLYTE
COPPER - - - - -> 681
GOLD - - - - - - "
PLATING - - - - - "

GERMANATE
FLUOROGERMANATE -> 351
MAGNESIUM - - - - "
POWDER - - - - - "
X RAY - - - - - - "

GERMANIUM
ARSENIC - - - - ->1823
CHLORIDE - - - - "
COMPLEXING AGENT >1443
ESPERITE - - - - ->1373
ETCHING - - - - - 1443
FREE ENERGY - - ->1662
GALLIUM ARSENIDE 1823
LITHIUM - - - - -> 358
- - - - - 1662
MANGANESE - - - - 1373
MIXING - - - - - 1662
OXIDATION - - - -> 494
OXIDE - - - - - - 358
PHOSPHOR - - - - "
- - - - 1373
SELENIUM - - - - 1823
SILICON - - - - - 494
- - - - 1823
SULFUR - - - - - "
SURFACE - - - - - 494
VPE - - - - - - - 1823
ZINC - - - - - - 358

GETTERING
HYDROGEN CHLORIDE> 141
SILICON - - - - - "

GLASS
BORON - - - - - -> 293
BOROSILICATE - - -> 313
- - ->1658
CVD - - - - - - ->1540
DIFFUSION - - - - 293
FILM - - - - - - -> 986
ION EXCHANGE - ->1111
IR - - - - - - - 1658
MOLTEN SALT - - - 1111
MOS - - - - - - ->1649
NONDESTRUCTIVE - 1658
PHOSPHOSILICATE - 986
- 1649
SILICON - - - - - 293
SILICON DIOXIDE - "
- 986
SILVER - - - - - 1111
SODIUM - - - - - 986
- - - - 1111
STABILIZATION - - 1649
THIN FILM - - - - 1658
TRANSPORT - - - - 986

GLASS FILM
BOROSILICATE - ->1985
CVD - - - - - - - "
IR - - - - - - - "
SILICON - - - - - "

GLOW DISCHARGE
ALUMINUM OXIDE ->1619

GLYCEROL
EMF - - - - - - ->1302
HYDROCHLORIC ACID "
THERMODYNAMICS - "

GOLD
ALLOY - - - - - -> 209
ANODE - - - - - - "
COPPER - - - - - "
- - - - -> 681
- - - - -> 867
COTTRELL - - - -> 252
CRITICAL - - - - 209
DIFFUSION - - - - 252
DISSOLUTION - - - 209
ELECTRODEPOSITION> 551
>1737
FILM - - - - - -> 287
GEL ELECTROLYTE - 681
ORGANOMETAL - - - 287
OXIDATION - - - -> 531
PLATING - - - - - 681
POTENTIAL - - - - 209
PULSED CURRENT - 551
REDUCTION - - - - 531
SILVER - - - - - 252
STRUCTURE - - - - 1737
VOLTAMMETRY - - - 867
WIRE - - - - - - "

GRAPHITE
ADDITIVE - - - ->1705
BATTERY - - - - ->1886
CAPACITANCE - - -> 711

GRAPHITE (CONTD)
CHLORIDE - - - ->1543
DIMETHYL - - - - 1886
ETHYLENE - - - - 1543
INTERFACE - - - -> 72
IODIDE - - - - - "
IRON - - - - - - 1705
LITHIUM - - - - - 1886
ORGANIC SOLVENT - "
OXYGEN - - - - - 1705
PERCHLORATE - - - 1886
PHTHALOCYANINE - 1705
PLATINUM - - - - 72
POLARIZATION - - 1543
PYROLYTIC - - - - 711
REDUCTION - - - - 1705
SILVER - - - - - 72
SODIUM - - - - - 1543
STRESS ANNEALING 711
SULFITE - - - - - 1886

GRAVIMETRY
MANGANESE OXIDE -> 788

GROWTH
CZOCHRALSKI - - -> 640
EPITAXY - - - - - "
FLAME FUSION - - "
FLUX - - - - - - "
HOLE MOBILITY - - "
SILICON - - - - - "
SPINEL - - - - - "

GROWTH LAW
ALUMINUM - - - -> 727
ANODE - - - - - - "
LABELED - - - - - "
MICROANALYSIS - - "
OXYGEN - - - - - "
TANTALUM - - - - "

GROWTH RATE
ALUMINUM OXIDE -> 270
ANODIZATION - - - "

HAFNIA
CONDUCTIVITY - ->1257
X RAY - - - - - - "
YTTRIA - - - - - "

HAFNIUM
CARBIDE - - - - ->1503
NITRIDE - - - - ->1856
SPUTTERING - - - "
TANTALUM - - - - "
THERMODYNAMICS - 1503
THIN FILM - - - - 1856
URANIUM - - - - - 1503
ZIRCONIUM - - - - "

HALIDE
ALKALI - - - - ->C144
CARBONATE - - - ->1550
COLOR CENTER - - C144
LUMINESCENCE - - "
MELT - - - - - - 1550
OXYGEN - - - - - "
REDUCTION - - - - "

HALL EFFECT
DILUTE SOLUTION ->1944
HYDROCHLORIC ACID "
NITRIC ACID - - - "

HALOGEN
CALCIUM - - - - ->1814
- - - - ->1819
COOLING - - - - - "
EPITAXY - - - - -> 318
GALLIUM PHOSPHIDE "
LUMINESCENCE - - 1814
- - 1819
MANGANESE - - - - 1814
- - - - 1819
PHOSPHATE - - - - 1814
- - - - 1819
PHOSPHOR - - - - 1814
TRANSPORT - - - - 318
VAPOR PHASE - - - "
VPE - - - - - - - "

HEAT PIPE
BATTERY - - - - ->1382
CADMIUM - - - - - "
HEAT TRANSFER - - "
NICKEL - - - - - "

HEAT TRANSFER
BATTERY - - - - ->1382
CADMIUM - - - - - "
ENHANCEMENT - - ->1582
GAS EVOLUTION - - "
HEAT PIPE - - - - 1382
LIQUID - - - - - 1582
NICKEL - - - - - 1382

HETEROJUNCTION
LUMINESCENCE - ->C139

HEXAFLUORIDE
ETCHING - - - - -> 266
SILICON - - - - - "
SULFUR - - - - - "

HIGH ENERGY
LASER - - - - - -> 637

HIGH ENERGY (CONTD)
NEODYMIUM - - - - 637
OXYAPATITE - - - "
SILICATE - - - - "

HIGH FIELD
ANODE - - - - - -> 46
IONIC CONDUCTION "
OXIDATION - - - - "
PLATINUM - - - - "

HIGH RATE
ANODE - - - - - -> 36
- - - - - -> 40
COPPER - - - - - 36
- - - - - 40
DISSOLUTION - - - 36
- - - 40
POLYCRYSTALLINE - 36
POTENTIAL - - - - 40
SINGLE CRYSTAL - 36

HIGH STABILITY
CATHODE - - - - ->1391
FUEL CELL - - - - "

HIGH TEMPERATURE
ANNEALING - - - ->1463
CHEMICAL VAPOR ->1492
CHROMIUM - - - -> 737
COBALT - - - - - "
DEPOSITION - - - 1492
EMF - - - - - - -> 419
FILM - - - - - - ->1386
FREE ENERGY - - - 419
FUEL CELL - - - - 1386
IRON - - - - - - ->1978
KINETICS - - - -> 101
LEAD SULFIDE - - 419
NICKEL - - - - - 101
- - - - - 1978
OXIDATION - - - - 737
- - - - 1978
PHOSPHIDATION - - 101
SILICON - - - - - 1463
SILVER SULFIDE - 419
SINTERING - - - - 1386
TUNGSTEN - - - - 1492
ZIRCONIA - - - - 1386

HIGH VOLTAGE
ALUMINUM - - - ->2039
ANODE - - - - - - "
BREAKDOWN - - - - "
CAPACITOR - - - - "
DIELECTRIC - - - "
ELECTROLYTE - - -> 461
ORGANIC - - - - - "
TANTALUM - - - - 2039

HOLE MOBILITY
CZOCHRALSKI - - -> 640
EPITAXY - - - - - "
FLAME FUSION - - "
FLUX - - - - - - "
GROWTH - - - - - "
SILICON - - - - - "
SPINEL - - - - - "

HOLOGRAM
ETCHING - - - - ->1514
METAL - - - - - - "

HOMOEPITAXY
GALLIUM ARSENIDE >1645
IMPURITY - - - - "
LPE - - - - - - - "
VPE - - - - - - - "

HOMOGENEOUS
CVD - - - - - - -> 654
REACTION - - - - "

HORIZONTAL
BRIDGMAN - - - -> 115
CRYSTAL GROWTH - "
GALLIUM ARSENIDE "

HYDRIDE
FILM - - - - - -> 614
HYDROXYL - - - - "
SILICON DIOXIDE - "

HYDROCARBON
ATMOSPHERE - - -> 506
CARBON MONOXIDE - "
DETECTION - - - - "
ELECTRON - - - -> 597
FILM - - - - - - "
FLUORINATION - ->1246
HYDROGEN - - - - 506
IRRADIATION - - - 597
LOW ENERGY - - - "
MOLTEN SALT - - - 1246
OXYGEN - - - - - 506
PARAFFIN - - - - 597

HYDROCHLORIC ACID
DILUTE SOLUTION ->1944
EMF - - - - - - ->1302
GLYCEROL - - - - "
HALL EFFECT - - - 1944
NITRIC ACID - - - "
THERMODYNAMICS - 1302

XUM

PRIMARY TERM / CO-TERM	PAGE NO.
HYDRODIMERIZATION	
COULOMETRY	-> 874
FUMARATE	"
VOLTAMMETRY	"
HYDROGEN	
ABSORPTION	-> 202
ADSORPTION	->1282
AIR	-> 812
ALKALINE SOLUTION	>1278
ANODE	-> 568
	-> 685
ATMOSPHERE	-> 506
BATTERY	812
CARBON MONOXIDE	506
CATHODE	202
CONDUCTIVITY	-> 666
CORROSION	1282
CRYSTAL STRUCTURE	>1961
DETECTION	506
ELEMENTS	568
EMBRITTLEMENT	->1114
EVOLUTION	202
	-> 263
	1961
FILM	685
FLUORIDE	666
FUEL CELL	->1232
HYDROCARBON	506
INHIBITION	1282
IRON	202
	1282
KINETICS	202
LEAD	812
MEMBRANE	1232
METAL	263
	1278
MICROBE	1232
OVERPOTENTIAL	1278
OXIDATION	568
OXYGEN	506
PROPULSION	812
SULFURIC ACID	1282
TRANSITION	568
TRAPPING	1114
VEHICLE	812
ZINC OXIDE	685
HYDROGEN CHLORIDE	
CHLORIDE	-> 258
ETCHING	-> 110
EUTECTIC	258
GETTERING	-> 141
IRON	->1273
LITHIUM	258
METHANOL	->1412
NITRIDE	110
OXIME	1273
PASSIVATION	1412
PITTING	"
POTASSIUM	258
QUINUCLIDINE	1273
SILICON	110
	141
SILICON DIOXIDE	110
TITANIUM	1412
HYDROGEN PEROXIDE	
ETCHING	-> 768
GALLIUM ARSENIDE	"
SULFURIC ACID	"
HYDROGEN SULFIDE	
ATMOSPHERE	-> 740
CHROMIUM	"
KINETICS	"
MORPHOLOGY	"
NICKEL	"
SCALE	"
HYDROGENATION	
ACETYLENE	-> 236
ETHYLENE	"
HYDROSTATICS	
ALUMINA	-> 714
CONDUCTIVITY	"
PRESSURE	"
HYDROUS	
ALUMINA	->1730
	->1734
BORIC ACID	"
DIELECTRIC	1730
	1734
FREE ENERGY	-> 231
TECHNETIUM OXIDE	"
HYDROXIDE	
ACTIVITY	->1430
ALKALI	-> 428
ANODE	->1269
CARBONATE	"
DISSOLUTION	"
ELECTRODE	428
LOW TEMPERATURE	1430
NICKEL	428
PASSIVATION	1269
POTASSIUM	"
	1430
WATER	"
ZINC	1269
HYDROXYL	
ANTHRAQUINONE	->1758
FILM	-> 325
HYDROXYL (CONTD)	
FILM	-> 614
HYDRIDE	"
NONAQUEOUS	1758
POLAROGRAPHY	"
SILICON DIOXIDE	325
	614
SPECTROMETRY	1758
IMAGE AMPLIFIER	
COPPER	->1235
PLATING	"
PRINTING	"
IMINE	
CORROSION	->1553
INHIBITION	"
IMPEDANCE	
FARADAY PROCESS	->1295
LAPLACE PLANE	"
NONFARADAY	"
IMPURITY	
DETECTION	->1538
ETCHING	->1190
GALLIUM	"
GALLIUM ARSENIDE	>1645
HOMOEPITAXY	"
LPE	"
MOS	-> 138
PHOSPHIDE	1190
PLATING	1538
PULSED	138
SILICON	"
VPE	1645
ZINC	1538
INDIUM	
ADSORPTION	->1426
ALUMINUM	-> 495
ANODE	-> 433
ANTIMONIDE	"
ANTIMONY	-> 805
	->1831
ARSENIDE	495
	805
	->1639
DISSOLUTION	433
ELECTRON NUMBER	"
ETCHING	"
FILM	"
GALLIUM	1639
	1831
GALLIUM PHOSPHIDE	>1469
LPE	805
	1469
	1831
MERCURY	1426
PHASE	-> 133
PHASE DIAGRAM	1831
RELATIONSHIP	133
SINGLE CRYSTAL	1639
SOLIDUS BOUNDARY	495
SOLUTION GROWTH	1639
SULFIDE	133
THIOUREA	1426
INHIBITION	
ADSORPTION	->1282
ARSENIC DOPED	-> 149
CORROSION	-> 541
	1282
	->1553
EPITAXY	149
HYDROGEN	1282
IMINE	1553
ION EXCHANGE	541
IRON	1282
LABELED	541
METAL	"
ORGANIC COMPOUND	"
PYROLYSIS	149
SILANE	"
SILICON	"
SULFURIC ACID	1282
INJECTION	
GALLIUM ARSENIDE	> 355
GALLIUM PHOSPHIDE	"
LASER	"
INSTALLATION	
ECONOMICS	->2046
ELECTROLYSIS	"
OPTIMIZATION	"
INSULATING	
CADMIUM	->1790
CRYSTAL GROWTH	"
TELLURIDE	"
INTEGRATED	
CIRCUIT	->1627
EPITAXY	"
FABRICATION	"
P TYPE	"
TRANSISTOR	"
INTERACTION	
ALKALI METAL	-> 63
POLAROGRAPHY	"
WATER	"
INTERFACE	
DIFFUSION	->1770
INTERFACE (CONTD)	
EQUILIBRIUM	1770
GAS ELECTRODE	->1881
GAS LIQUID	"
GRAPHITE	-> 72
IODIDE	"
OXYGEN CATHODE	1881
PASSIVATION	->2002
PLATINUM	72
POROUS	1881
QUASISTATIC	2002
SILICON	"
SILICON DIOXIDE	"
SILVER	72
INTERFEROMETRY	
CATHODE	-> 580
CONCENTRATION	"
CURRENT	"
INTERGRANULAR	
CORROSION	-> 192
STAINLESS STEEL	"
INTERSTITIAL	
BROMIDE	-> 901
CHLORIDE	"
POTENTIAL	"
SILVER	"
IODIDE	
AMMONIA	->2031
AMMONIUM	->1144
BISMUTH	->1030
CALCIUM	->1447
CHOLESTERIC FILM	>2026
CHOLESTERYL	"
CONDUCTANCE	-> 846
	-> 850
CONDUCTIVITY	-> 86
	1144
CYANIDE	846
	850
DOPANT	1030
GRAPHITE	-> 72
INTERFACE	"
ION	846
	850
IONIC CONDUCTION	1447
LIQUID CRYSTAL	2026
LITHIUM	-> 894
	1447
NONANOATE	2026
PHASE DIAGRAM	850
PLATINUM	72
POTASSIUM	850
	2031
RUBIDIUM	86
	-> 899
	2031
SELF DISCHARGE	894
SILVER	72
	86
	846
	850
	894
	899
	2031
SINGLE CRYSTAL	"
SOLID	846
	850
	894
SOLID ELECTROLYTE	86
	899
	1144
UV	2026
X RAY DIFFRACTION	2031
IODINE	
CHLORINE	-> 631
EPITAXY	->1535
FLUORINE	631
LITHIUM	"
PHASE EQUILIBRIUM	"
SILICON	1535
SODIUM	631
TERNARY SYSTEM	"
ION	
CONDUCTANCE	-> 846
	-> 850
CYANIDE	846
	850
ETHANOL	->1011
FILM	"
IODIDE	846
	850
PHASE DIAGRAM	"
POTASSIUM	"
SILICON DIOXIDE	1011
SILVER	846
	850
SOLID	846
	850
TRANSFER	1011
ION ADSORPTION	
CADMIUM	->1953
PLATINUM	"
VOLTAMMETRY	"
ION CATHODE	
NIOBIUM	->1989
OXIDE FILM	"
TANTALUM	"
TITANIUM	"
ION CATHODE (CONTD)	
TUNGSTEN	1989
VANADIUM	"
ZIRCONIUM	"
ION ELECTRODE	
ALLOY	-> 226
METAL METAL	"
POTENTIOSTATIC	"
SINGLE PULSE	"
ION EXCHANGE	
CORROSION	-> 541
GLASS	->1111
INHIBITION	541
LABELED	"
METAL	"
MOLTEN SALT	1111
ORGANIC COMPOUND	541
SILVER	1111
SODIUM	"
ION IMPLANTATION	
ANNEAL	->1847
CADMIUM	"
COATES KIKUCH I	"
GALLIUM ARSENIDE	"
ION SELECTIVE	
COPPER	-> 571
IRON	"
SENSOR	"
IONIC CONDUCTION	
ANODE	-> 46
CALCIUM	->1447
HIGH FIELD	46
IODIDE	1447
LITHIUM	"
OXIDATION	46
PLATINUM	"
IR	
BOROSILICATE	->1658
	->1985
CVD	"
GLASS	1658
GLASS FILM	1985
NONDESTRUCTIVE	1658
OPTICAL CONSTANT	> 145
SILICON	"
	1985
THIN FILM	1658
IRON	
ABSORPTION	-> 202
ACID SOLUTION	->2036
ADDITIVE	->1705
ADSORPTION	->1282
ALKALINE SOLUTION	> 536
ALLOY	-> 51
	-> 906
ALUMINUM	"
AMIDE	-> 28
ANODE	536
ANODE DISSOLUTION	>1919
BENZOTRIAZOLE	-> 545
BISMUTH	-> 895
BRENNER	-> 696
CATHODE	202
	->1927
CHLORIDE	-> 13
	-> 19
	->1066
CHROMIUM	895
COPPER	-> 571
CORROSION	1066
	1282
	2036
DEPOSITION	1927
DISSOLUTION	13
	19
ELECTRODEPOSITION	51
ELECTROMIGRATION	895
ETCHING	-> 903
EVOLUTION	202
FILM	696
	903
GRAPHITE	1705
HIGH TEMPERATURE	>1978
HYDROGEN	202
	1282
HYDROGEN CHLORIDE	>1273
INHIBITION	1282
ION SELECTIVE	571
KINETICS	13
	19
	202
	536
NICKEL	51
	1978
NUCLEATION	903
OXIDATION	906
	1978
OXIME	1273
OXYGEN	1705
PASSIVATION	28
PHOSPHORUS	696
PHTHALOCYANINE	1705
POLARIZATION	28
	->1752
	2036
QUINUCLIDINE	1273
REDUCTION	1705
SENSOR	571
STEADY STATE	28

PRIMARY TERM
CO-TERM — PAGE NO.

IRON (CONTD)
SULFATE - - - - - 1066
SULFUR - - - - - 2036
SULFURIC ACID - - 545
- - 1066
- - 1282
SUPERIMPOSITION - 51
TECHNETIUM - - - 1752

IRON OXIDE
ANODE - - - - - -> 206
CVD - - - - - - -> 776
DEPOSITION - - - 206
ELLIPSOMETRY - - "
FILM - - - - - - "
- - - - - - 776
MASK - - - - - - "

IRRADIATION
ELECTRON - - - -> 597
FILM - - - - - - "
HYDROCARBON - - - "
LOW ENERGY - - - "
PARAFFIN - - - - "

ISOSURFACE
CONCENTRATION - ->1082
ELECTRON - - - - "
ROTATING DISK - - "
TRANSFER - - - - "
VOLTAMMETRY - - - "

ISOTHERMAL MIXING
ALUMINUM - - - -> 150
ARSENIDE - - - - "
GALLIUM - - - - - "

KAPTON
MOSSBAUER - - - ->2042
POLYIMIDE - - - - "
TIN - - - - - - - ,"
TIN OXIDE - - - - "

KINETICS
ABSORPTION - - -> 202
ALKALINE SOLUTION> 536
ANODE - - - - - - "
ATMOSPHERE - - -> 740
CATHODE - - - - - 202
CHLORIDE - - - -> 13
- - - -> 19
CHROMIUM - - - - 740
CONCENTRATION - -> 576
DISSOLUTION - - - 13
- - - 19
ELECTRODE - - - - 576
ESR - - - - - - -> 57
EVOLUTION - - - - 202
HIGH TEMPERATURE > 101
HYDROGEN - - - - 202
HYDROGEN SULFIDE 740
IRON - - - - - - 13
- - - - - - 19
- - - - - - 202
- - - - - - 536
MORPHOLOGY - - - 740
NICKEL - - - - - 101
- - - - - 740
PHOSPHIDATION - - 101
POLAROGRAPHY - - 57
POTENTIOSTATIC - 576
QUINONE - - - - - 57
REVERSION - - - - 576
SCALE - - - - - - 740
SINGLE ION - - ->1609
SOLVATION ENERGY "
THIOETHER - - - - 57
VOLTAMMETRY - - - "
WATER COMPETITION>1316

LABELED
ALLOY - - - - - ->1336
ALUMINUM - - - -> 727
ANODE - - - - - -> 717
- - - - - - 727
CHROMIUM - - - - 1336
COPPER OXIDE - -> 636
CORROSION - - - -> 541
EXCHANGE - - - -> 265
GROWTH LAW - - - 727
INHIBITION - - - 541
ION EXCHANGE - - "
METAL - - - - - - "
MICROANALYSIS - - 727
NICKEL - - - - - 1336
ORGANIC COMPOUND 541
ORGANIC SOLVENT - 717
OXIDATION - - - - "
OXIDE - - - - - - 636
OXYGEN - - - - - 717
- - - - - 727
POTASSIUM - - - - 265
SILICON - - - - - 717
SULFIDATION - - - 1336
TANTALUM - - - - 717
- - - - - 727
TARNISH - - - - - 636
ZINC - - - - - - "
- - - - - ->1606
ZINC OXIDE - - - 265
- - - 1606
ZINCATE - - - - - 265
- - - - - 1606

LAMINAR FLOW
CURRENT DENSITY -> 881

LANTHANUM
BISMUTH ACTIVATED> 148
ENERGY TRANSFER -> 273
EUROPIUM - - - - "
LUMINESCENCE - - 148
OXYCHLORIDE - - - "
OXYSULFIDE - - - 273
X RAY EXCITATION 148
YTTRIUM - - - - - 273

LAPLACE PLANE
FARADAY PROCESS ->1295
IMPEDANCE - - - - "
NONFARADAY - - - "

LASER
GALLIUM ARSENIDE > 355
GALLIUM PHOSPHIDE "
HIGH ENERGY - - -> 637
INJECTION - - - - 355
NEODYMIUM - - - - 637
OXYAPATITE - - - "
SILICATE - - - - "

LAUE PATTERN
VIDEO DISPLAY - -> 628
X RAY - - - - - - "

LAYER
CATHODE - - - - -> 248
COPPER - - - - - "
DIFFUSION - - - - "
SULFATE - - - - - "
THICKNESS - - - - "

LEAD
AIR - - - - - - -> 812
ANODE - - - - - -> 525
ANTIMONY - - - - "
BATTERY - - - - - 812
CADMIUM - - - - -> 889
CAPACITANCE - - ->1262
CHLORIDE - - - ->1358
COBALT - - - - - 889
CRYSTALLITE - - ->1395
CRYSTALLIZATION - 525
ELECTRON - - - - 1395
EUTECTIC - - - - 889
HYDROGEN - - - - 812
LEAD DIOXIDE - - 1262
MICROSCOPY - - - 1395
NICKEL - - - - - 889
PHASE DIAGRAM - - 1358
PROPULSION - - - 812
SULFATE - - - - - 525
- - - - - 1395
TELLURIDE - - - ->1365
TIN - - - - - - - "
URANIUM - - - - - 1358
VAPORIZATION - - 1365
VEHICLE - - - - - 812
VOLTAMMETRY - - - 889
- - - 1262
X RAY - - - - - - 1395

LEAD DIOXIDE
CAPACITANCE - - ->1262
CRYSTALLOGRAPHY -> 659
ELECTRODE - - - - "
LEAD - - - - - - 1262
VOLTAMMETRY - - - "

LEAD SULFIDE
EMF - - - - - - -> 419
FREE ENERGY - - - "
HIGH TEMPERATURE "
SILVER SULFIDE - "

LEVITATION
MELTING - - - - ->2021
STABILITY - - - - "

LIGHT EMITTING
ALUMINUM - - - ->1631
ARSENIDE - - - - "
DIODE - - - - - - "
DISSOLUTION - - - "
GALLIUM - - - - - "
LPE - - - - - - - "

LIQUID
ANODE DISSOLUTION>1960
BERYLLIUM - - - - "
BROMIDE - - - - - "
CONTACT ANGLE - -> 368
ENHANCEMENT - - ->1582
GALLIUM - - - - - 368
GALLIUM ARSENIDE "
GAS EVOLUTION - - 1582
HEAT TRANSFER - - "
SESSILE DROP - - 368
SILVER - - - - - 1960
SOLID - - - - - - "

LIQUID CRYSTAL
CHOLESTERIC FILM >2026
CHOLESTERYL - - - "
IODIDE - - - - - "
NONANOATE - - - - "
UV - - - - - - - "

LIQUID STRUCTURE
ANTIMONY - - - ->1485
ARSENIC - - - - - "
PHASE DIAGRAM - - "
SELENIUM - - - - "

LITHIUM
ALLOY - - - - - ->1039
ALLOYING - - - ->1547
ALUMINUM - - - - 1039
ANION - - - - - ->1320
BATTERY - - - - -> 153
- - - - ->1886
CALCIUM - - - - ->1447
CARBONATE - - - - 153
- - - - 1320
CHALCOGEN - - - ->1941
CHLORIDE - - - -> 258
- - - ->1123
- - - ->1717
CHLORINE - - - -> 631
CHROMATE - - - - 1123
CHROMIUM - - - - 1717
COBALT - - - - - 1123
CORROSION - - - - 1717
CRACKING - - - - "
DIMETHYL - - - - 1886
DISSOLUTION - - - 1717
EMF - - - - - - - 1039
ETCHING - - - - -> 653
ETHYLENE - - - - 153
EUTECTIC - - - - 258
- - - - 1123
FLUORINE - - - - 631
FREE ENERGY - - ->1662
GERMANIUM - - - -> 358
- - - - 1662
GRAPHITE - - - - 1886
HYDROGEN CHLORIDE 258
IODIDE - - - - -> 894
- - - - - 1447
IODINE - - - - - 631
IONIC CONDUCTION 1447
MAGNESIUM - - - - 1717
METAL - - - - - - "
MIXING - - - - - 1662
MOLTEN SALT - - - 1123
NICKEL - - - - - 1717
NONAQUEOUS - - - 153
- - - 1320
ORGANIC SOLVENT - 1886
OXIDE - - - - - - 358
PASSIVITY - - - - 1717
PERCHLORATE - - - 153
- - - 1886
PHASE EQUILIBRIUM 631
1941
PHOSPHOR - - - - 358
POLISHING - - - - 653
POTASSIUM - - - - 258
- - - - 653
- - - - 1123
- - - - "
PROPYLENE - - - - 1320
REDUCTION - - - - 1123
SELENIUM - - - - 1941
SELF DISCHARGE - 894
SILVER - - - - - "
SODIUM - - - - - 631
- - - - - 653
SOLID - - - - - - 894
STAINLESS STEEL - 1717
STRESS - - - - - "
SULFITE - - - - - 1886
TERNARY SYSTEM - 631
ZINC - - - - - - 358
- - - - - 1123

LITHIUM OXIDE
NICKEL OXIDE - -> 796
SOLID SOLUTION - "
THERMODYNAMICS - "

LOW ENERGY
ELECTRON - - - -> 597
FILM - - - - - - "
HYDROCARBON - - - "
IRRADIATION - - - "
PARAFFIN - - - - "

LOW TEMPERATURE
ACTIVITY - - - ->1430
CADMIUM - - - - -> 462
CATHODE - - - - -> 497
EPITAXY - - - - -> 962
FILM - - - - - - "
HYDROXIDE - - - - 1430
PASSIVATION - - - 462
POTASSIUM - - - - 1430
REDUCTION - - - -> 280
SILICON - - - - - "
- - - - - 962
SILVER OXIDE - - 497
WATER - - - - - - 1430

LPE
ALUMINUM - - - ->1631
ANTIMONY - - - -> 805
- - - ->1831
ARSENIDE - - - - 805
- - - - 1631
DENSITY - - - - -> 793
DIODE - - - - - - 1631
DISLOCATION - - - 793
DISSOLUTION - - - 1631
GALLIUM - - - - - "
- - - - 1831
GALLIUM ARSENIDE >1645
GALLIUM PHOSPHIDE 793
>1469
HOMOEPITAXY - - - 1645
IMPURITY - - - - "

LPE (CONTD)
INDIUM - - - - - 805
- - - - - 1469
- - - - - 1831
LIGHT EMITTING - 1631
PHASE DIAGRAM - - 1831
VPE - - - - - - - 1645

LUMINESCENCE
ALKALI - - - - ->C144
ALKALINE EARTH -> 918
->1862
ALUMINUM - - - -> 930
- - - ->1166
BARIUM - - - - -> 923
BISMUTH ACTIVATED> 148
CADMIUM - - - - -> 470
CALCIUM - - - - - 923
- - - - - 1166
- - - - ->1814
- - - - ->1819
CALCIUM SULFIDE -> 477
CERIUM - - - - - 918
- - - - ->1508
- - - - - 1862
CESIUM - - - - - 477
COLOR CENTER - - C144
COLOR SHIFT - - ->1678
COOLING - - - - - 1819
DEPOSITION - - ->2059
ELECTROPHORESIS - "
EMISSION - - - - 1678
EUROPIUM - - - - 470
- - - - 477
- - - -> 755
- - - - 918
- - - - 930
- - - - 1678
- - - - 1862
FELDSPAR - - - - 918
HALIDE - - - - - C144
HALOGEN - - - - - 1814
- - - - - 1819
HETEROJUNCTION ->C139
LANTHANUM - - - - 148
MANGANESE - - - -> 474
- - - - 755
- - - - 1166
- - - - 1814
- - - - 1819
OXIDE - - - - - - 930
- - - - 1166
OXYCHLORIDE - - - 148
PHASE EQUILIBRIUM 470
755
923
PHOSPHATE - - - - 470
- - - - 923
- - - - 1814
- - - - 1819
PHOSPHOR - - - ->1164
- - - - 1814
- - - - 1862
SOLID SOLUTION - 474
- 755
STRONTIUM - - - - 470
- - - - 930
- - - - 1166
TERBIUM - - - - - 755
THIOSILICATE - - 1862
THORIUM - - - - - 1508
TIN - - - - - - - 923
X RAY EXCITATION 148

MACHINING
ANODE - - - - - -> 174
CHLORATE - - - - "
- - - ->1870
CHLORIDE - - - - 174
- - - ->1876
CLOSED CELL - - - 1870
- - - 1876
ELECTROCHEMICAL - 174
NITRATE - - - - - 1876
PERCHLORATE - - - "
ROTATING - - - - 174
SODIUM - - - - - "
- - - - - 1870
- - - - 1876
THROWING POWER -> 831

MAGNESIUM
ALUMINATE - - - -> 586
ALUMINUM - - - ->1653
BATTERY - - - - -> 394
BORON - - - - - -> 99
CHLORIDE - - - ->1717
CHROMIUM - - - - "
COMPLEX - - - - - 99
CORROSION - - - - 1717
CRACKING - - - - "
DIELECTRIC - - - 586
DISCHARGE - - - - 394
DISSOLUTION - - - 1717
ELECTRODEPOSITION 99
FLUOROGERMANATE -> 351
GERMANATE - - - - "
LITHIUM - - - - - 1717
METAL - - - - - - "
NICKEL - - - - - "
OPTICS - - - - - - 586
OXIDE - - - - - - 1653
PASSIVITY - - - - 1717
POLISHING - - - - 1653
POWDER - - - - - 351
SAPPHIRE - - - - 1653

XUM

PRIMARY TERM / CO-TERM — PAGE NO.

MAGNESIUM (CONTD)
SEAWATER - - - - 394
SINGLE CRYSTAL - 586
SOLID SOLUTION -> 979
SPINEL - - - - - 586
- - - - - 1653
STAINLESS STEEL - 1717
STOICHIOMETRY - - 586
STRESS - - - - - 1717
TELLURIDE - - - - 979
X RAY - - - - - - 351
ZINC - - - - - - 979

MAGNETITE
ANODE - - - - - ->1709
RESISTIVITY - - - "

MAGNETOELECTRET
ELECTRET - - - ->1675
SHELLAC - - - - - "
WAX - - - - - - - "

MANGANESE
ALUMINUM - - - ->1166
AMIDE - - - - - -> 548
CALCIUM - - - - 1166
- - - - ->1814
- - - - ->1819
COOLING - - - - - "
DECOMPOSITION - ->1530
DIVALENT - - - -> 136
ELECTRODEPOSITION 548
ENERGY LEVEL - - 136
ESPERITE - - - ->1373
EUROPIUM - - - -> 755
GERMANIUM - - - - 1373
HALOGEN - - - - - 1814
- - - - - 1819
LUMINESCENCE - -> 474
- - 755
- - 1166
- - 1814
- - 1819
NITRATE - - - - - 1530
OXIDE - - - - - - 1166
PHASE EQUILIBRIUM 755
PHOSPHATE - - - - 1814
- - - - 1819
PHOSPHOR - - - ->1159
- - - - 1373
- - - - 1814
SOLID SOLUTION - 474
- 755
SPECTROMETRY - - 1159
STRONTIUM - - - - 1166
TANTALUM - - - - 1530
TERBIUM - - - - - 755
ZINC SULFIDE - - 136

MANGANESE OXIDE
DEPOSITION - - -> 93
ELECTROLESS - - - "
GRAVIMETRY - - -> 788
METAL - - - - - - 93
NONSTOICHIOMETRY >1665
SINGLE CRYSTAL - "
THALLIC OXIDE - - 93
THERMOGRAVIMETRY 1665

MANUFACTURING
AUTOMATION - - -> 672
CAPACITOR - - - - "
TANTALUM - - - - "

MAOS
ALUMINUM OXIDE ->1993
CHARGE INJECTION >1634
CHARGE STORAGE - 1993
OXIDE FILM - - - "

MARINE
CORROSION - - - ->1057
PITTING - - - - - "
STAINLESS STEEL - "

MASK
CVD - - - - - - -> 776
FILM - - - - - - "
IRON OXIDE - - - "

MASS TRANSFER
CHARGE TRANSFER ->1935
ELECTRODE - - - ->1764
ELECTRODEPOSITION 1935
FREE CONVECTION ->1070
OHME RESISTANCE - 1935
OXYGEN - - - - -> 68
ROTATING - - - - 1764
ROTATING CYLINDER>1957
ROTATING DISK - - 68
RSE - - - - - - - 1764
SPHERICAL - - - - "

MELT
CARBONATE - - - ->1550
HALIDE - - - - - "
OXYGEN - - - - - "
REDUCTION - - - - "

MELTING
LEVITATION - - ->2021
STABILITY - - - - "

MEMBRANE
ACID - - - - - -> 707
FUEL CELL - - - ->1232

MEMBRANE (CONTD)
HYDROGEN - - - - 1232
MICROBE - - - - - "
TRANSITION - - - 707
TRANSPORT - - - - "

MEMORY
CONDUCTIVITY - ->1051
SELENIDE - - - - "
SILVER - - - - - "
SOLID STATE - - - "
TELLURIDE - - - - "

MERCURY
ADSORPTION - - ->1426
ANION - - - - - ->C185
BRIDGING - - - - "
CADMIUM - - - - ->1868
DISLOCATION - - - "
ELECTROCATALYSIS C185
ETCHING - - - - - 1868
INDIUM - - - - - 1426
PROPANOL - - - -> 837
TELLURIUM - - - - 1868
THIOUREA - - - - 1426
ZINC - - - - - - 837

METAL
ALKALINE SOLUTION>1278
CHLORIDE - - - ->1717
CHROMIUM - - - - "
CORROSION - - - -> 541
- - - - 1717
CRACKING - - - - "
DEPOSITION - - -> 93
DISSOLUTION - - - 1717
ELECTROLESS - - - 93
ETCHING - - - - ->1514
EVOLUTION - - - -> 263
FILM - - - - - ->1228
HOLOGRAM - - - - 1514
HYDROGEN - - - - 263
- - - - 1278
INHIBITION - - - 541
ION EXCHANGE - - "
LABELED - - - - - "
LITHIUM - - - - - 1717
MAGNESIUM - - - - "
MANGANESE OXIDE - 93
NICKEL - - - - - 1717
NITRIDING - - - -> 650
NITROGEN - - - - "
ORGANIC COMPOUND 541
OVERPOTENTIAL - - 1278
OXIDE - - - - - - 1228
PASSIVITY - - - - 1717
PLATING - - - - - 1228
PURITY - - - - - 650
SEMICONDUCTOR - - 1228
STAINLESS STEEL - 1717
STRESS - - - - - "
THALLIC OXIDE - - 93

METAL ANODE
ELECTRODEPOSITION>1916
RESIN - - - - - - "

METAL METAL
ALLOY - - - - - -> 226
ION ELECTRODE - - "
POTENTIOSTATIC - "
SINGLE PULSE - - "

METAL OXIDE
PHOTOMASK - - - -> 341
SEMITRANSPARENT - "

METALS
DIBORIDE - - - -> 220
ELECTRODEPOSITION "
REFRACTORY - - - "
ZIRCONIUM - - - - "

METHANE
OXYGEN - - - - ->1378
SILICON - - - - -> 957
VAPOR - - - - - - "
ZIRCONIA - - - - 1378

METHANOL
AIR - - - - - - ->1523
FORMALDEHYDE - - "
FUEL CELL - - - - "
HYDROGEN CHLORIDE>1412
PASSIVATION - - - "
PITTING - - - - - "
TITANIUM - - - - "

METHANOL SOLUTION
OXIDATION - - - -> 699
URIC ACID - - - - "

METHYL
ALLOXAN - - - - ->1747
DIMETHYL - - - - "

MICROANALYSIS
ALUMINUM - - - -> 727
ANODE - - - - - - "
GROWTH LAW - - - "
LABELED - - - - - "
OXYGEN - - - - - "
TANTALUM - - - - "

MICROBE
FUEL CELL - - - ->1232

MICROBE (CONTD)
HYDROGEN - - - - 1232
MEMBRANE - - - - "

MICROELECTRONICS
FILM - - - - - ->1699
TUNGSTEN - - - - "

MICROSCOPE
ALUMINUM - - - -> 381
ELECTRON - - - - "
- - - ->1171
ETCHING - - - - - 381
- - - - 1171
FOIL - - - - - - 381
SCANNING - - - - "
SILICON - - - - - 1171

MICROSCOPY
CIRCUIT - - - - ->2006
CRYSTALLITE - - ->1395
DEFECT - - - - - 2006
ELECTRON - - - - 1395
- - - - 2006
LEAD - - - - - - 1395
MULTILEVEL - - - 2006
SULFATE - - - - - 1395
X RAY - - - - - - "

MICROSTRUCTURE
SILVER - - - - ->1021
SILVER OXIDE - -> 7
SINTERED - - - - "
- - - - 1021

MIXING
FREE ENERGY - - ->1662
GERMANIUM - - - - "
LITHIUM - - - - - "

MOBILE CHARGE
MOS - - - - - - -> 601
SWEEP - - - - - - "
TRIANGULAR - - - "
VOLTAGE - - - - - "

MOLTEN
BISMUTH - - - - -> 991
CARBON BLACK - ->1711
CHLORIDE - - - ->1307
CONDUCTIVITY - - 1711
EMF - - - - - - - 1307
RUBIDIUM - - - - "
SILVER - - - - - "
SODIUM - - - - - "
SULFUR - - - - - 1711
TELLURIDE - - - - 991
THERMODYNAMICS - 1307
VAPORIZATION - - 991

MOLTEN SALT
ALUMINUM - - - -> 405
- - - ->1966
ANGELL - - - - ->1900
ANODE - - - - - - 1966
CHLORIDE - - - ->1123
CHROMATE - - - - "
COBALT - - - - - "
CONDUCTANCE - - - 1900
DISK ELECTRODE - 1966
ELECTRODE - - - - 405
EUTECTIC - - - - 1123
FLUORINATION - ->1246
GLASS - - - - - ->1111
HYDROCARBON - - - 1246
ION EXCHANGE - - 1111
LITHIUM - - - - - 1123
POTASSIUM - - - - "
- - - - "
REDUCTION - - - - "
SILVER - - - - - 1111
SODIUM - - - - - "
TRANSITION STATE 1900
ZINC - - - - - - 1123

MOLYBDENUM
ANODE - - - - - -> 22
BATTERY - - - - ->1905
CARBIDE - - - - ->1137
CHLORINATION - ->1331
CHROMIUM - - - - 22
CORROSION - - - -> 443
CVD - - - - - - ->2028
ELECTRODEPOSITION 1137
FERRITE - - - - - 22
FILM - - - - - - 443
- - - - - 1137
NONAQUEOUS - - - 1905
OXYGEN - - - - - 1137
PASSIVATION - - - 443
PERMALLOY - - - - 1137
POLARIZATION - - 22
REDUCTION - - - - 1137
SILICON DIOXIDE - 2028
STAINLESS STEEL - 22
THIN FILM - - - - 2028
TRIOXIDE - - - - 1905
TUNGSTEN - - - - 1137
- - - - 1331
WIRE - - - - - - 1137

MORPHOLOGY
ATMOSPHERE - - -> 740
CHROMIUM - - - - "
HYDROGEN SULFIDE "
KINETICS - - - - "

MORPHOLOGY (CONTD)
NICKEL - - - - - 740
SCALE - - - - - - "

MOS
CONTAMINATION - -> 966
GLASS - - - - - ->1649
IMPURITY - - - -> 138
MOBILE CHARGE - -> 601
NONEQUILIBRIUM -> 370
PHOSPHOSILICATE - 1649
PULSED - - - - - 138
QUASI STATIC - - 370
SILICON - - - - - 138
STABILIZATION - - 1649
SWEEP - - - - - - 601
TRANSPORT - - - - 966
TRIANGULAR - - - 601
VOLTAGE - - - - - "

MOSSBAUER
KAPTON - - - - ->2042
POLYIMIDE - - - - "
TIN - - - - - - - "
TIN OXIDE - - - - "

MULTILEVEL
CIRCUIT - - - - ->2006
DEFECT - - - - - "
ELECTRON - - - - "
MICROSCOPY - - - "

NAPHTHALENE
CURRENT - - - - -> 359
DEPOLARIZATION - "
PHOTOELECTRET - - "

NAVAL
BRASS - - - - - -> 854
COPPER - - - - - "
CORROSION - - - - "

NEODYMIUM
HIGH ENERGY - - -> 637
LASER - - - - - - "
OXYAPATITE - - - "
SILICATE - - - - "

NEUTRON
ACTIVATION - - ->1351
EPITAXY - - - - - "
SILICON - - - - - "

NICKEL
ACID SOLUTION - -> 557
- ->1968
AGGRESSIVE ION ->1404
ALKALI - - - - -> 428
ALLOY - - - - - -> 51
- - - - - ->1336
ALUMINUM - - - ->1782
AMIDE - - - - - ->1563
ATMOSPHERE - - -> 740
BATH - - - - - ->1969
BATTERY - - - - ->1382
CADMIUM - - - - -> 889
- - - - - 1382
- - - - ->1518
CHLORIDE - - - ->1717
CHROMIUM - - - - 740
- - - - 1336
- - - - 1563
- - - - 1717
- - - - 1782
COBALT - - - - -> 869
- - - - - 889
- - - - ->1577
CONDUCTIVITY - - 1518
CORROSION - - - - 1404
- - - - 1717
CRACKING - - - - "
CRYSTALLIZATION ->1224
- 1577
DISSOLUTION - - - 1717
ELECTRODE - - - - 428
ELECTRODEPOSITION 51
1563
ELECTROLESS - - - 869
- - - 1969
EUTECTIC - - - - 889
FILM - - - - - - 1224
HEAT PIPE - - - - 1382
HEAT TRANSFER - - "
HIGH TEMPERATURE > 101
>1978
HYDROGEN SULFIDE 740
HYDROXIDE - - - - 428
IRON - - - - - - 51
- - - - - - 1978
KINETICS - - - - 101
- - - - 740
LABELED - - - - - 1336
LEAD - - - - - - 889
LITHIUM - - - - - 1717
MAGNESIUM - - - - "
METAL - - - - - - "
MORPHOLOGY - - - 740
OXIDATION - - - - 1782
- - - - 1978
OXIDE - - - - - - 1224
PASSIVITY - - - - 1717
PHOSPHIDATION - - 101
PLATING - - - - - 869
- - - - - 1969
SCALE - - - - - - 740
STAINLESS STEEL - 1717

PRIMARY TERM
CO-TERM — PAGE NO.

NICKEL (CONTD)
STRESS - - - - - 1717
SULFIDATION - - - 1336
SUPERIMPOSITION - 51
TELLURIUM - - - - 1224
THERMODYNAMICS - 557
" - 1968
VOLTAMMETRY - - - 889

NICKEL OXIDE
CHROMIUM - - - -> 802
COEFFICIENT - - ->1212
CONDENSATION - - "
DIFFUSION - - - - 802
LITHIUM OXIDE - -> 796
REFRACTORY - - - 1212
SOLID SOLUTION - 796
THERMODYNAMICS - "

NIOBIUM
CARBIDE - - - - ->1498
CYCLING - - - - ->1776
FLEXURE - - - - - "
ION CATHODE - - ->1989
NITROGEN - - - ->1006
OXIDATION - - - - "
" - - - - 1776
OXIDE FILM - - - 1989
RESISTIVITY - - -> 997
TANTALUM - - - - 1989
TEMPERATURE - - - 1776
THERMODYNAMICS - 1498
TITANIUM - - - - 1989
TUNGSTEN - - - - "
URANIUM - - - - - 1776
VANADIUM - - - - 1989
ZIRCONIUM - - - - 1498
" - - - - 1776
" - - - - 1989

NITRATE
CHLORIDE - - - ->1876
CLOSED CELL - - - "
DECOMPOSITION - ->1530
MACHINING - - - - 1876
MANGANESE - - - - 1530
PERCHLORATE - - - 1876
SODIUM - - - - - "
SULFATE - - - - -> 885
TANTALUM - - - - 1530

NITRIC ACID
DILUTE SOLUTION ->1944
HALL EFFECT - - - "
HYDROCHLORIC ACID "

NITRIDE
ALUMINUM - - - ->1204
" - - - ->1216
" - - - ->1864
BORON - - - - - - 1204
COEFFICIENT - - - "
CONDENSATION - - "
ETCHING - - - - -> 110
EXCHANGE REACTION 1216
FILM - - - - - ->1200
GALLIUM - - - - - "
" - - - - - 1864
HAFNIUM - - - - ->1856
HYDROGEN CHLORIDE 110
NITROGEN - - - - 1216
ORGANOMETAL - - - 1864
POLYCRYSTALLINE -> 331
REFRACTORY - - - 1204
SEMICONDUCTOR - - 1664
SILICON - - - - - 110
" - - - - - 331
SILICON DIOXIDE - 110
SPUTTERING - - - 1856
TANTALUM - - - - "
THIN FILM - - - - "

NITRIDING
METAL - - - - - -> 650
NITROGEN - - - - "
PURITY - - - - - "

NITROGEN
ALUMINUM - - - ->1216
EXCHANGE REACTION "
METAL - - - - - -> 650
NIOBIUM - - - - ->1006
NITRIDE - - - - - 1216
NITRIDING - - - - 650
OXIDATION - - - - 1006
PURITY - - - - - 650

NITROUS OXIDE
ALUMINUM - - - ->1624
ALUMINUM OXIDE - "
CVD - - - - - - - "
TRIMETHYL - - - - "

NMR
ALUMINUM OXIDE -> 353
WATER VAPOR - - - "
WIDE LINE - - - - "

NOMOGRAPH
DIFFUSIVITY - - -> 97
ELECTROLYTE - - - "

NONANOATE
CHOLESTERIC FILM >2026
CHOLESTERYL - - - "
IODIDE - - - - - "

NONANOATE (CONTD)
LIQUID CRYSTAL - 2026
UV - - - - - - - "

NONAQUEOUS
ANION - - - - - ->1320
ANTHRAQUINONE - ->1758
BATTERY - - - - -> 153
" - - - - ->1905
CARBONATE - - - - 153
" - - - -> 709
" - - - - 1320
ETHYLENE - - - - 153
HYDROXYL - - - - 1758
LITHIUM - - - - - 153
" - - - - - 1320
MOLYBDENUM - - - 1905
PERCHLORATE - - - 153
" - - - 709
POLAROGRAPHY - - 1758
PROPYLENE - - - - 709
" - - - - 1320
SODIUM - - - - - 709
SODIUM ELECTRODE "
SPECTROMETRY - - 1758
TRIOXIDE - - - - 1905

NONDESTRUCTIVE
BOROSILICATE - ->1658
GLASS - - - - - - "
IR - - - - - - - "
THIN FILM - - - - "

NONEQUILIBRIUM
MOS - - - - - - -> 370
QUASI STATIC - - "

NONFARADAY
FARADAY PROCESS ->1295
IMPEDANCE - - - - "
LAPLACE PLANE - - "

NONSTOICHIOMETRIC
CERIUM DIOXIDE -> 123
CONDUCTIVITY - - "
DEFECT - - - - - "
ELECTRICAL - - - "

NONSTOICHIOMETRY
MANGANESE OXIDE ->1665
SINGLE CRYSTAL - "
THERMOGRAVIMETRY "

NUCLEATION
ETCHING - - - - -> 903
FILM - - - - - - "
IRON - - - - - - "

NULL DEFLECTION
ELECTRODEPOSITION> 91
RELAXATION - - - "
STRESS - - - - - "

OHME RESISTANCE
CHARGE TRANSFER ->1935
ELECTRODEPOSITION "
MASS TRANSFER - - "

OLEFIN
ADSORPTION - - ->1713
CYCLIC - - - - - "
FUEL CELL - - - - "
REACTION - - - - "

OPTICAL
CADMIUM - - - - -> 489
QUENCHING - - - - "
SULFIDE - - - - - "

OPTICAL CONSTANT
IR - - - - - - -> 145
SILICON - - - - - "

OPTICS
ALUMINATE - - - -> 586
DIELECTRIC - - - "
MAGNESIUM - - - - "
SINGLE CRYSTAL - "
SPINEL - - - - - "
STOICHIOMETRY - - "

OPTIMIZATION
ECONOMICS - - - ->2046
ELECTROLYSIS - - "
INSTALLATION - - "

ORDERING
EUROPIUM - - - - ->1999
YTTRIUM - - - - - "
YTTRIUM OXIDE - - "

ORGANIC
CHLORIDE - - - - ->1616
COPPER - - - - - "
ELECTROLYTE - - -> 461
HIGH VOLTAGE - - "
POLARIZATION - - 1616

ORGANIC COMPOUND
CORROSION - - - -> 541
INHIBITION - - - "
ION EXCHANGE - - "
LABELED - - - - - "
METAL - - - - - - "

ORGANIC SOLVENT
ANODE - - - - - -> 717
BATTERY - - - - ->1886
DIMETHYL - - - - "
GRAPHITE - - - - "
LABELED - - - - - 717
LITHIUM - - - - - 1886
OXIDATION - - - - 717
OXYGEN - - - - - "
PERCHLORATE - - - 1886
SILICON - - - - - 717
SULFITE - - - - - 1886
TANTALUM - - - - 717

ORGANOMETAL
ALUMINUM - - - -> 647
" - - - ->1864
EPITAXY - - - - - 647
FILM - - - - - -> 287
GALLIUM - - - - - 1864
GOLD - - - - - - 287
NITRIDE - - - - - 1864
SEMICONDUCTOR - -> 644
" - - 647
" - - ->1231
" - - 1864

ORIENTATION
EPITAXY - - - - ->1516
GALLIUM ARSENIDE "

OSTEOGENESIS
STIMULATION - - ->1438

OVER POTENTIAL
FUEL CELL - - - ->1890
SOLID ELECTROLYTE "
ZIRCONIA - - - - "

OVERPOTENTIAL
ALKALINE SOLUTION>1278
CARBOXYLIC ACID -> 216
CATHODE - - - - - "
COPPER - - - - - "
ELECTRODEPOSITION "
ELECTROSORPTION - "
HYDROGEN - - - - 1278
METAL - - - - - - "

OXIDATION
ALLOY - - - - - -> 906
ALUMINUM - - - - "
" - - - ->1375
" - - - ->1782
ANODE - - - - - -> 46
" - - - - - -> 95
" - - - - - -> 568
" - - - - - -> 717
" - - - - - -> 860
ANODE DISSOLUTION>1912
BORON - - - - - ->2033
BROMIDE - - - - ->1195
CARBIDE - - - - - 1912
CARBOHYDRATE - - 95
CHROMIUM - - - -> 737
" - - - - 1782
COBALT - - - - - 737
COPPER - - - - ->1325
COULOMETRY - - - 1912
CYCLING - - - - ->1776
DEPOSITION - - - 1375
DIFFUSION LAYER - 2033
DISILICIDE - - ->1973
DISK ELECTRODE - 1912
DOPANT - - - - ->1229
ELEMENTS - - - - 568
ETCHING - - - - -> 657
FILM - - - - - ->1370
FLEXURE - - - - - 1776
GALLIUM ARSENIDE 657
" 1229
GALLIUM PHOSPHIDE 657
GAS - - - - - - - 1325
GERMANIUM - - - -> 494
GOLD - - - - - -> 531
HIGH FIELD - - - 46
HIGH TEMPERATURE 737
" >1978
HYDROGEN - - - - 568
IONIC CONDUCTION 46
IRON - - - - - - 906
" - - - - - 1978
LABELED - - - - - 717
METHANOL SOLUTION> 699
NICKEL - - - - - 1782
" - - - - - 1978
NIOBIUM - - - - ->1006
" - - - - - 1776
NITROGEN - - - - 1006
ORGANIC SOLVENT - 717
OXYGEN - - - - - "
PLATINUM - - - - 46
REDUCTION - - - - 531
ROTATING RING - - 1912
SILICON - - - - - 494
" - - - - - 717
" - - - - - 1370
SINGLE CRYSTAL - 1325
SURFACE - - - - - 494
TANTALUM - - - - 717
TEMPERATURE - - - 1776
THERMOGRAVIMETRY 1195
TITANIUM - - - - 1912
" - - - - 1973
TRANSITION - - - 568
URANIUM - - - - - 1776

OXIDATION (CONTD)
URIC ACID - - - - 699
VANADIUM - - - - 860
VAPOR - - - - - - 1375
ZIRCONIUM - - - - 1195
" - - - - 1776

OXIDATION SILICON
SODIUM OXIDE - ->1147

OXIDE
ALUMINUM - - - -> 930
" - - - ->1166
" - - - ->1653
ALUMINUM OXIDE -> 810
ANODE - - - - - -> 89
" - - - - - ->1864
BARRIER - - - - - 810
CALCIUM - - - - - 1166
COPPER OXIDE - -> 636
CRYSTALLIZATION ->1224
ELLIPSOMETRY - - 89
EUROPIUM - - - - 930
EVAPORATION - - - 810
FILM - - - - - - 89
" - - - - - 810
" - - - - - 864
" - - - - - 1224
" - - - - ->1228
GALLIUM ARSENIDE 89
GERMANIUM - - - -> 358
LABELED - - - - - 636
LITHIUM - - - - - 358
LUMINESCENCE - - 930
" - - 1166
MAGNESIUM - - - - 1653
MANGANESE - - - - 1166
METAL - - - - - - 1228
NICKEL - - - - - 1224
PHOSPHOR - - - - 358
PLATING - - - - - 1228
POLISHING - - - - 1653
SAPPHIRE - - - - "
SEMICONDUCTOR - - 1228
SPINEL - - - - - 1653
STRONTIUM - - - - 930
" - - - - 1166
TARNISH - - - - - 636
TELLURIUM - - - - 1224
THERMODYNAMICS ->1479
VANADIUM - - - - 864
VAPOR TRANSPORT - 1479
ZINC - - - - - - 358
" - - - - - 636
" - - - - - 1479

OXIDE FILM
ALUMINUM OXIDE ->1993
ANODE - - - - - ->1797
BETA - - - - - -> 397
BREAKDOWN - - - - 1797
" - - - ->1809
CARBIDE - - - - - 397
CHARGE STORAGE - 1993
ELECTRICAL - - - 1797
ION CATHODE - - ->1989
MAOS - - - - - - 1993
NIOBIUM - - - - - 1989
SILICON - - - - - 397
" - - - - - 1809
TANTALUM - - - - 1989
TITANIUM - - - - "
TUNGSTEN - - - - "
VANADIUM - - - - "
ZIRCALOY - - - - 1797
ZIRCONIUM - - - - 1989

OXIDE GROWTH
ANODE - - - - - ->1726
FLUORIDE - - - - "
SPUTTERING - - - "
TANTALUM - - - - "

OXIME
HYDROGEN CHLORIDE>1273
IRON - - - - - - "
QUINUCLIDINE - - "

OXYAPATITE
HIGH ENERGY - - -> 637
LASER - - - - - - "
NEODYMIUM - - - - "
SILICATE - - - - "

OXYCHLORIDE
BISMUTH ACTIVATED> 148
CVP - - - - - - -> 373
LANTHANUM - - - - 148
LUMINESCENCE - - "
RHENIUM - - - - - 373
X RAY EXCITATION 148

OXYGEN
ADDITIVE - - - ->1705
ALUMINUM - - - -> 727
ANODE - - - - - -> 717
" - - - - - 727
ATMOSPHERE - - -> 506
CARBIDE - - - - ->1137
CARBON MONOXIDE - 506
CARBONATE - - - ->1550
DETECTION - - - - 506
ELECTRODEPOSITION 1137
FILM - - - - - - "
GAUGE - - - - - -> 841
GRAPHITE - - - - 1705

XUM

PRIMARY TERM
CO-TERM — PAGE NO.

OXYGEN (CONTD)
GROWTH LAW - - - - 727
HALIDE - - - - - - 1550
HYDROCARBON - - - 506
HYDROGEN - - - - "
IRON - - - - - - - 1705
LABELED - - - - - - 717
- - - - - - 727
MASS TRANSFER - -> 68
MELT - - - - - - - 1550
METHANE - - - - - ->1378
MICROANALYSIS - - 727
MOLYBDENUM - - - 1137
ORGANIC SOLVENT - 717
OXIDATION - - - - "
PERMALLOY - - - - 1137
PHTHALOCYANINE - 1705
PYREX - - - - - - - 841
REDUCTION - - - - 1137
- - - - 1550
- - - - 1705
ROTATING DISK - - 68
SILICON - - - - - 717
SULFUR - - - - - 841
TANTALUM - - - - 717
- - - - 727
THORIUM DIOXIDE -> 416
TRANSFERENCE - - "
TUNGSTEN - - - - 1137
VAPOR - - - - - - 841
WIRE - - - - - - - 1137
YTTRIUM OXIDE - - 416
ZIRCONIA - - - - 1378

OXYGEN CATHODE
GAS ELECTRODE - ->1881
GAS LIQUID - - - "
INTERFACE - - - - "
POROUS - - - - - "

OXYSULFIDE
ENERGY TRANSFER -> 273
EUROPIUM - - - - "
LANTHANUM - - - - "
YTTRIUM - - - - - "

P TYPE
CIRCUIT - - - - ->1627
EPITAXY - - - - - "
FABRICATION - - - "
INTEGRATED - - - "
TRANSISTOR - - - "

PARAFFIN
ELECTRON - - - -> 597
FILM - - - - - - "
HYDROCARBON - - - "
IRRADIATION - - - "
LOW ENERGY - - - "

PARTIAL PRESSURE
CADMIUM - - - - ->2014
PHASE DIAGRAM - - "
TELLURIUM - - - - "
ZINC - - - - - - "

PASSIVATION
AMIDE - - - - - -> 28
ANODE - - - - - ->1269
CADMIUM - - - - -> 462
CARBONATE - - - - 1269
CHROMIUM - - - ->1558
CORROSION - - - -> 443
- - - - -> 529
CRITICAL PITTING "
DISSOLUTION - - - 1269
ELLIPSOMETRY - - 1558
FILM - - - - - - 443
HYDROGEN CHLORIDE>1412
HYDROXIDE - - - - 1269
INTERFACE - - - ->2002
IRON - - - - - - - 28
LOW TEMPERATURE - 462
METHANOL - - - - 1412
MOLYBDENUM - - - 443
PITTING - - - - - 1412
POLARIZATION - - 28
POTASSIUM - - - - 1269
POTENTIAL - - - - 529
QUASISTATIC - - - 2002
SILICON - - - - - "
SILICON DIOXIDE - "
STEADY STATE - - 28
TITANIUM - - - - 1412
ZINC - - - - - - 1269

PASSIVITY
CHLORIDE - - - ->1717
CHROMIUM - - - - "
CORROSION - - - - "
CRACKING - - - - "
DISSOLUTION - - - "
LITHIUM - - - - - "
MAGNESIUM - - - - "
METAL - - - - - - "
NICKEL - - - - - "
STAINLESS STEEL - "
STRESS - - - - - "

PERCHLORATE
ALKALI METAL - ->1614
BATTERY - - - - -> 153
- - - - ->1886
CARBONATE - - - - 153
- - - -> 709
CHLORIDE - - - ->1876

PERCHLORATE (CONTD)
CLOSED CELL - - - 1876
DIMETHYL - - - - - 1886
ETHYLENE - - - - 153
GRAPHITE - - - - 1886
LITHIUM - - - - - 153
- - - - 1886
MACHINING - - - - 1876
NITRATE - - - - - "
NONAQUEOUS - - - 153
- - - 709
ORGANIC SOLVENT - 1886
PROPYLENE - - - - 709
SODIUM - - - - - "
- - - - - 1876
SODIUM ELECTRODE 709
SOLVATION ENERGY 1614
SULFITE - - - - - 1886

PERMALLOY
CARBIDE - - - - ->1137
ELECTRODEPOSITION "
FILM - - - - - - "
MOLYBDENUM - - - "
OXYGEN - - - - - "
REDUCTION - - - - "
TUNGSTEN - - - - "
WIRE - - - - - - "

PEROXIDE
ALKALINE SOLUTION>1346
GALLIUM ARSENIDE "
POLISH - - - - - "

PHASE
INDIUM - - - - - -> 133
RELATIONSHIP - - "
SULFIDE - - - - - "

PHASE DIAGRAM
ALLOY - - - - - ->1175
ANTIMONY - - - ->1485
- - - ->1831
ARSENIC - - - - - 1485
CADMIUM - - - - ->2014
CHLORIDE - - - ->1358
CONDUCTANCE - - -> 850
CYANIDE - - - - - "
GALLIUM - - - - - 1831
INDIUM - - - - - "
IODIDE - - - - - 850
ION - - - - - - - "
LEAD - - - - - - 1358
LIQUID STRUCTURE 1485
LPE - - - - - - - 1831
PARTIAL PRESSURE 2014
POTASSIUM - - - - 850
SELENIUM - - - - 1485
SEMICONDUCTOR - - 1175
SILVER - - - - - 850
SOLID - - - - - - "
TELLURIUM - - - - 2014
THERMODYNAMICS - 1175
URANIUM - - - - - 1358
ZINC - - - - - - 2014

PHASE EQUILIBRIUM
BARIUM - - - - -> 923
CADMIUM - - - - -> 470
CALCIUM - - - - - 923
CHALCOGEN - - - ->1941
CHLORINE - - - -> 631
EUROPIUM - - - - 470
- - - -> 755
FLUORINE - - - - 631
IODINE - - - - - "
LITHIUM - - - - - "
- - - - - 1941
LUMINESCENCE - - 470
- - 755
- - 923
MANGANESE - - - - 755
PHOSPHATE - - - - 470
- - - - 923
SELENIUM - - - - 1941
SODIUM - - - - - 631
SOLID SOLUTION - 755
STRONTIUM - - - - 470
TERBIUM - - - - - 755
TERNARY SYSTEM - 631
TIN - - - - - - - 923

PHOSPHATE
BARIUM - - - - -> 923
CADMIUM - - - - -> 470
CALCIUM - - - - - 923
- - - - ->1814
- - - - ->1819
COOLING - - - - - "
EUROPIUM - - - - 470
HALOGEN - - - - - 1814
- - - - 1819
LUMINESCENCE - - 470
- - 923
- - 1814
- - 1819
MANGANESE - - - - 1814
- - - - 1819
PHASE EQUILIBRIUM 470
923
PHOSPHOR - - - - 1814
STRONTIUM - - - - 470
TIN - - - - - - - 923

PHOSPHIDATION
HIGH TEMPERATURE > 101

PHOSPHIDATION (CONTD)
KINETICS - - - - 101
NICKEL - - - - - "

PHOSPHIDE
ARSENIDE - - - ->1362
CADMIUM - - - - - "
CALCIUM - - - - ->1019
CRYSTAL GROWTH ->1459
->1473
ETCHING - - - - ->1190
GALLIUM - - - - - "
GALLIUM ARSENIDE 1019
1473
IMPURITY - - - - 1190
SEMICONDUCTOR - - 1459
SPECTROMETRY - - 1473
TERNARY SYSTEM - 1019
THERMODYNAMICS - 1362
VAPOR PHASE - - - 1473
ZINC - - - - - - 1362

PHOSPHOR
ACTIVATOR - - - -> 482
ALKALINE EARTH ->1862
APATITE - - - - ->1510
CALCIUM - - - - ->1814
CERIUM - - - - - 1862
ESPERITE - - - ->1373
EUROPIUM - - - - 482
- - - - 1862
GERMANIUM - - - -> 358
- - - - 1373
HALOGEN - - - - - 1814
LITHIUM - - - - - 358
LUMINESCENCE - ->1164
- - 1814
- - 1862
MANGANESE - - - ->1159
- - - - 1373
- - - - 1814
OXIDE - - - - - - 358
PHOSPHATE - - - - 1814
PRASEODYMIUM - - 482
SPECTROMETRY - - 1159
STRONTIUM - - - - 1510
TERBIUM - - - - - 482
THIOSILICATE - - - 1862
WAVELENGTH - - - 482
X RAY - - - - - ->1152
ZINC - - - - - - 358

PHOSPHORESCENCE
CALCIUM OXIDE - ->1542
YTTRIUM - - - - - "

PHOSPHORUS
BRENNER - - - - -> 696
FILM - - - - - - "
IRON - - - - - - "

PHOSPHOSILICATE
FILM - - - - - - -> 986
GLASS - - - - - - "
- - - - - - ->1649
MOS - - - - - - - "
SILICON DIOXIDE - 986
SODIUM - - - - - "
STABILIZATION - - 1649
TRANSPORT - - - - 986

PHOTOELECTRET
CURRENT - - - - -> 359
DEPOLARIZATION - "
NAPHTHALENE - - - "

PHOTOLITHOGRAPHY
SURFACE - - - - -> 821
WAVE - - - - - - "

PHOTOMASK
METAL OXIDE - - -> 341
SEMITRANSPARENT - "

PHOTOOXIDATION
DEPOSITION - - ->1695
ELECTROLESS - - - "
SUBSTRATE - - - - "
TIN - - - - - - - "

PHTHALOCYANINE
ADDITIVE - - - ->1705
GRAPHITE - - - - "
IRON - - - - - - "
OXYGEN - - - - - "
REDUCTION - - - - "

PICKLING
ANODE - - - - - -> 676
POTENTIOSTATIC - "
STAINLESS STEEL - "

PITTING
ALUMINUM OXIDE ->1804
CORROSION - - - ->1057
ETCHING - - - - - 1804
HYDROGEN CHLORIDE>1412
MARINE - - - - - 1057
METHANOL - - - - 1412
PASSIVATION - - - "
POLISHING - - - - 1804
SAPPHIRE - - - - "
STAINLESS STEEL - 1057
TITANIUM - - - - 1412

PLASTIC
ADHESION - - - -> 158
CORROSION - - - - "
FAILURE - - - - - "
PLATED - - - - - "

PLATED
ADHESION - - - -> 158
CORROSION - - - - "
FAILURE - - - - - "
PLASTIC - - - - - "

PLATING
BATH - - - - - - ->1969
BOROHYDRIDE - - ->2055
COBALT - - - - -> 869
COPPER - - - - -> 681
- - - - ->1235
- - - - ->1571
COPPER COMPLEX - "
DEPOSITION - - ->1132
DETECTION - - - ->1538
ELECTROLESS - - - 869
- - - 1571
- - - 1969
- - - 2055
EPR - - - - - - - 1571
FILM - - - - - - ->1228
GEL ELECTROLYTE - 681
GOLD - - - - - - "
IMAGE AMPLIFIER - 1235
IMPURITY - - - - 1538
METAL - - - - - - 1228
NICKEL - - - - - 869
- - - - - 1969
OXIDE - - - - - - 1228
PRINTING - - - - 1235
SEMICONDUCTOR - - 1228
SODIUM - - - - - 2055
ZINC - - - - - - 1538

PLATINUM
ADSORPTION - - ->1138
ANODE - - - - - -> 46
CADMIUM - - - - ->1953
CALCIA STABILIZED> 185
ELECTRODE - - - - "
GRAPHITE - - - -> 72
HIGH FIELD - - - 46
INTERFACE - - - - 72
IODIDE - - - - - "
ION ADSORPTION - 1953
IONIC CONDUCTION 46
OXIDATION - - - - "
SILVER - - - - - 72
SULFATE - - - - - 1138
VOLTAMMETRY - - - 1953
ZIRCONIA - - - - 185

POINT CONTACT
RELAXATION - - -> 759
SECOND BREAKDOWN > 763
SILICON - - - - - 759
- - - - - 763
THICKNESS - - - - "

POLARIZATION
ACID SOLUTION - ->2036
ALKALI - - - - ->1031
AMIDE - - - - - -> 28
ANODE - - - - - -> 22
CHLORIDE - - - ->1543
- - - ->1616
CHROMIUM - - - - 22
COPPER - - - - - 1616
CORROSION - - - - 1031
- - - - 2036
ETHYLENE - - - - 1543
FERRITE - - - - - 22
GRAPHITE - - - - 1543
IRON - - - - - - 28
- - - - - ->1752
- - - - - 2036
MOLYBDENUM - - - 22
ORGANIC - - - - - 1616
PASSIVATION - - - 28
SODIUM - - - - - 1543
STAINLESS STEEL - 22
STEADY STATE - - 28
SULFUR - - - - - 2036
TECHNETIUM - - - 1752
ZINC - - - - - - 1031

POLAROGRAPHY
ALKALI METAL - -> 63
ANTHRAQUINONE - ->1758
CURRENT INTERRUPT> 897
DROP TIME - - - ->1588
ESR - - - - - - -> 57
HYDROXYL - - - - 1758
INTERACTION - - - 63
KINETICS - - - - 57
NONAQUEOUS - - - 1758
QUINONE - - - - - 57
RAPID - - - - - - 1588
SPECTROMETRY - - 1758
THIOETHER - - - - 57
VOLTAMMETRY - - - "
- - - - 897
WATER - - - - - - 63

POLISH
ALKALINE SOLUTION>1346
FERRITE - - - - -> 179
GALLIUM ARSENIDE 1346
PEROXIDE - - - - "

PRIMARY TERM / CO-TERM — PAGE NO.

POLISH (CONTD)
RARE EARTH - - - 179

POLISHING
ALUMINUM - - - ->1653
ALUMINUM OXIDE ->1804
ETCHING - - - - -> 653
- - - - - 1804
LITHIUM - - - - - 653
MAGNESIUM - - - - 1653
OXIDE - - - - - - "
PITTING - - - - - 1804
POTASSIUM - - - - 653
SAPPHIRE - - - - 1653
- - - - 1804
SODIUM - - - - - 653
SPINEL - - - - - 1653

POLYCRYSTAL
GALLIUM PHOSPHIDE> 609

POLYCRYSTALLINE
ANODE - - - - - -> 36
COPPER - - - - - "
DISSOLUTION - - - "
HIGH RATE - - - - "
NITRIDE - - - - -> 331
SILICON - - - - - "
SINGLE CRYSTAL - 36

POLYIMIDE
KAPTON - - - - ->2042
MOSSBAUER - - - - "
TIN - - - - - - - "
TIN OXIDE - - - - "

POLYMER
ELECTRON BEAM - -> 669
EPOXIDE - - - - - "

POLYVINYL
CHLORIDE - - - -> 465
CONSTANT - - - - "
DIELECTRIC - - - "
ELECTRET - - - - "
SURFACE CHARGE - "

POROUS
GAS ELECTRODE - ->1881
GAS LIQUID - - - "
INTERFACE - - - - "
OXYGEN CATHODE - "

POROUS ELECTRODE
CADMIUM - - - - -> 519
CARBON - - - - -> 510
DESALTING - - - - "
DISCHARGE - - - - 519
SLIGHT SOLUBILITY>1251

POTASSIUM
ACTIVITY - - - ->1430
AMMONIA - - - - ->2031
ANODE - - - - - ->1269
CARBONATE - - - - "
CHLORIDE - - - -> 258
- - - ->1123
- - - -> "
CHROMATE - - - - "
- - - - "
COBALT - - - - - "
- - - - - "
CONDUCTANCE - - -> 850
CYANIDE - - - - - "
DISSOLUTION - - - 1269
ETCHING - - - - -> 653
EUTECTIC - - - - 258
- - - - 1123
- - - - "
EXCHANGE - - - -> 265
HYDROGEN CHLORIDE 258
HYDROXIDE - - - - 1269
- - - - 1430
IODIDE - - - - - 850
- - - - - 2031
ION - - - - - - - 850
LABELED - - - - - 265
LITHIUM - - - - - 258
- - - - - 653
- - - - - 1123
- - - - - "
LOW TEMPERATURE - 1430
MOLTEN SALT - - - 1123
- - - "
PASSIVATION - - - 1269
PHASE DIAGRAM - - 850
POLISHING - - - - 653
POTASSIUM - - - - 1123
- - - - "
REDUCTION - - - - "
- - - - "
RUBIDIUM - - - - 2031
SILVER - - - - - 850
- - - - - 2031
SINGLE CRYSTAL - "
SODIUM - - - - - 653
SOLID - - - - - - 850
WATER - - - - - - 1430
X RAY DIFFRACTION 2031
ZINC - - - - - - 1123
- - - - - - "
- - - - - - 1269
ZINC OXIDE - - - 265
ZINCATE - - - - - "

POTENTIAL
ALKALINE SOLUTION>1298
ALLOY - - - - - -> 209
AMALGAM - - - - - 1298
ANODE - - - - - -> 40
- - - - - - 209
BROMIDE - - - - -> 901
CHLORIDE - - - - "
COPPER - - - - - 40
- - - - - 209
CORROSION - - - -> 529
CRITICAL - - - - 209
CRITICAL PITTING 529
CURRENT - - - - -> 454
DISK ELECTRODE - "
DISSOLUTION - - - 40
- - - 209
ENGINEERING - - - 454
GOLD - - - - - - 209
HIGH RATE - - - - 40
INTERSTITIAL - - 901
PASSIVATION - - - 529
SILICON - - - - -> 412
SILICON DIOXIDE - "
SILVER - - - - - 901
THORIUM OXIDE - - 412
YTTRIUM OXIDE - - "
ZINC - - - - - - 1298

POTENTIOSTATIC
ALLOY - - - - - -> 226
ANODE - - - - - -> 676
CONCENTRATION - -> 576
ELECTRODE - - - - "
ION ELECTRODE - - 226
KINETICS - - - - 576
METAL METAL - - - 226
PICKLING - - - - 676
REVERSION - - - - 576
SINGLE PULSE - - 226
STAINLESS STEEL - 676

POWDER
FLUOROGERMANATE -> 351
GERMANATE - - - - "
MAGNESIUM - - - - "
X RAY - - - - - - "

POWER
BATTERY - - - - -> 375
TESTING - - - - - "
THROWING - - - - -> 818
VEHICLE - - - - - 375

PRASEODYMIUM
ACTIVATOR - - - -> 482
EUROPIUM - - - - "
PHOSPHOR - - - - "
TERBIUM - - - - - "
WAVELENGTH - - - "

PRESSURE
ALUMINA - - - - -> 714
CONDUCTIVITY - - "
HYDROSTATICS - - "

PRINTING
COPPER - - - - ->1235
IMAGE AMPLIFIER - "
PLATING - - - - - "

PROBE
FOUR POINT - - -> 390
RESISTANCE - - - "
SHEET - - - - - - "
SILICON - - - - - "

PROPANOL
MERCURY - - - - -> 837
ZINC - - - - - - "

PROPULSION
AIR - - - - - - -> 812
BATTERY - - - - - "
HYDROGEN - - - - "
LEAD - - - - - - "
VEHICLE - - - - - "

PROPYLENE
ANION - - - - - ->1320
CARBONATE - - - -> 709
- - - ->1130
- - - - 1320
COPPER - - - - - 1130
FLUORIDE - - - - "
LITHIUM - - - - - 1320
NONAQUEOUS - - - 709
- - - 1320
PERCHLORATE - - - 709
REDUCTION - - - - 1130
SODIUM - - - - - 709
SODIUM ELECTRODE "
THIN FILM - - - - 1130

PSEUDOBREWSTER
BREWSTER ANGLE ->2010
CARRIER - - - - - "
DENSITY - - - - - "
SILICON - - - - - "

PULSE
ELECTROPLATING -> 833
SEMICONDUCTOR - - "

PULSED
IMPURITY - - - -> 138

PULSED (CONTD)
MOS - - - - - - - 138
SILICON - - - - - "

PULSED CURRENT
ELECTRODEPOSITION> 551
GOLD - - - - - - "

PURITY
METAL - - - - - -> 650
NITRIDING - - - - "
NITROGEN - - - - "

PYREX
GAUGE - - - - - -> 841
OXYGEN - - - - - "
SULFUR - - - - - "
VAPOR - - - - - - "

PYROLYSIS
ARSENIC DOPED - -> 149
EPITAXY - - - - - "
FILM - - - - - -> 747
INHIBITION - - - 149
SILANE - - - - - "
SILICON - - - - - "
ZIRCONIUM DIOXIDE 747

PYROLYTIC
CAPACITANCE - - -> 711
GRAPHITE - - - - "
STRESS ANNEALING "

QUASI STATIC
MOS - - - - - - -> 370
NONEQUILIBRIUM - "

QUASISTATIC
INTERFACE - - - ->2002
PASSIVATION - - - "
SILICON - - - - - "
SILICON DIOXIDE - "

QUENCHING
CADMIUM - - - - -> 489
OPTICAL - - - - - "
SULFIDE - - - - - "

QUINONE
BATTERY - - - - ->1950
CATHODE - - - - - "
ESR - - - - - - -> 57
KINETICS - - - - "
POLAROGRAPHY - - "
THIOETHER - - - - "
VOLTAMMETRY - - - "
- - - 1950

QUINUCLIDINE
HYDROGEN CHLORIDE>1273
IRON - - - - - - "
OXIME - - - - - - "

RADIAL DIFFUSION
CURRENT - - - - ->1079
ROTATING DISK - - "

RAPID
DROP TIME - - - ->1588
POLAROGRAPHY - - "

RARE EARTH
FERRITE - - - - -> 179
POLISH - - - - - "

REACTION
ADSORPTION - - ->1713
CVD - - - - - - -> 654
CYCLIC - - - - - 1713
FUEL CELL - - - - "
HOMOGENEOUS - - - 654
OLEFIN - - - - - 1713

REDUCTION
ACRYLONITRILE - -> 450
ADDITIVE - - - - ->1705
ALKALINE - - - -> 255
ALKENE - - - - -> 447
ALKYL RADICAL - ->1420
ANION - - - - - - "
AZIRIDINE - - - - "
CARBIDE - - - - ->1137
CARBONATE - - - ->1130
- - - ->1550
CATHODE - - - - -> 170
- - - - -> 182
- - - - - 447
- - - - - 450
CHLORATE - - - - 182
CHLORIDE - - - ->1123
CHLORINE CELL - - 170
CHROMATE - - - - 1123
COBALT - - - - - "
COPPER - - - - - 1130
COUNTERION - - - 447
COUPLING - - - - "
- - - - 450
DIAPHRAGM - - - - 170
DIAZOLE - - - - ->1089
DIRECT - - - - - 255
ELECTRODEPOSITION 1137
EUTECTIC - - - - 1123
FILM - - - - - - 1137
FLUORIDE - - - - 1130
GOLD - - - - - -> 531
GRAPHITE - - - - 1705

REDUCTION (CONTD)
HALIDE - - - - - 1550
IRON - - - - - - 1705
LITHIUM - - - - - 1123
LOW TEMPERATURE -> 280
MELT - - - - - - 1550
MOLTEN SALT - - - 1123
MOLYBDENUM - - - 1137
OXIDATION - - - - 531
OXYGEN - - - - - 1137
- - - - - 1550
- - - - - 1705
PERMALLOY - - - - 1137
PHTHALOCYANINE - 1705
POTASSIUM - - - - 1123
- - - - "
PROPYLENE - - - - 1130
SILICON - - - - - 280
THIN FILM - - - - 1130
TUNGSTEN - - - - 1137
WIRE - - - - - - "
ZINC - - - - - - 1123
ZINC OXIDE - - - 255

REFLECTION
SPECULAR - - - ->1322

REFRACTORY
ALUMINUM - - - ->1204
BORON - - - - - - "
COEFFICIENT - - - "
- - - ->1212
CONDENSATION - - 1204
- - 1212
DIBORIDE - - - - -> 220
ELECTRODEPOSITION "
METALS - - - - - "
NICKEL OXIDE - - 1212
NITRIDE - - - - - 1204
ZIRCONIUM - - - - 220

RELATIONSHIP
INDIUM - - - - -> 133
PHASE - - - - - - "
SULFIDE - - - - - "

RELAXATION
ELECTRODEPOSITION> 91
NULL DEFLECTION - "
POINT CONTACT - -> 759
SILICON - - - - - "
STRESS - - - - - 91

RESIN
ELECTRODEPOSITION>1916
METAL ANODE - - - "

RESISTANCE
COMPENSATION - -> 702
CONTACT - - - - ->1016
FARADAY - - - - - 702
FOUR POINT - - -> 390
PROBE - - - - - - "
SHEET - - - - - - "
SILICON - - - - - "

RESISTIVITY
ALUMINA - - - - ->1135
ANODE - - - - - ->1709
BETA - - - - - - 1135
CONDUCTIVITY - - "
MAGNETITE - - - - 1709
NIOBIUM - - - - -> 997

REVERSION
CONCENTRATION - -> 576
ELECTRODE - - - - "
KINETICS - - - - "
POTENTIOSTATIC - "

RHENIUM
CVP - - - - - - -> 373
OXYCHLORIDE - - - "

ROTATING
ANODE - - - - - -> 174
CHLORATE - - - - "
CHLORIDE - - - - "
ELECTROCHEMICAL - "
ELECTRODE - - - ->1764
MACHINING - - - - 174
MASS TRANSFER - - 1764
RSE - - - - - - - "
SODIUM - - - - - 174
SPHERICAL - - - - 1764

ROTATING CYLINDER
MASS TRANSFER - ->1957

ROTATING DISK
CONCENTRATION - ->1082
CURRENT - - - - ->1079
ELECTRON - - - - 1082
ISOSURFACE - - - "
MASS TRANSFER - -> 68
OXYGEN - - - - - "
RADIAL DIFFUSION 1079
TRANSFER - - - - 1082
VOLTAMMETRY - - - "

ROTATING RING
ANODE DISSOLUTION>1912
CARBIDE - - - - - "
COULOMETRY - - - "
DISK ELECTRODE - "
OXIDATION - - - - "

XUM

PRIMARY TERM
CO-TERM — PAGE NO.

ROTATING RING (CONTD)
TITANIUM - - - - 1912

ROTATING SPHERE
DIFFUSION - - - ->1434

RSE
ELECTRODE - - - ->1764
MASS TRANSFER - - "
ROTATING - - - - "
SPHERICAL - - - - "

RUBIDIUM
AMMONIA - - - - ->2031
CHLORIDE - - - ->1307
CONDUCTIVITY - -> 86
EMF - - - - - - - 1307
IODIDE - - - - - 86
- - - - -> 899
- - - - - 2031
MOLTEN - - - - - 1307
POTASSIUM - - - - 2031
SILVER - - - - - 86
- - - - - 899
- - - - - 1307
- - - - - 2031
SINGLE CRYSTAL - "
SODIUM - - - - - 1307
SOLID ELECTROLYTE 86
899
THERMODYNAMICS - 1307
X RAY DIFFRACTION 2031

SAPPHIRE
ALUMINUM - - - ->1653
ALUMINUM OXIDE ->1804
ETCHING - - - - - "
MAGNESIUM - - - - 1653
OXIDE - - - - - - "
PITTING - - - - - 1804
POLISHING - - - - 1653
- - - - 1804
SPINEL - - - - - 1653

SCALE
ATMOSPHERE - - -> 740
CHROMIUM - - - - "
HYDROGEN SULFIDE "
KINETICS - - - - "
MORPHOLOGY - - - "
NICKEL - - - - - "

SCANNING
ALUMINUM - - - -> 381
ELECTRON - - - - "
ETCHING - - - - - "
FOIL - - - - - - "
MICROSCOPE - - - "

SEAWATER
BATTERY - - - - -> 394
DISCHARGE - - - - "
MAGNESIUM - - - - "

SECOND BREAKDOWN
POINT CONTACT - -> 763
SILICON - - - - - "
THICKNESS - - - - "

SEEBECK
CONDUCTIVITY - -> 345
THORIUM DIOXIDE - "

SEGREGATION
CRYSTAL GROWTH ->1013
CZOCHRALSKI - - - "
DOPANT - - - - - "

SELENIDE
CONDUCTIVITY - ->1051
MEMORY - - - - - "
SILVER - - - - - "
SINGLE CRYSTAL ->1842
SOLID STATE - - - 1051
SULFIDE - - - - - 1842
TELLURIDE - - - - 1051
VPE - - - - - - - 1842
ZINC - - - - - - "

SELENIUM
ANTIMONY - - - ->1485
ARSENIC - - - - - "
- - - - ->1823
CHALCOGEN - - - ->1941
CHLORIDE - - - - 1823
GALLIUM ARSENIDE "
GERMANIUM - - - - "
LIQUID STRUCTURE 1485
LITHIUM - - - - - 1941
PHASE DIAGRAM - - 1485
PHASE EQUILIBRIUM 1941
SILICON - - - - - 1823
SULFUR - - - - - "
VPE - - - - - - - "

SELF DISCHARGE
IODIDE - - - - -> 894
LITHIUM - - - - - "
SILVER - - - - - "
SOLID - - - - - - "

SEMICONDUCTOR
ALLOY - - - - - ->1175
ALUMINUM - - - -> 647
- - - - ->1864
CHROMIUM - - - -> 163

SEMICONDUCTOR (CONTD)
COMPOSITION - - -> 129
CRYSTAL GROWTH ->1459
DEPOSITION - - - 163
DICUMENE - - - - "
ELECTROPLATING -> 833
EPITAXY - - - - - 647
EPOXY - - - - - - 129
FILM - - - - - - ->1228
GALLIUM - - - - - 1864
METAL - - - - - - 1228
NITRIDE - - - - - 1864
ORGANOMETAL - - -> 644
- - - 647
- - - ->1231
- - - 1864
OXIDE - - - - - - 1228
PHASE DIAGRAM - - 1175
PHOSPHIDE - - - - 1459
PLATING - - - - - 1228
PULSE - - - - - - 833
STABILITY - - - - 129
THERMODYNAMICS - 1175

SEMITRANSPARENT
METAL OXIDE - - -> 341
PHOTOMASK - - - - "

SENSOR
COPPER - - - - -> 571
ION SELECTIVE - - "
IRON - - - - - - "

SESSILE DROP
CONTACT ANGLE - -> 368
GALLIUM - - - - - "
GALLIUM ARSENIDE "
LIQUID - - - - - "

SHEET
FOUR POINT - - -> 390
PROBE - - - - - - "
RESISTANCE - - - "
SILICON - - - - - "

SHELLAC
ELECTRET - - - ->1675
MAGNETOELECTRET - "
WAX - - - - - - - "

SILANE
ARSENIC DOPED - -> 149
EPITAXY - - - - - "
INHIBITION - - - "
PYROLYSIS - - - - "
SILICON - - - - - "

SILICA
CVD - - - - - - -> 349
DIELECTRIC - - - "
FILM - - - - - - "

SILICATE
ALKALINE EARTH ->1009
EUROPIUM - - - - "
FLUORESCENCE - - "
HIGH ENERGY - - -> 637
LASER - - - - - - "
NEODYMIUM - - - - "
OXYAPATITE - - - "

SILICON
ACTIVATION - - ->1351
ALPHA - - - - - -> 335
- - - - - -> 338
ALUMINA - - - - -> 591
AMORPHOUS PHASE -> 943
ANNEALING - - - - "
- - - - ->1463
ANODE - - - - - -> 437
- - - - - -> 717
ARSENIC - - - - ->1823
ARSENIC DOPED - -> 149
BETA - - - - - - -> 397
BORON - - - - - -> 293
- - - - - ->1837
BORON DOPED - - -> 401
BOROSILICATE - ->1985
BREAKDOWN - - - ->1809
BREWSTER ANGLE ->2010
CARBIDE - - - - - 335
- - - - - 338
- - - - - 397
CARBON - - - - ->1001
CARRIER - - - - - 2010
CHARGE - - - - - 591
CHLORIDE - - - - 1823
CHLORINE - - - -> 634
- - - - ->2034
CLUSTER - - - - ->1851
CONTAMINATION - ->1221
CRYSTAL GROWTH - 1851
CVD - - - - - - - 1837
- - - - - - - 1985
CVP - - - - - - - 335
- - - - - - - 338
CZOCHRALSKI - - -> 640
DENSITY - - - - - 2010
DIFFUSION - - - - 293
DIODE - - - - - ->1015
DISSOLUTION - - - 437
DOPING - - - - - 1837
ELECTRON - - - - ->1171
EPITAXY - - - - - -> 107
- - - - - 149
- - - - - 640

SILICON (CONTD)
EPITAXY - - - - -> 962
- - - - ->1183
- - - - ->1240
- - - - - 1351
- - - - ->1535
- - - - - 1837
ETCHING - - - - -> 110
- - - - -> 266
- - - - - 401
- - - - - 634
- - - - - 1171
- - - - - 2034
FILM - - - - - - 591
- - - - - - 962
- - - - - ->1370
FLAME FUSION - - 640
FLUX - - - - - - - "
FOUR POINT - - -> 390
GALLIUM ARSENIDE 107
1015
1823
GALLIUM PHOSPHIDE 1221
GAS PHASE - - - - 634
- - - - 2034
GERMANIUM - - - -> 494
- - - - 1823
GETTERING - - - -> 141
GLASS - - - - - - 293
GLASS FILM - - - 1985
GROWTH - - - - - 640
HEXAFLUORIDE - - 266
HIGH TEMPERATURE 1463
HOLE MOBILITY - - 640
HYDROGEN CHLORIDE 110
141
IMPURITY - - - -> 138
INHIBITION - - - 149
INTERFACE - - - ->2002
IODINE - - - - - 1535
IR - - - - - - - -> 145
- - - - - - - 1985
LABELED - - - - - 717
LOW TEMPERATURE -> 280
- 962
METHANE - - - - -> 957
MICROSCOPE - - - 1171
MOS - - - - - - - 138
NEUTRON - - - - - 1351
NITRIDE - - - - - 110
- - - - -> 331
OPTICAL CONSTANT 145
ORGANIC SOLVENT - 717
OXIDATION - - - - 494
- - - - 717
- - - - 1370
OXIDE FILM - - - 397
- - - 1809
OXYGEN - - - - - 717
PASSIVATION - - - 2002
POINT CONTACT - -> 759
- -> 763
POLYCRYSTALLINE - 331
POTENTIAL - - - -> 412
PROBE - - - - - - 390
PSEUDOBREWSTER - 2010
PULSED - - - - - 138
PYROLYSIS - - - - 149
QUASISTATIC - - - 2002
REDUCTION - - - - 280
RELAXATION - - - 759
RESISTANCE - - - 390
SECOND BREAKDOWN 763
SELENIUM - - - - 1823
SHEET - - - - - - 390
SILANE - - - - - 149
SILICON DIOXIDE - 110
- 293
- 412
- 2002
SLICE - - - - - -> 143
SPECTRUM - - - - 1015
SPINEL - - - - - 640
SPUTTERING - - - 591
STRESS - - - - - 143
SUBSTRATE - - - - 1183
SULFUR - - - - - 266
- - - - - 1823
SURFACE - - - - - 494
- - - - - 1001
- - - - - 1183
TANTALUM - - - - 717
TEXTURE - - - - - 1001
THERMALLY INDUCED 143
THICKNESS - - - - 763
THINNING - - - - 1240
THORIUM OXIDE - - 412
VACANCY - - - - - 1851
VAPOR - - - - - - 957
VPE - - - - - - - 1823
WATER VAPOR - - - 1837
WEB - - - - - - -> 952
YTTRIUM OXIDE - - 412

SILICON DIOXIDE
BORON - - - - - -> 293
CVD - - - - - - ->2028
DIFFUSION - - - - 293
- - - -> 975
DISSOLUTION - - ->1772
ELECTRON PROBE -> 913
ETCHING - - - - -> 110
- - - - ->1506
ETHANOL - - - - ->1011
FILM - - - - - -> 325
- - - - - -> 614

SILICON DIOXIDE (CONTD)
FILM - - - - - - 913
- - - - - - 975
- - - - - -> 986
- - - - - - 1011
- - - - - - 1506
FLUORIDE - - - - 1772
GALLIUM ARSENIDE 975
GLASS - - - - - - 293
- - - - - - 986
HYDRIDE - - - - - 614
HYDROGEN CHLORIDE 110
HYDROXYL - - - - 325
- - - - 614
INTERFACE - - - ->2002
ION - - - - - - - 1011
MOLYBDENUM - - - 2028
NITRIDE - - - - - 110
PASSIVATION - - - 2002
PHOSPHOSILICATE - 986
POTENTIAL - - - -> 412
QUASISTATIC - - - 2002
SILICON - - - - - 110
- - - - - 293
- - - - - 412
- - - - - 2002
SODIUM - - - - - 986
THIN FILM - - - - 2028
THORIUM OXIDE - - 412
TIN - - - - - - - 975
TRANSFER - - - - 1011
TRANSPORT - - - - 986
YTTRIUM OXIDE - - 412

SILICON NITRIDE
FILM - - - - - - ->1341

SILVER
AMMONIA - - - - ->2031
ANODE DISSOLUTION>1960
BERYLLIUM - - - - "
BETA ALUMINA - -> 1
BROMIDE - - - - -> 79
- - - - -> 901
- - - - - 1960
CHLORIDE - - - - 901
- - - - ->1119
- - - - ->1307
CONDUCTANCE - - -> 846
- - -> 850
CONDUCTIVITY - - 1
- -> 86
- ->1051
COTTRELL - - - -> 252
CYANIDE - - - - - 846
- - - - - 850
DIFFUSION - - - - 252
- - - - 1119
ELECTRICAL - - - 1
ELECTRONIC - - - "
EMF - - - - - - - 1307
GLASS - - - - - - ->1111
GOLD - - - - - - 252
GRAPHITE - - - -> 72
INTERFACE - - - - "
INTERSTITIAL - - 901
IODIDE - - - - - 72
- - - - - 86
- - - - - 846
- - - - - 850
- - - - -> 894
- - - - -> 899
- - - - - 2031
ION - - - - - - - 846
- - - - - - - 850
ION EXCHANGE - - 1111
LIQUID - - - - - 1960
LITHIUM - - - - - 894
MEMORY - - - - - 1051
MICROSTRUCTURE ->1021
MOLTEN - - - - - 1307
MOLTEN SALT - - - 1111
PHASE DIAGRAM - - 850
PLATINUM - - - - 72
POTASSIUM - - - - 850
- - - - 2031
POTENTIAL - - - - 901
RUBIDIUM - - - - 86
- - - - 899
- - - - 1307
- - - - 2031
SELENIDE - - - - 1051
SELF DISCHARGE - 894
SINGLE CRYSTAL - 2031
SINTERED - - - - 1021
SODIUM - - - - - 1111
- - - - - 1307
SOLID - - - - - - 846
- - - - - - 850
- - - - - - 894
- - - - - - 1960
SOLID ELECTROLYTE 86
899
SOLID STATE - - - 1051
TELLURIDE - - - - "
THERMODYNAMICS - 1307
TRANSPORT - - - - 1
X RAY DIFFRACTION 2031

SILVER OXIDE
CATHODE - - - - -> 497
LOW TEMPERATURE - "
MICROSTRUCTURE -> 7
SINTERED - - - - "

PRIMARY TERM
CO-TERM — PAGE NO.

SILVER SULFIDE
EMF -> 419
FREE ENERGY "
HIGH TEMPERATURE "
LEAD SULFIDE "

SINGLE CRYSTAL
ALUMINATE -> 586
AMMONIA ->2031
ANODE -> 36
ARSENIDE ->1639
COPPER 36
->1287
->1325
CZOCHRALSKI -> 301
-> 306
DIELECTRIC 586
DISSOLUTION 36
->1417
ELECTRODEPOSITION 1287
GALLIUM 1639
GALLIUM ARSENIDE 301
GALLIUM PHOSPHIDE 306
GAS 1325
HIGH RATE 36
INDIUM 1639
IODIDE 2031
MAGNESIUM 586
MANGANESE OXIDE ->1665
NONSTOICHIOMETRY "
OPTICS 586
OXIDATION 1325
POLYCRYSTALLINE 36
POTASSIUM 2031
RUBIDIUM "
SELENIDE ->1842
SILVER 2031
SOLUTION GROWTH 1639
SPINEL 586
STOICHIOMETRY "
SULFIDE 1842
THERMOGRAVIMETRY 1665
VPE 1842
X RAY DIFFRACTION 2031
ZINC 1842
ZINC OXIDE 1417

SINGLE ION
KINETICS ->1609
SOLVATION ENERGY "

SINGLE PULSE
ALLOY -> 226
ION ELECTRODE "
METAL METAL "
POTENTIOSTATIC "

SINTERED
MICROSTRUCTURE -> 7
->1021
SILVER "
SILVER OXIDE 7

SINTERING
FILM ->1386
FUEL CELL "
HIGH TEMPERATURE "
ZIRCONIA "

SLICE
SILICON -> 143
STRESS "
THERMALLY INDUCED "

SLIGHT SOLUBILITY
POROUS ELECTRODE >1251

SODIUM
ALUMINA ->1128
ALUMINUM -> 425
AMALGAM 1128
ANODE -> 174
BETA 1128
BOROHYDRIDE ->2055
BROMIDE 425
CARBONATE -> 709
CHLORATE 174
->1870
CHLORIDE 174
->1307
->1543
->1876
CHLORINE -> 631
CLOSED CELL 1870
1876
CONDUCTIVITY 425
ELECTROCHEMICAL 174
ELECTROLESS 2055
EMF 1128
1307
ETCHING -> 653
ETHYLENE 1543
FILM -> 986
FLUORINE 631
GLASS 986
->1111
GRAPHITE 1543
IODINE 631
ION EXCHANGE 1111
LITHIUM 631
653
MACHINING 174
1870
1876
MOLTEN 1307
MOLTEN SALT 1111

SODIUM (CONTD)
NITRATE 1876
NONAQUEOUS 709
PERCHLORATE "
1876
PHASE EQUILIBRIUM 631
PHOSPHOSILICATE 986
PLATING 2055
POLARIZATION 1543
POLISHING 653
POTASSIUM "
PROPYLENE 709
ROTATING 174
RUBIDIUM 1307
SILICON DIOXIDE 986
SILVER 1111
1307
SODIUM ELECTRODE 709
TERNARY SYSTEM 631
THERMODYNAMICS 1307
TRANSPORT 986

SODIUM ELECTRODE
CARBONATE -> 709
NONAQUEOUS "
PERCHLORATE "
PROPYLENE "
SODIUM "

SODIUM OXIDE
OXIDATION SILICON>1147

SOLID
ANODE DISSOLUTION>1960
BERYLLIUM "
BIELECTROLYTE ->1107
BROMIDE 1960
CONDUCTANCE -> 846
-> 850
CYANIDE 846
850
IODIDE 846
850
-> 894
ION 846
850
LIQUID 1960
LITHIUM 894
PHASE DIAGRAM 850
POTASSIUM "
SELF DISCHARGE 894
SILVER 846
850
894
1960
THERMODYNAMICS 1107

SOLID ELECTROLYTE
AMMONIUM ->1144
CONDUCTION ->1033
CONDUCTIVITY -> 86
1144
FUEL CELL ->1890
IODIDE 86
-> 899
1144
OVER POTENTIAL 1890
RUBIDIUM 86
899
SILVER 86
899
STEADY STATE ->1398
ZIRCONIA 1890

SOLID SOLUTION
EUROPIUM -> 755
LITHIUM OXIDE -> 796
LUMINESCENCE -> 474
755
MAGNESIUM -> 979
MANGANESE 474
755
NICKEL OXIDE 796
PHASE EQUILIBRIUM 755
TELLURIDE 979
TERBIUM 755
THERMODYNAMICS 796
ZINC 979

SOLID STATE
CONDUCTIVITY ->1051
MEMORY "
SELENIDE "
SILVER "
TELLURIDE "

SOLIDUS BOUNDARY
ALUMINUM -> 495
ARSENIDE "
INDIUM "

SOLUBILITY
BENZENE ->1416
CADMIUM ->1451
DIFFUSION "
DMSO 1416
GALLIUM ARSENIDE > 781
GALLIUM PHOSPHIDE "
SULFIDE 1451
YTTERBIUM "
ZINC 781

SOLUTION GROWTH
ARSENIDE ->1639
GALLIUM "
INDIUM "

SOLUTION GROWTH (CONTD)
SINGLE CRYSTAL 1639

SOLVATION ENERGY
ALKALI METAL ->1614
KINETICS ->1609
PERCHLORATE 1614
SINGLE ION 1609

SPECTROMETRY
ANTHRAQUINONE ->1758
CRYSTAL GROWTH ->1473
GALLIUM ARSENIDE "
HYDROXYL 1758
MANGANESE ->1159
NONAQUEOUS 1758
PHOSPHIDE 1473
PHOSPHOR 1159
POLAROGRAPHY 1758
VAPOR PHASE 1473

SPECTRUM
DIODE ->1015
GALLIUM ARSENIDE "
SILICON "

SPECULAR
REFLECTION ->1322

SPHERICAL
ELECTRODE ->1764
MASS TRANSFER "
ROTATING "
RSE "

SPINEL
ALUMINATE -> 586
ALUMINUM ->1653
CZOCHRALSKI -> 640
DIELECTRIC 586
EPITAXY 640
FLAME FUSION "
FLUX "
GROWTH "
HOLE MOBILITY "
MAGNESIUM 586
1653
OPTICS 586
OXIDE 1653
POLISHING "
SAPPHIRE "
SILICON 640
SINGLE CRYSTAL 586
STOICHIOMETRY "

SPUTTERING
ALUMINA -> 591
ANODE ->1726
CHARGE 591
FILM "
FLUORIDE 1726
HAFNIUM ->1856
NITRIDE "
OXIDE GROWTH 1726
SILICON 591
TANTALUM 1726
1856
THIN FILM "

STABILITY
COMPOSITION -> 129
EPOXY "
LEVITATION ->2021
MELTING "
SEMICONDUCTOR 129

STABILIZATION
GLASS ->1649
MOS "
PHOSPHOSILICATE "

STAINLESS STEEL
ANODE -> 22
-> 676
CHLORIDE ->1717
CHROMIUM 22
1717
CORROSION -> 192
->1057
1717
CRACKING "
DISSOLUTION "
FERRITE 22
INTERGRANULAR 192
LITHIUM 1717
MAGNESIUM "
MARINE 1057
METAL 1717
MOLYBDENUM 22
NICKEL 1717
PASSIVITY "
PICKLING 676
PITTING 1057
POLARIZATION 22
POTENTIOSTATIC 676
STRESS 1717

STEADY STATE
AMIDE -> 28
AUTOMATION -> 583
CURRENT POTENTIAL "
IRON 28
PASSIVATION "
POLARIZATION "
SOLID ELECTROLYTE>1398

STIMULATION
OSTEOGENESIS ->1438

STOICHIOMETRY
ALUMINATE -> 586
DIELECTRIC "
MAGNESIUM "
OPTICS "
SINGLE CRYSTAL "
SPINEL "

STRESS
CHLORIDE ->1717
CHROMIUM "
CORROSION "
CRACKING "
DISSOLUTION "
ELECTRODEPOSITION> 91
LITHIUM 1717
MAGNESIUM "
METAL "
NICKEL "
NULL DEFLECTION 91
PASSIVITY 1717
RELAXATION 91
SILICON -> 143
SLICE "
STAINLESS STEEL 1717
THERMALLY INDUCED 143

STRESS ANNEALING
CAPACITANCE -> 711
GRAPHITE "
PYROLYTIC "

STRONTIUM
ALUMINUM -> 930
->1166
APATITE ->1510
CADMIUM -> 470
CALCIUM 1166
EUROPIUM 470
930
LUMINESCENCE 470
930
1166
MANGANESE "
OXIDE 930
1166
PHASE EQUILIBRIUM 470
PHOSPHATE "
PHOSPHOR 1510

STRUCTURE
ELECTRODEPOSITION>1737
GOLD "

SUBLIMATION
TELLURIDE -> 983
TIN "

SUBSTRATE
DEPOSITION ->1695
ELECTROLESS "
EPITAXY ->1183
PHOTOOXIDATION 1695
SILICON 1183
SURFACE "
TIN 1695

SULFATE
ADSORPTION ->1138
ANODE -> 525
ANTIMONY "
CATHODE -> 248
CHLORIDE ->1066
COPPER 248
CORROSION 1066
CRYSTALLITE ->1395
CRYSTALLIZATION 525
DIFFUSION 248
ELECTRON 1395
IRON 1066
LAYER 248
LEAD 525
1395
MICROSCOPY "
NITRATE -> 885
PLATINUM 1138
SULFURIC ACID 1066
THICKNESS 248
TIN -> 402
X RAY 1395

SULFIDATION
ALLOY ->1336
CHROMIUM "
LABELED "
NICKEL "

SULFIDE
CADMIUM -> 489
->1451
DIFFUSION "
INDIUM -> 133
OPTICAL 489
PHASE 133
QUENCHING 489
RELATIONSHIP 133
SELENIDE ->1842
SINGLE CRYSTAL "
SOLUBILITY 1451
VPE 1842
YTTERBIUM 1451
ZINC 1842

XUM

PRIMARY TERM / CO-TERM — PAGE NO.

SULFITE
BATTERY ->1886
DIMETHYL "
GRAPHITE "
LITHIUM "
ORGANIC SOLVENT "
PERCHLORATE "

SULFUR
ACID SOLUTION ->2036
ARSENIC ->1823
CARBON BLACK ->1711
CHLORIDE 1823
CONDUCTIVITY 1711
CORROSION 2036
ETCHING -> 266
GALLIUM ARSENIDE 1823
GAUGE -> 841
GERMANIUM 1823
HEXAFLUORIDE 266
IRON 2036
MOLTEN 1711
OXYGEN 841
POLARIZATION 2036
PYREX 841
SELENIUM 1823
SILICON 266
1823
VAPOR 841
VPE 1823

SULFURIC ACID
ADSORPTION ->1282
ALUMINUM ->1094
BARRIER "
BENZOTRIAZOLE -> 545
CESIUM 1094
CHLORIDE ->1066
CORROSION "
1282
DISSOLUTION 1094
ETCHING -> 768
GALLIUM ARSENIDE "
HYDROGEN 1282
HYDROGEN PEROXIDE 768
INHIBITION 1282
IRON 545
1066
1282
SULFATE 1066

SUPERIMPOSITION
AC POTENTIAL -> 259
ALLOY -> 51
ELECTROCAPILLARY 259
ELECTRODEPOSITION 51
IRON "
NICKEL "

SURFACE
CARBON ->1001
EPITAXY ->1183
GERMANIUM -> 494
OXIDATION "
PHOTOLITHOGRAPHY > 821
SILICON 494
1001
1183
SUBSTRATE "
TEXTURE 1001
WAVE 821

SURFACE CHARGE
CHLORIDE -> 465
CONSTANT "
DIELECTRIC "
ELECTRET "
POLYVINYL "

SWEEP
MOBILE CHARGE -> 601
MOS "
TRIANGULAR "
VOLTAGE "

TANTALUM
ALUMINUM -> 727
->2039
ANODE -> 717
727
->1726
2039
AUTOMATION -> 672
BREAKDOWN 2039
CAPACITOR 672
2039
DECOMPOSITION ->1530
DIELECTRIC 2039
FLUORIDE 1726
GROWTH LAW 727
HAFNIUM ->1856
HIGH VOLTAGE 2039
ION CATHODE ->1989
LABELED 717
727
MANGANESE 1530
MANUFACTURING 672
MICROANALYSIS 727
NIOBIUM 1989
NITRATE 1530
NITRIDE 1856
ORGANIC SOLVENT 717
OXIDATION "
OXIDE FILM 1989
OXIDE GROWTH 1726
OXYGEN 717

TANTALUM (CONTD)
OXYGEN 727
SILICON 717
SPUTTERING ->1726
1856
THIN FILM "
TITANIUM 1989
TUNGSTEN "
VANADIUM "
ZIRCONIUM "

TARNISH
COPPER OXIDE -> 636
LABELED "
OXIDE "
ZINC "

TECHNETIUM
IRON ->1752
POLARIZATION "

TECHNETIUM OXIDE
FREE ENERGY -> 231
HYDROUS "

TELLURIDE
BISMUTH -> 991
CADMIUM ->1790
CONDUCTIVITY ->1051
CRYSTAL GROWTH 1790
INSULATING "
LEAD ->1365
MAGNESIUM -> 979
MEMORY 1051
MOLTEN 991
SELENIDE 1051
SILVER "
SOLID SOLUTION 979
SOLID STATE 1051
SUBLIMATION -> 983
TIN "
1365
VAPORIZATION 991
1365
ZINC 979

TELLURIUM
CADMIUM ->1868
->2014
CRYSTALLIZATION ->1224
DISLOCATION 1868
ETCHING "
FILM 1224
GALLIUM PHOSPHIDE> 364
MERCURY 1868
NICKEL 1224
OXIDE "
PARTIAL PRESSURE 2014
PHASE DIAGRAM "
ZINC "

TEMPERATURE
CYCLING ->1776
FLEXURE "
NIOBIUM "
OXIDATION "
URANIUM "
ZIRCONIUM "

TERBIUM
ACTIVATOR -> 482
EUROPIUM "
-> 755
LUMINESCENCE "
MANGANESE "
PHASE EQUILIBRIUM "
PHOSPHOR 482
PRASEODYMIUM "
SOLID SOLUTION 755
WAVELENGTH 482

TERNARY SYSTEM
CALCIUM ->1019
CHLORINE -> 631
FLUORINE "
GALLIUM ARSENIDE 1019
IODINE 631
LITHIUM "
PHASE EQUILIBRIUM "
PHOSPHIDE 1019
SODIUM 631

TESTING
BATTERY -> 375
POWER "
VEHICLE "

TEXTURE
CARBON ->1001
SILICON "
SURFACE "

THALLIC OXIDE
DEPOSITION -> 93
ELECTROLESS "
MANGANESE OXIDE "
METAL "

THERMAL
ANODE ->1680
BATTERY "
CALCIUM "

THERMALLY INDUCED
SILICON -> 143
SLICE "

THERMALLY INDUCED (CONTD)
STRESS 143

THERMODYNAMICS
ACID SOLUTION -> 557
->1968
ALLOY ->1175
ARSENIDE ->1362
BIELECTROLYTE ->1107
CADMIUM 1362
CARBIDE ->1498
->1503
CHLORIDE ->1307
EMF ->1302
1307
GLYCEROL 1302
HAFNIUM 1503
HYDROCHLORIC ACID 1302
LITHIUM OXIDE -> 796
MOLTEN 1307
NICKEL 557
1968
NICKEL OXIDE 796
NIOBIUM 1498
OXIDE ->1479
PHASE DIAGRAM 1175
PHOSPHIDE 1362
RUBIDIUM 1307
SEMICONDUCTOR 1175
SILVER 1307
SODIUM "
SOLID 1107
SOLID SOLUTION 796
URANIUM 1503
VAPOR TRANSPORT 1479
ZINC 1362
1479
ZIRCONIUM 1498
1503

THERMOGRAVIMETRY
BROMIDE ->1195
MANGANESE OXIDE ->1665
NONSTOICHIOMETRY "
OXIDATION 1195
SINGLE CRYSTAL 1665
ZIRCONIUM 1195

THICKNESS
CATHODE -> 248
COPPER "
DIFFUSION "
LAYER "
POINT CONTACT -> 763
SECOND BREAKDOWN "
SILICON "
SULFATE 248

THIN FILM
BOROSILICATE ->1658
CARBONATE ->1130
CELL ->1043
COPPER 1130
CVD ->2028
ELECTROLYTE 1043
FLUORIDE 1130
GLASS 1658
HAFNIUM ->1856
IR 1658
MOLYBDENUM 2028
NITRIDE 1856
NONDESTRUCTIVE 1658
PROPYLENE 1130
REDUCTION "
SILICON DIOXIDE 2028
SPUTTERING 1856
TANTALUM "

THINNING
EPITAXY ->1240
SILICON "

THIOETHER
ESR -> 57
KINETICS "
POLAROGRAPHY "
QUINONE "
VOLTAMMETRY "

THIOSILICATE
ALKALINE EARTH ->1862
CERIUM "
EUROPIUM "
LUMINESCENCE "
PHOSPHOR "

THIOUREA
ADSORPTION ->1426
INDIUM "
MERCURY "

THORIUM
CERIUM ->1508
LUMINESCENCE "

THORIUM DIOXIDE
CONDUCTIVITY -> 345
OXYGEN -> 416
SEEBECK 345
TRANSFERENCE 416
YTTRIUM OXIDE "

THORIUM OXIDE
POTENTIAL -> 412
SILICON "
SILICON DIOXIDE "

THORIUM OXIDE (CONTD)
YTTRIUM OXIDE 412

THROWING
POWER -> 818

THROWING POWER
MACHINING -> 831

TIN
BARIUM -> 923
CALCIUM "
DEPOSITION ->1695
DIFFUSION -> 975
ELECTROLESS 1695
FILM 975
GALLIUM ARSENIDE "
KAPTON ->2042
LEAD ->1365
LUMINESCENCE 923
MOSSBAUER 2042
PHASE EQUILIBRIUM 923
PHOSPHATE "
PHOTOOXIDATION 1695
POLYIMIDE 2042
SILICON DIOXIDE 975
SUBLIMATION -> 983
SUBSTRATE 1695
SULFATE -> 402
TELLURIDE 983
1365
TIN OXIDE 2042
VAPORIZATION 1365

TIN OXIDE
KAPTON ->2042
MOSSBAUER "
POLYIMIDE "
TIN "

TITANIUM
ANODE DISSOLUTION>1912
BARIUM -> 400
CARBIDE 1912
COULOMETRY "
DISILICIDE ->1973
DISK ELECTRODE 1912
FILM 400
HYDROGEN CHLORIDE>1412
ION CATHODE ->1989
METHANOL 1412
NIOBIUM 1989
OXIDATION 1912
1973
OXIDE FILM 1989
PASSIVATION 1412
PITTING "
ROTATING RING 1912
TANTALUM 1989
TUNGSTEN "
VANADIUM "
ZIRCONIUM "

TOPOGRAPH
VIDEO DISPLAY -> 619
X RAY "

TRANSFER
CONCENTRATION ->1082
ELECTRON "
ETHANOL ->1011
FILM "
ION "
ISOSURFACE 1082
ROTATING DISK "
SILICON DIOXIDE 1011
VOLTAMMETRY 1082

TRANSFERENCE
OXYGEN -> 416
THORIUM DIOXIDE "
YTTRIUM OXIDE "

TRANSISTOR
CIRCUIT ->1627
EPITAXY "
FABRICATION "
INTEGRATED "
P TYPE "

TRANSITION
ACID -> 707
ANODE -> 568
ELEMENTS "
HYDROGEN "
MEMBRANE 707
OXIDATION 568
TRANSPORT 707

TRANSITION STATE
ANGELL ->1900
CONDUCTANCE "
MOLTEN SALT "

TRANSPORT
ACID -> 707
BETA ALUMINA -> 1
CONDUCTANCE ->1097
CONDUCTIVITY 1
CONTAMINATION -> 966
DMSO 1097
ELECTRICAL 1
ELECTRONIC "
EPITAXY -> 318
FILM -> 986
GALLIUM PHOSPHIDE 318

PRIMARY TERM
CO-TERM — PAGE NO.

TRANSPORT (CONTD)
GLASS - - - - - - 986
HALOGEN - - - - - 318
MEMBRANE - - - - 707
MOS - - - - - - - 966
PHOSPHOSILICATE - 986
SILICON DIOXIDE - "
SILVER - - - - - 1
SODIUM - - - - - 986
TRANSITION - - - 707
VAPOR PHASE - - - 318
VPE - - - - - - - "

TRAPPING
EMBRITTLEMENT - ->1114
HYDROGEN - - - - "

TRIANGULAR
MOBILE CHARGE - -> 601
MOS - - - - - - - "
SWEEP - - - - - - "
VOLTAGE - - - - - "

TRIMETHYL
ALUMINUM - - - ->1624
ALUMINUM OXIDE - "
CVD - - - - - - - "
NITROUS OXIDE - - "

TRIOXIDE
BATTERY - - - - ->1905
MOLYBDENUM - - - "
NONAQUEOUS - - - "

TUNGSTEN
ANODE DISSOLUTION>1909
CARBIDE - - - - ->1137
CHEMICAL VAPOR ->1492
CHLORINATION - ->1331
CORROSION - - - - 1909
DEPOSITION - - - 1492
ELECTRODEPOSITION 1137
FILM - - - - - - "
- - - - - ->1699
HIGH TEMPERATURE 1492
ION CATHODE - - ->1989
MICROELECTRONICS 1699
MOLYBDENUM - - - 1137
- - - 1331
NIOBIUM - - - - - 1989
OXIDE FILM - - - "
OXYGEN - - - - - 1137
PERMALLOY - - - - "
REDUCTION - - - - "
TANTALUM - - - - 1989
TITANIUM - - - - "
VANADIUM - - - - "
WIRE - - - - - - 1137
ZIRCONIUM - - - - 1989

URANIUM
CARBIDE - - - - ->1503
CHLORIDE - - - ->1358
CYCLING - - - - ->1776
FLEXURE - - - - - "
HAFNIUM - - - - - 1503
LEAD - - - - - - 1358
NIOBIUM - - - - - 1776
OXIDATION - - - - "
PHASE DIAGRAM - - 1358
TEMPERATURE - - - 1776
THERMODYNAMICS - 1503
ZIRCONIUM - - - - "
- - - - 1776

URIC ACID
METHANOL SOLUTION> 699
OXIDATION - - - - "

UV
CHOLESTERIC FILM >2026
CHOLESTERYL - - - "
IODIDE - - - - - "
LIQUID CRYSTAL - "
NONANOATE - - - - "

VACANCY
CLUSTER - - - - ->1851
CRYSTAL GROWTH - "
SILICON - - - - - "

VANADIUM
ANODE - - - - - -> 860
- - - - - - -> 864
FILM - - - - - - "
ION CATHODE - - ->1989
NIOBIUM - - - - - "
OXIDATION - - - - 860
OXIDE - - - - - - 864
OXIDE FILM - - - 1989
TANTALUM - - - - "
TITANIUM - - - - "
TUNGSTEN - - - - "
ZIRCONIUM - - - - "

VAPOR
ALUMINUM - - - ->1355
- - - ->1375
ARSENIDE - - - - 1355
DEPOSITION - - - 1375
GAUGE - - - - - -> 841
METHANE - - - - -> 957
OXIDATION - - - - 1375
OXYGEN - - - - - 841
PYREX - - - - - - "
SILICON - - - - - 957

VAPOR (CONTD)
SULFUR - - - - - 841

VAPOR PHASE
CRYSTAL GROWTH ->1473
EPITAXY - - - - -> 318
GALLIUM ARSENIDE 1473
GALLIUM PHOSPHIDE 318
HALOGEN - - - - - "
PHOSPHIDE - - - - 1473
SPECTROMETRY - - "
TRANSPORT - - - - 318
VPE - - - - - - - "

VAPOR TRANSPORT
OXIDE - - - - - ->1479
THERMODYNAMICS - "
ZINC - - - - - - "

VAPORIZATION
BISMUTH - - - - -> 991
LEAD - - - - - ->1365
MOLTEN - - - - 991
TELLURIDE - - - - "
- - - - 1365
TIN - - - - - - - "

VEHICLE
AIR - - - - - - -> 812
BATTERY - - - - -> 375
- - - - - - 812
HYDROGEN - - - - "
LEAD - - - - - - "
POWER - - - - - 375
PROPULSION - - - 812
TESTING - - - - - 375

VIDEO DISPLAY
LAUE PATTERN - -> 628
TOPOGRAPH - - - -> 619
X RAY - - - - - - "
- - - - - - 628

VOLTAGE
MOBILE CHARGE - -> 601
MOS - - - - - - - "
SWEEP - - - - - - "
TRIANGULAR - - - "

VOLTAMMETRY
BATTERY - - - - ->1950
CADMIUM - - - - -> 889
- - - - ->1953
CAPACITANCE - - ->1262
CATHODE - - - - - 1950
COBALT - - - - - 889
CONCENTRATION - ->1082
COPPER - - - - -> 867
COULOMETRY - - -> 874
CURRENT INTERRUPT> 897
ELECTRON - - - - 1082
ESR - - - - - - -> 57
EUTECTIC - - - - 889
FUMARATE - - - - 874
GOLD - - - - - - 867
HYDRODIMERIZATION 874
ION ADSORPTION - 1953
ISOSURFACE - - - 1082
KINETICS - - - - 57
LEAD - - - - - - 889
- - - - - - 1262
LEAD DIOXIDE - - "
NICKEL - - - - - 889
PLATINUM - - - - 1953
POLAROGRAPHY - - 57
- - 897
QUINONE - - - - - 57
- - - - - 1950
ROTATING DISK - - 1082
THIOETHER - - - - 57
TRANSFER - - - - 1082
WIRE - - - - - - 867

VPE
ARSENIC - - - - ->1823
CHLORIDE - - - - "
EPITAXY - - - - -> 318
GALLIUM ARSENIDE >1645
1823
GALLIUM PHOSPHIDE 318
GERMANIUM - - - - 1823
HALOGEN - - - - - 318
HOMOEPITAXY - - - 1645
IMPURITY - - - - "
LPE - - - - - - - "
SELENIDE - - - ->1842
SELENIUM - - - - 1823
SILICON - - - - - "
SINGLE CRYSTAL - 1842
SULFIDE - - - - - "
SULFUR - - - - - 1823
TRANSPORT - - - - 318
VAPOR PHASE - - - "
ZINC - - - - - - 1842

WATER
ACTIVITY - - - ->1430
ALKALI METAL - -> 63
HYDROXIDE - - - - 1430
INTERACTION - - - 63
LOW TEMPERATURE - 1430
POLAROGRAPHY - - 63
POTASSIUM - - - - 1430

WATER COMPETITION
KINETICS - - - ->1316

WATER VAPOR
ALUMINUM OXIDE -> 353
BORON - - - - - ->1837
CVD - - - - - - - "
DOPING - - - - - "
EPITAXY - - - - - "
NMR - - - - - - - 353
SILICON - - - - - 1837
WIDE LINE - - - - 353

WAVE
PHOTOLITHOGRAPHY > 821
SURFACE - - - - - "

WAVELENGTH
ACTIVATOR - - - -> 482
EUROPIUM - - - - "
PHOSPHOR - - - - "
PRASEODYMIUM - - "
TERBIUM - - - - - "

WAX
ELECTRET - - - ->1675
MAGNETOELECTRET - "
SHELLAC - - - - - "

WEB
SILICON - - - - -> 952

WHISKER
BETA RHOMBOHEDRAL>1670
BORON - - - - - - "

WIDE LINE
ALUMINUM OXIDE -> 353
NMR - - - - - - - "
WATER VAPOR - - - "

WIRE
CARBIDE - - - - ->1137
COPPER - - - - -> 867
ELECTRODEPOSITION 1137
FILM - - - - - - "
GOLD - - - - - - 867
MOLYBDENUM - - - 1137
OXYGEN - - - - - "
PERMALLOY - - - - "
REDUCTION - - - - "
TUNGSTEN - - - - "
VOLTAMMETRY - - - 867

X RAY
CONDUCTIVITY - ->1257
CRYSTALLITE - - ->1395
ELECTRON - - - - "
FLUOROGERMANATE -> 351
GERMANATE - - - - "
HAFNIA - - - - - 1257
LAUE PATTERN - -> 628
LEAD - - - - - - 1395
MAGNESIUM - - - - 351
MICROSCOPY - - - 1395
PHOSPHOR - - - ->1152
POWDER - - - - - 351
SULFATE - - - - - 1395
TOPOGRAPH - - - -> 619
VIDEO DISPLAY - - "
- - 628
YTTRIA - - - - - 1257

X RAY DIFFRACTION
AMMONIA - - - - ->2031
IODIDE - - - - - "
POTASSIUM - - - - "
RUBIDIUM - - - - "
SILVER - - - - - "
SINGLE CRYSTAL - "

X RAY EXCITATION
BISMUTH ACTIVATED> 148
LANTHANUM - - - - "
LUMINESCENCE - - - "
OXYCHLORIDE - - - "

YTTERBIUM
CADMIUM - - - - ->1451
DIFFUSION - - - - "
SOLUBILITY - - - - "
SULFIDE - - - - - "

YTTRIA
CONDUCTIVITY - ->1140
- ->1257
EMF - - - - - - - 1140
HAFNIA - - - - - 1257
X RAY - - - - - - "

YTTRIUM
CALCIUM OXIDE - ->1542
ENERGY TRANSFER -> 273
EUROPIUM - - - - "
- - - - ->1999
LANTHANUM - - - - 273
ORDERING - - - - 1999
OXYSULFIDE - - - 273
PHOSPHORESCENCE - 1542
YTTRIUM OXIDE - - 1999

YTTRIUM OXIDE
EUROPIUM - - - ->1999
ORDERING - - - - "
OXYGEN - - - - -> 416
POTENTIAL - - - -> 412
SILICON - - - - - "
SILICON DIOXIDE - "
THORIUM DIOXIDE - 416

YTTRIUM OXIDE (CONTD)
THORIUM OXIDE - - 412
TRANSFERENCE - - - 416
YTTRIUM - - - - - 1999

ZINC
ALKALI - - - - ->1031
ALKALINE SOLUTION>1298
ALUMINUM - - - - ->1684
AMALGAM - - - - - 1298
ANODE - - - - - ->1269
ARSENIDE - - - - ->1362
CADMIUM - - - - - "
- - - - ->2014
CARBONATE - - - - 1269
CHLORIDE - - - - ->1123
CHROMATE - - - - "
COBALT - - - - - "
COOLING - - - - -> 486
COPPER OXIDE - - -> 636
CORROSION - - - - 1031
- - - - 1684
DETECTION - - - ->1538
DIFFUSION - - - - ->1454
DISSOLUTION - - - 1269
EUTECTIC - - - - 1123
GALLIUM ARSENIDE 486
> 781
1454
GALLIUM PHOSPHIDE 781
GERMANIUM - - - -> 358
HYDROXIDE - - - - 1269
IMPURITY - - - - 1538
LABELED - - - - - 636
- - - - ->1606
LITHIUM - - - - - 358
- - - - - 1123
MAGNESIUM - - - -> 979
MERCURY - - - - -> 837
MOLTEN SALT - - - 1123
OXIDE - - - - - - 358
- - - - - 636
- - - - ->1479
PARTIAL PRESSURE 2014
PASSIVATION - - - 1269
PHASE DIAGRAM - - 2014
PHOSPHIDE - - - - 1362
PHOSPHOR - - - - 358
PLATING - - - - - 1538
POLARIZATION - - 1031
POTASSIUM - - - - 1123
- - - - "
- - - - 1269
POTENTIAL - - - - 1298
PROPANOL - - - - 837
REDUCTION - - - - 1123
SELENIDE - - - ->1842
SINGLE CRYSTAL - "
SOLID SOLUTION - 979
SOLUBILITY - - - 781
SULFIDE - - - - - 1842
TARNISH - - - - - 636
TELLURIDE - - - - 979
TELLURIUM - - - - 2014
THERMODYNAMICS - 1362
- 1479
VAPOR TRANSPORT - "
VPE - - - - - - - 1842
ZINC OXIDE - - - 1606
ZINCATE - - - - - "

ZINC OXIDE
ALKALINE - - - -> 255
ANODE - - - - - -> 685
DIRECT - - - - - 255
DISSOLUTION - - ->1417
EXCHANGE - - - -> 265
FILM - - - - - - 685
HYDROGEN - - - - "
LABELED - - - - - 265
- - - - ->1606
POTASSIUM - - - - 265
REDUCTION - - - - 255
SINGLE CRYSTAL - 1417
ZINC - - - - - - 1606
ZINCATE - - - - - 265
- - - - - 1606

ZINC SULFIDE
CRYSTALLIZATION -> 937
DIVALENT - - - -> 136
ENERGY LEVEL - - "
FLUX ACTION - - - 937
MANGANESE - - - - 136

ZINCATE
EXCHANGE - - - -> 265
LABELED - - - - - "
- - - - ->1606
POTASSIUM - - - - 265
ZINC - - - - - - 1606
ZINC OXIDE - - - 265
- - - 1606

ZIRCALOY
ANODE - - - - - ->1797
BREAKDOWN - - - - "
ELECTRICAL - - - "
OXIDE FILM - - - "

ZIRCONIA
CALCIA STABILIZED> 185
ELECTRODE - - - - "
FILM - - - - - - ->1386
FUEL CELL - - - - "
- - - - ->1890

XUM

PRIMARY TERM / CO-TERM	PAGE NO.
ZIRCONIA (CONTD)	
HIGH TEMPERATURE	1386
METHANE - - - - ->	1378
OVER POTENTIAL -	1890
OXYGEN - - - - -	1378
PLATINUM - - - -	185
SINTERING - - - -	1386
SOLID ELECTROLYTE	1890
ZIRCONIUM	
BROMIDE - - - - ->	1195
ZIRCONIUM (CONTD)	
CARBIDE - - - - ->	1498
- - - - ->	1503
CYCLING - - - - ->	1776
DIBORIDE - - - ->	220
ELECTRODEPOSITION	"
FLEXURE - - - - -	1776
HAFNIUM - - - - -	1503
ION CATHODE - - ->	1989
METALS - - - - -	220
NIOBIUM - - - - -	1498
ZIRCONIUM (CONTD)	
- - - - -	1776
- - - - -	1989
OXIDATION - - - -	1195
- - - -	1776
OXIDE FILM - - -	1989
REFRACTORY - - -	220
TANTALUM - - - -	1989
TEMPERATURE - - -	1776
THERMODYNAMICS -	1498
-	1503
ZIRCONIUM (CONTD)	
THERMOGRAVIMETRY	1195
TITANIUM - - - -	1989
TUNGSTEN - - - -	"
URANIUM - - - - -	1503
- - - - -	1776
VANADIUM - - - -	1989
ZIRCONIUM DIOXIDE	
FILM - - - - - ->	747
PYROLYSIS - - - -	"

XUM